

OBSERVACIONES METEOROLÓGICAS.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	Dif. de los termómetros	
											2½ h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	700+	700+	700+	700+	o	o	o	o	o	o	o	o
2	25.83	27.08	27.76	26.89	25.7	20.2	22.8	29.3	22.90	17.1	5.9	3.3
3	25.33	26.83	28.46	26.87	27.3	20.6	22.4	29.3	23.43	16.0	7.5	4.3
4	25.87	27.38	28.86	27.52	28.6	20.4	22.1	29.8	23.70	13.6	8.4	4.9
5	25.77	27.73	29.76	27.42	28.7	20.4	21.8	30.3	23.63	15.1	8.2	4.5
6	26.77	27.53	28.90	27.43	27.6	20.6	22.6	29.3	23.60	15.1	8.1	5.3
7	26.87	27.43	28.10	27.47	27.6	20.4	22.6	30.3	23.58	15.1	8.5	5.5
8	27.01	27.83	28.08	27.64	28.1	20.7	23.6	30.3	24.13	14.6	8.7	6.3
9	26.51	27.28	27.28	27.02	30.1	21.4	23.6	31.5	25.03	14.6	9.3	5.7
10	24.38	24.97	27.24	25.51	29.6	21.8	23.8	31.5	25.07	17.6	8.9	4.7
11	25.24	26.27	27.50	26.34	28.0	21.2	22.1	30.3	24.10	17.6	7.9	4.3
12	25.81	26.97	29.94	27.57	27.7	21.2	22.1	30.1	23.67	18.6	7.0	3.9
13	27.89	27.49	27.64	27.67	26.7	20.9	24.2	28.3	23.98	14.1	6.5	5.3
14	25.01	27.29	27.50	26.33	28.5	21.2	20.4	30.8	23.37	17.6	8.9	2.9
15	26.08	26.33	28.90	27.09	27.3	20.6	21.5	29.3	23.13	16.1	8.1	4.6
16	27.29	27.79	28.44	27.34	27.7	21.2	23.2	28.5	24.03	15.6	8.3	4.8
17	27.87	28.49	28.74	28.20	28.8	20.8	23.5	30.3	24.37	15.6	9.2	5.5
18	27.27	28.49	28.10	27.95	29.3	20.8	22.4	30.8	24.17	15.6	8.3	4.7
19	26.01	26.97	27.70	26.89	29.3	21.4	21.8	30.5	24.17	15.6	8.7	4.1
20	26.87	27.47	29.10	27.81	29.3	21.4	23.5	30.3	24.73	17.1	8.7	4.3
21	27.53	28.33	29.20	28.35	28.6	21.2	21.9	28.8	23.90	15.6	7.3	4.9
22	27.47	28.07	28.73	28.09	28.3	21.2	22.8	29.1	24.10	15.6	9.1	4.8
23	26.03	27.13	28.24	27.13	28.1	21.0	22.8	28.5	23.97	16.1	7.7	4.1
24	25.93	28.63	28.64	27.73	27.5	20.5	23.0	28.1	23.67	17.1	7.9	3.9
25	26.89	28.09	29.74	28.24	27.6	20.6	21.4	28.3	23.43	16.6	8.2	3.9
26	27.29	28.19	28.86	28.11	27.3	20.4	21.6	28.1	23.10	15.1	7.9	3.7
27	26.43	27.33	27.70	27.32	28.1	20.4	22.5	28.3	23.67	14.1	8.9	4.3
28	25.29	26.53	27.74	26.52	28.1	20.5	21.8	29.1	23.47	17.1	7.7	2.9
29	25.63	26.13	28.70	26.82	28.4	21.0	22.1	28.6	23.83	16.6	7.3	3.9
30	27.33	28.13	28.70	28.05	28.1	20.8	22.6	28.3	23.83	17.6	7.4	4.1
31	26.27	27.09	28.38	27.25	28.2	21.2	22.8	28.3	24.07	16.1	7.2	4.5
31	27.19	27.89	29.33	28.34	28.3	21.6	23.6	28.3	24.50	16.6	8.5	4.1

FEBRERO

1	27.61	29.09	30.53	29.08	28.8	22.0	23.6	30.1	24.80	16.6	8.9	5.1
2	29.61	30.12	30.23	29.99	28.6	22.0	24.1	30.3	24.90	16.1	8.7	6.1
3	29.01	29.34	29.33	29.24	28.1	21.0	21.5	30.3	23.53	15.1	6.9	4.3
4	26.99	27.80	29.52	28.10	26.6	19.8	21.5	27.3	22.63	17.1	7.7	3.9
5	27.87	28.47	30.69	29.01	26.4	20.4	22.0	27.5	22.93	17.1	7.7	4.3
6	27.77	29.13	29.98	28.96	27.1	21.6	22.1	28.3	23.60	17.6	7.8	3.7
7	27.27	28.53	27.50	27.77	27.6	22.0	22.8	30.3	24.13	16.1	7.9	4.5
8	24.36	26.39	27.24	26.00	27.8	21.6	23.1	29.0	24.17	16.6	8.4	5.6
9	25.87	27.43	29.04	27.45	28.1	21.9	24.3	29.0	24.77	16.1	8.7	5.9
10	27.01	28.57	29.24	28.27	28.6	21.1	23.0	29.8	24.23	16.1	10.6	5.9
11	27.75	28.74	29.40	28.63	29.1	22.4	23.4	30.7	24.97	15.6	9.7	6.5
12	26.41	28.17	27.54	27.37	29.3	23.0	22.8	29.8	25.03	15.6	8.9	5.7
13	26.21	27.39	28.04	27.21	28.6	20.8	22.4	29.3	23.93	16.1	9.7	5.0
14	27.15	28.21	29.68	28.35	27.6	20.5	20.5	28.7	22.87	16.6	8.7	3.9
15	27.27	28.63	28.72	28.21	26.4	20.1	22.1	27.3	22.87	14.1	7.5	5.4
16	26.07	27.12	28.30	27.16	27.4	20.0	21.0	28.3	22.83	15.1	8.7	4.3
17	25.79	26.92	27.63	26.80	26.4	19.8	21.6	27.3	22.53	15.1	8.7	4.5
18	26.23	28.14	29.71	28.03	26.8	20.0	21.1	27.3	22.63	15.1	8.7	4.2
19	28.13	29.36	29.68	29.06	27.4	20.1	21.8	28.1	23.10	15.1	8.6	3.9
20	27.76	28.76	29.38	28.63	27.3	21.5	20.9	27.8	23.23	14.9	8.5	4.5
21	26.43	27.53	29.18	27.72	27.6	21.7	21.7	28.3	23.67	15.6	8.5	5.1
22	27.67	28.83	27.76	28.09	27.6	21.0	22.5	27.8	23.70	14.6	8.9	5.7
23	25.47	27.38	28.72	27.19	28.7	22.1	21.2	29.3	24.00	16.1	9.3	4.5
24	26.49	27.94	27.86	27.43	28.1	20.4	20.7	28.3	23.07	14.6	8.7	4.1
25	25.36	27.06	28.40	26.94	27.1	20.4	20.1	27.8	22.53	16.1	8.7	3.2
26	27.27	28.33	28.34	27.93	25.3	20.7	21.5	27.8	22.50	14.1	6.6	4.1
27	27.43	28.36	28.34	28.06	26.4	20.4	20.1	27.8	22.30	15.1	7.3	3.3
28	26.95	27.98	28.33	27.92	27.3	20.1	21.1	27.8	22.33	16.1	7.3	3.1

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.								
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
55	71	68	13.06	12.04	12.55	NO ₂	C _o	C _o	D.	D.	Np.
46	68	54	12.05	12.06	12.06	---	---	---	---	---	---
43	58	51	12.25	11.18	11.70	---	---	---	---	---	D.
43	60	51	12.58	11.24	11.91	---	---	---	---	---	---
43	55	49	11.33	10.75	11.06	---	---	---	---	---	---
40	54	47	10.66	10.45	10.55	---	---	---	---	---	---
39	49	44	10.73	10.32	10.52	---	---	---	---	---	---
38	54	46	11.42	11.05	11.22	---	---	---	---	---	---
39	61	50	11.44	12.32	11.88	---	---	NO ₂	---	---	---
43	63	53	11.42	11.88	11.65	---	---	NO ₁	---	---	---
49	66	57	13.09	12.31	12.70	---	---	C _o	---	---	N.
50	57	53	12.08	12.61	12.34	---	---	---	---	---	D.
38	73	55	10.81	12.04	11.42	---	---	---	---	---	D.
42	59	50	11.10	10.76	10.93	---	---	NO ₁	---	---	D.
41	60	50	10.98	12.42	11.70	---	---	---	---	---	---
36	55	45	10.58	11.51	11.02	---	---	---	---	---	Np.
43	61	52	12.63	11.64	12.13	---	---	---	---	---	D.
40	63	51	12.00	11.69	11.84	---	---	---	---	---	N.
40	64	52	12.00	13.03	12.51	---	---	---	---	---	N.
43	58	53	13.46	11.00	12.23	---	---	---	---	---	D.
37	59	48	10.69	11.67	11.18	---	---	---	---	---	---
46	64	55	12.77	12.55	12.66	---	---	C _o	---	---	N.
44	67	55	11.80	13.07	12.43	---	NO ₂	---	---	---	Np.
42	66	54	11.32	12.13	11.72	---	C _o	---	---	---	N.
43	66	54	11.42	12.09	11.75	---	---	---	---	---	D.
41	63	52	11.75	12.24	11.99	---	---	---	---	---	---
45	73	59	12.53	13.10	12.81	---	---	---	---	---	N.
48	66	57	13.46	12.37	12.91	---	---	---	---	---	---
47	64	55	13.29	12.55	12.92	---	---	---	---	---	---
48	62	55	13.74	12.30	13.02	---	---	---	---	---	D.
41	65	53	11.47	13.55	12.51	---	---	---	---	---	---

DE 1871.

39	57	48	11.22	11.94	11.58	NO ₂	C _o	NO ₁	D.	D.	D.
40	51	45	11.56	11.15	11.35	---	---	C _o	---	---	---
48	62	55	11.64	11.18	11.41	---	---	---	---	---	---
44	65	55	10.95	11.61	11.28	---	---	NO ₁	---	---	Np.
41	62	51	10.21	11.36	10.78	---	---	C _o	---	---	N.
43	68	56	11.38	12.61	11.99	---	---	---	N.	Np.	Np.
43	62	52	11.32	12.12	11.72	---	---	---	---	---	D.
41	54	47	11.20	11.00	11.10	---	---	---	Np.	---	---
39	53	46	10.53	11.54	11.03	---	---	---	D.	D.	---
30	51	40	8.87	10.39	9.63	NO ₂	---	---	---	---	---
35	43	41	9.73	10.02	9.90	NO ₂	---	---	Np.	Np.	---
39	52	45	11.66	10.69	11.18	---	---	---	D.	D.	---
55	58	46	9.92	11.37	10.64	---	---	NO ₁	---	---	---
39	64	51	10.33	10.83	10.60	---	---	C _o	---	---	---
45	54	49	11.07	10.42	10.74	---	---	---	---	---	---
39	61	50	10.53	10.64	10.58	---	---	---	---	---	---
38	60	49	9.33	11.24	10.31	---	---	---	---	---	Np.
38	62	50	9.56	11.51	10.53	---	---	---	---	---	D.
39	66	52	10.59	12.36	11.47	---	---	---	---	---	---
40	59	50	10.76	10.52	10.64	---	---	---	---	---	Np.
40	56	48	10.76	10.52	10.64	---	---	---	---	---	D.
38	52	45	10.21	10.33	10.27	---	---	---	---	---	---
33	59	48	10.76	10.89	10.82	---	---	---	---	---	Np.
39	63	51	10.93	11.13	11.03	---	---	NO ₁	---	---	D.
39	69	54	10.13	11.39	10.76	---	NO ₁	C _o	---	---	N.
49	64	56	11.72	12.01	11.86	---	C _o	---	---	---	D.
46	60	57	11.79	11.79	11.79	---	---	NO ₁	---	---	---
47	72	59	12.57	12.80	12.68	---	NO ₁	C _o	---	---	---

DE 1871

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.						
52	65	58	21.83	16.88	19.08	NO ₂	C ₀	C ₀	D.	D.	D.
51	71	61	22.55	16.99	19.77	—	—	—	—	—	—
54	74	64	21.90	15.89	18.89	—	—	—	—	—	—
50	72	61	20.40	14.32	17.86	—	—	—	—	—	—
52	68	57	21.33	17.24	19.28	—	—	—	—	—	—
58	75	66	21.01	16.65	18.83	—	—	—	—	—	—
60	65	62	22.32	17.55	19.93	—	—	—	—	—	—
54	74	64	21.02	15.49	18.25	—	—	—	—	—	—
55	63	59	19.28	17.30	18.29	—	—	—	—	—	—
51	73	62	20.66	15.77	18.21	—	—	—	—	—	—
52	69	60	20.23	14.58	17.40	—	—	NO ₁	—	—	Np.
55	66	60	18.89	14.08	16.46	—	NO ₁	C ₀	—	—	D.
55	70	62	18.89	13.22	16.06	—	C ₀	NO ₁	—	—	Np.
59	74	66	17.49	13.19	15.34	—	—	C ₀	—	—	N.
61	70	66	16.70	13.58	15.14	—	NO ₁	NO ₁	—	—	D.
59	73	66	17.49	13.70	15.59	—	—	—	—	—	—
62	73	67	17.86	13.70	15.78	—	—	—	—	—	—
59	77	68	17.73	12.83	15.08	—	—	C ₀	—	—	—
57	72	64	17.96	12.71	15.33	—	—	NO ₁	—	—	—
61	78	69	16.88	12.45	14.66	—	—	C ₀	—	—	—
61	69	64	16.88	13.80	15.33	—	—	NO ₁	—	—	N.
58	76	67	17.85	12.77	15.31	—	—	—	—	—	—
63	76	69	17.48	12.95	15.22	—	—	C ₀	—	—	—
59	75	67	17.91	12.87	15.14	—	NO ₁	—	—	—	N.
64	71	67	16.49	13.13	14.81	—	—	—	—	—	—
63	72	67	17.24	12.46	14.85	—	—	C ₀	—	—	—
61	76	68	18.92	13.13	16.03	—	—	NO ₁	—	—	—
64	76	70	17.54	13.80	15.67	—	—	C ₀	—	—	—
66	75	70	17.37	14.30	15.83	—	C ₀	—	—	—	D.
56	74	65	17.66	13.46	15.56	—	NO ₁	—	—	—	—
59	76	67	18.12	12.95	15.33	—	—	NO ₁	—	—	N.

DE 1871.

55	71	63	11.51	11.03	11.27	NO ₂	NO ₂	C ₀	D.	D.	N.
59	67	68	11.09	10.65	10.37	—	NO ₂	NO ₁	—	—	D.
84	72	78	13.98	11.49	12.73	—	C ₀	—	—	—	—
60	75	67	12.72	11.18	11.95	—	NO ₁	C ₀	—	—	—
57	78	67	12.12	10.87	11.49	—	—	—	—	—	—
59	71	65	11.12	9.45	10.28	—	C ₀	NO ₂	Np.	N.	Np.
62	73	68	11.51	10.35	10.93	—	NO ₂	C ₀	Np.	—	Np.
54	66	60	11.05	9.67	10.36	—	NO ₁	NO ₁	D.	D.	D.
54	75	64	10.31	10.53	10.67	—	—	C ₀	—	—	—
59	78	68	11.88	11.76	11.32	—	—	—	—	—	—
65	78	72	13.45	11.86	12.66	—	C ₀	—	—	—	—
66	73	69	12.67	10.99	11.83	—	NO ₁	—	—	—	—
68	81	74	13.19	11.29	12.24	—	C ₀	NO ₂	—	—	—
73	80	76	11.86	11.47	11.66	—	—	C ₀	N.	—	—
69	79	74	12.15	11.09	11.62	—	NO ₁	—	D.	—	—
59	78	68	10.94	10.71	10.82	—	C ₀	—	—	—	—
55	74	55	11.02	10.79	10.99	—	—	—	—	—	—
66	82	74	12.13	11.28	11.70	—	NO ₁	—	—	—	—
68	73	70	11.49	10.67	11.08	—	—	C ₀	—	—	—
69	82	78	11.97	11.52	11.74	—	—	—	—	—	Np.
61	77	69	10.64	10.61	10.63	—	C ₀	—	—	—	—
62	68	65	10.60	9.35	9.93	—	—	NO ₁	—	—	—
52	62	57	9.91	8.42	9.16	—	NO ₁	C ₀	—	—	—
54	76	65	9.05	9.15	9.10	—	—	NO ₁	—	—	—
49	70	59	8.39	8.79	8.59	—	C ₀	—	—	—	—
68	68	63	9.63	8.67	9.15	—	NO ₁	NO ₁	Np.	Np.	—
62	66	64	9.14	7.65	8.39	—	C ₀	—	D.	D.	—
60	73	69	8.74	8.71	8.72	—	NO ₂	C ₀	Np.	N.	—
62	75	69	8.43	8.08	8.25	—	—	—	N.	—	—
45	64	54	6.12	6.69	6.40	—	C ₀	—	D.	D.	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
											Dif. de los termómetros	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	C	o	o
1	29.29	30.01	28.57	29.26	16.9	12.5	12.0	17.3	13.80	6.2	5.5	5.5
2	24.93	26.30	28.93	26.72	20.9	14.0	12.9	20.9	15.93	8.1	9.3	1.9
3	28.01	30.11	31.31	29.81	17.5	14.7	13.3	20.8	15.17	10.2	3.5	2.9
4	30.20	30.64	33.02	31.29	15.1	11.8	11.4	16.0	12.77	6.6	5.4	2.5
5	32.46	33.23	29.96	31.88	15.7	11.6	12.5	16.7	13.27	7.2	4.3	3.2
6	27.97	29.21	28.84	28.67	18.8	15.5	12.5	19.2	14.87	6.8	7.0	5.3
7	26.44	29.19	30.55	28.72	17.5	12.3	12.6	19.9	14.47	9.5	5.2	2.4
8	29.59	30.13	30.13	29.95	17.5	13.1	13.6	18.2	14.73	8.1	4.1	4.7
9	28.55	29.27	29.62	29.15	21.4	13.8	12.0	21.4	15.73	9.1	6.5	1.9
10	23.00	28.89	28.76	28.55	17.2	12.3	13.6	20.9	14.37	8.1	3.5	4.6
11	27.38	29.37	29.15	28.65	17.2	12.5	12.8	17.9	14.17	8.1	3.7	2.5
12	28.22	29.51	30.13	29.22	17.1	13.2	13.8	17.9	14.70	10.1	3.2	2.0
13	30.10	30.21	30.63	30.31	16.3	13.2	13.6	17.0	14.37	9.3	2.9	2.1
14	29.39	29.35	29.84	29.69	16.9	13.4	12.1	17.6	14.13	7.6	3.5	2.3
15	28.77	30.15	29.46	29.46	17.2	12.9	12.0	17.9	14.03	7.1	3.5	4.0
16	27.25	29.32	30.05	28.87	16.8	12.4	12.8	17.5	14.00	10.4	4.2	1.9
17	29.62	30.04	29.94	29.87	14.4	12.0	11.4	17.0	12.60	6.6	2.5	1.4
18	29.66	30.13	29.99	29.93	14.3	11.9	10.8	16.0	12.53	6.3	3.1	1.8
19	29.41	29.93	29.87	29.74	15.5	12.1	11.2	16.0	12.93	6.9	2.9	2.1
20	29.46	31.21	29.96	30.21	15.4	13.0	12.0	16.1	13.47	8.4	2.9	1.8
21	30.53	30.12	30.96	30.54	15.8	12.9	11.9	16.7	13.53	9.1	4.2	1.4
22	31.51	32.20	31.48	31.75	15.2	12.3	10.6	16.8	12.37	6.7	2.8	3.0
23	28.53	29.64	31.55	29.84	16.7	12.4	11.9	17.2	13.67	8.3	4.3	1.4
24	31.23	33.73	30.32	31.76	15.1	11.3	10.3	17.0	12.23	6.5	3.1	2.7
25	29.66	30.36	29.67	29.90	15.5	12.0	11.5	16.8	13.00	7.5	3.6	2.5
26	29.34	29.86	31.04	30.08	15.2	11.8	12.6	16.8	13.20	9.5	3.7	2.9
27	29.22	31.23	31.78	30.74	16.2	12.5	10.5	17.0	13.07	5.9	3.4	2.3
28	30.27	31.71	33.28	31.73	16.3	12.6	10.6	17.0	13.17	6.2	3.9	2.3
29	33.02	33.14	28.71	31.62	14.5	11.4	9.5	15.0	11.80	4.9	3.9	2.5
30	28.34	28.64	29.94	28.97	14.0	12.6	12.8	15.0	13.13	8.1	3.9	1.5
31	29.57	31.03	12.0	10.5	14.5	6.6	0.7	1.1

JUNIO

1	28.10	28.99	30.03	29.04	16.0	13.1	11.7	16.5	13.60	8.4	2.0	1.9
2	28.09	29.43	31.84	30.12	16.6	12.2	11.1	13.30	6.8	3.7	1.3
3	30.91	31.83	29.66	30.80	16.5	12.0	11.0	16.8	13.37	7.4	1.9	1.6
4	27.83	28.04	29.10	28.32	15.1	12.3	10.4	16.6	12.60	6.5	2.3	0.9
5	27.03	27.86	29.50	28.14	14.9	12.2	11.8	16.8	12.97	8.6	2.1	1.0
6	29.59	30.19	30.44	30.07	15.4	12.6	13.0	15.9	13.67	10.3	2.1	1.0
7	29.59	30.49	30.59	30.22	15.6	12.3	12.1	15.8	13.33	9.5	2.6	1.1
8	30.39	30.50	32.87	31.25	15.2	12.5	12.6	16.0	13.43	9.5	1.5	1.5
9	30.54	29.37	29.88	30.10	15.5	11.1	10.3	15.8	12.30	6.2	3.5	1.6
10	28.07	29.94	30.04	29.55	15.6	12.3	13.2	15.7	13.03	9.1	2.0	2.2
11	29.60	32.73	32.17	31.50	13.8	11.1	9.8	15.0	11.57	7.1	2.9	0.9
12	30.83	32.04	32.77	31.83	12.5	10.2	8.6	13.0	10.43	5.4	1.7	1.0
13	32.32	32.46	33.11	32.03	13.2	10.6	8.9	14.0	10.90	6.0	2.5	1.1
14	29.63	30.00	30.54	30.06	18.6	11.8	10.6	18.8	13.67	7.1	7.0	1.1
15	29.84	30.12	30.45	30.12	16.1	11.9	11.7	16.8	13.23	9.7	3.7	1.5
16	28.99	29.55	30.82	29.79	16.1	11.5	10.7	16.5	12.77	9.0	3.4	1.4
17	28.46	28.47	28.08	28.34	16.1	11.6	8.6	15.8	12.10	6.8	4.3	1.3
18	27.40	28.74	30.49	28.85	14.9	11.4	11.3	15.5	12.53	8.0	3.7	2.3
19	29.52	29.72	30.53	29.93	15.1	11.6	10.0	15.5	12.23	8.1	3.9	2.0
20	29.96	30.26	30.99	30.40	15.9	11.2	10.1	16.2	12.43	6.6	4.3	2.5
21	30.60	32.95	30.89	31.48	15.4	11.3	11.1	15.4	12.60	6.9	3.7	2.7
22	27.89	29.09	30.49	29.16	17.2	11.9	9.7	17.6	12.93	6.7	4.8	1.5
23	28.20	29.47	31.33	29.67	15.2	11.0	11.4	15.7	12.53	9.1	3.8	1.6
24	29.70	30.12	30.29	30.04	15.1	11.0	10.2	15.7	12.10	6.9	5.5	1.4
25	28.79	28.96	29.00	28.92	16.9	11.7	9.7	17.1	12.77	6.7	4.7	1.7
26	28.31	29.16	30.16	29.21	16.4	11.6	9.9	17.0	12.63	8.8	4.1	1.0
27	30.97	30.96	32.82	31.58	14.4	10.6	9.1	14.8	11.37	6.1	3.8	1.8
28	31.59	32.91	32.33	32.29	14.4	10.7	8.7	14.6	11.27	5.7	3.3	2.7
29	30.22	31.29	29.56	30.36	18.1	12.0	11.3	18.6	13.80	7.1	6.3	4.1
30	27.90	29.06	30.15	29.04	17.3	11.3	9.5	18.2	12.87	8.1	5.1	1.1

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.								
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
45	39	42	6.33	4.44	5.41	NO ₂	C ₀	C ₀	D.	D.	D.
24	77	50	4.38	8.08	6.23	—	—	—	—	—	Np.
65	66	66	9.11	6.89	8.00	—	NO ₂	NO ₁	N.	N.	D.
42	69	56	5.25	6.81	6.03	—	NO ₁	C ₀	Np.	D.	—
54	63	58	6.99	6.64	6.82	—	C ₀	—	D.	D.	—
36	41	39	5.91	4.36	5.13	—	NO ₁	—	—	—	—
49	72	60	7.07	7.72	7.39	—	C ₀	—	—	—	—
59	49	54	8.46	5.92	7.19	—	—	—	—	—	—
43	76	59	7.71	7.61	7.66	—	—	NO ₂	—	—	—
65	43	56	9.25	5.73	7.49	—	—	C ₀	—	—	—
62	70	66	8.85	7.61	8.23	—	—	NO ₁	—	—	—
67	75	71	9.29	8.88	9.08	—	NO ₁	—	—	—	Np.
69	76	72	9.19	8.87	9.03	—	—	C ₀	N.	D.	D.
63	72	68	8.97	7.73	8.35	—	—	C ₀	D.	—	—
65	54	59	9.25	5.61	7.43	—	—	—	—	—	—
58	76	67	8.12	7.97	8.04	—	NO ₁	NO ₂	—	—	—
72	82	77	8.35	8.21	8.28	—	—	C ₀	Np.	—	—
66	77	72	7.92	7.67	7.79	—	—	C ₀	N.	—	—
69	74	72	8.91	7.37	8.14	—	—	—	D.	—	—
68	78	73	8.67	8.08	8.37	—	NO ₂	—	Np.	N.	Np.
56	83	69	7.60	8.68	8.14	—	C ₀	NE ₂	D.	D.	N.
69	63	66	8.45	6.33	7.39	—	—	NE ₁	Np.	Np.	Np.
56	83	69	7.40	8.56	7.98	—	NO ₁	C ₀	N.	D.	N.
66	67	66	7.92	6.69	7.30	—	C ₀	—	Np.	—	D.
61	70	66	7.89	7.31	7.60	—	—	—	D.	—	—
61	67	64	7.76	7.59	7.68	—	—	—	—	N.	—
64	71	67	8.68	7.05	7.87	—	—	—	—	D.	—
59	71	65	7.92	6.81	7.36	—	NO ₁	NO ₁	—	—	—
56	68	62	6.52	6.14	6.33	—	C ₀	C ₀	—	—	—
56	82	69	6.52	8.68	7.60	—	NO ₁	NO ₁	Np.	—	N.
92	85	88	9.04	8.21	8.62	C ₀	C ₀	N.	D.

DE 1871.

79	77	78	10.69	8.02	9.55	NO ₂	C ₀	C ₀	D.	Np.	D.
62	84	73	8.71	8.92	8.81	—	—	—	—	D.	—
79	80	79	10.73	8.32	9.53	—	—	—	—	—	—
75	88	82	9.13	8.62	8.88	—	—	—	—	—	—
77	86	82	9.82	8.98	9.40	—	—	—	—	—	—
77	87	82	9.54	9.61	9.57	—	NO ₂	—	N.	N.	N.
72	86	70	9.80	8.68	8.99	—	C ₀	—	—	D.	—
83	82	82	10.49	8.96	9.72	—	—	—	—	N.	—
62	80	72	8.31	7.73	8.02	—	—	—	D.	D.	—
77	74	75	8.86	7.84	8.35	—	NO ₂	—	—	N.	Np.
67	88	77	8.41	8.33	7.87	—	C ₀	—	N.	N.	—
80	86	83	9.11	7.67	8.33	—	—	—	Np.	D.	D.
72	85	77	8.49	7.81	8.15	—	—	—	—	—	—
36	85	60	5.77	7.81	6.79	—	—	—	D.	—	—
61	81	71	7.76	7.97	7.87	—	—	—	—	—	—
64	81	72	8.54	7.59	8.06	—	—	NO ₂	—	Np.	—
56	82	69	7.54	6.67	7.10	NO ₂	—	NO ₃	—	D.	—
59	71	65	7.47	7.05	7.26	—	—	C ₀	—	—	—
58	74	66	7.35	7.11	7.23	—	—	NE ₂	—	—	Np.
56	69	62	7.26	6.81	7.03	—	—	NO ₃	—	—	D.
61	67	64	7.62	6.81	7.21	—	—	C ₀	—	—	Np.
52	80	66	7.18	7.41	7.29	—	—	NO ₂	—	—	N.
60	80	70	7.49	7.97	7.73	—	—	NE ₂	N.	—	—
61	81	71	7.47	7.65	7.56	—	—	C ₀	—	—	—
53	78	65	7.43	7.17	7.30	—	—	—	D.	—	—
57	86	71	7.66	7.82	7.74	—	—	—	N.	—	—
57	76	63	6.70	6.66	6.68	—	—	—	—	Np.	—
63	65	64	7.17	5.92	6.54	—	—	—	D.	D.	D.
37	51	44	5.82	5.18	5.25	—	—	—	—	—	—
50	85	66	7.20	7.41	7.30	—	—	—	—	—	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
	A 0°										Dif. de los termómetros	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	700+	700+	700+	700+	14.8	10.5	10.6	15.1	11.97	8.6	2.6	1.5
2	28.96	30.16	31.81	30.14	14.8	10.5	10.6	15.1	11.97	8.6	2.6	1.5
3	30.96	31.55	31.27	31.19	13.9	10.5	9.1	14.1	11.17	6.8	2.5	1.7
4	28.11	28.46	29.85	28.81	16.0	10.8	8.0	16.7	11.60	4.6	3.9	1.1
5	28.64	30.19	29.77	29.53	14.9	10.6	8.1	16.5	11.20	4.6	3.2	0.9
6	28.57	30.04	31.93	30.18	15.1	9.9	10.0	16.6	11.67	7.0	3.4	1.5
7	31.19	31.47	31.24	31.30	13.7	9.8	9.7	14.9	11.07	7.1	2.6	1.3
8	30.08	30.46	31.09	30.54	15.2	10.0	8.1	15.9	11.10	4.6	3.6	1.2
9	28.58	29.19	31.63	29.98	16.5	10.4	8.8	16.5	11.90	6.7	5.5	1.1
10	31.97	32.97	33.24	32.73	13.4	10.0	8.6	16.0	10.67	5.2	2.3	2.6
11	31.44	32.27	32.13	31.95	17.4	10.4	10.3	17.6	12.70	6.1	5.1	4.1
12	29.04	29.82	27.84	28.90	20.5	12.3	13.0	20.6	15.27	7.6	8.7	5.5
13	25.71	28.00	29.87	27.85	22.8	12.8	9.2	23.9	14.93	7.1	8.8	1.3
14	28.09	28.76	28.34	28.40	16.0	10.4	7.7	18.0	11.37	6.2	3.3	1.6
15	28.08	28.82	29.83	28.91	15.3	10.3	10.1	16.4	11.90	6.9	3.1	1.4
16	28.45	29.91	31.54	29.97	15.5	10.5	9.5	16.0	11.83	6.4	4.5	1.5
17	30.28	31.48	32.61	31.46	17.1	11.4	11.6	18.0	13.37	8.2	4.4	2.5
18	30.95	31.42	31.57	31.31	18.2	11.3	10.1	18.3	13.20	6.2	5.0	1.9
19	30.00	30.35	30.17	30.17	17.9	11.6	10.8	18.1	13.43	6.7	3.7	1.9
20	28.16	29.30	30.67	29.38	17.9	11.6	10.8	18.4	13.43	9.0	3.7	1.6
21	30.40	30.76	30.50	30.55	15.9	10.6	9.1	18.1	11.87	6.1	3.3	1.9
22	28.69	29.37	30.13	29.40	16.9	10.9	10.4	18.0	12.73	6.4	4.3	1.9
23	29.23	29.58	32.05	30.29	14.6	11.9	11.7	17.0	12.73	9.1	2.8	2.1
24	30.91	31.69	33.19	31.93	15.2	11.4	11.5	15.7	12.70	3.1	3.7	2.1
25	30.29	32.36	32.14	31.60	16.6	11.3	9.8	16.8	12.57	5.2	3.1	3.4
26	29.91	31.65	31.51	31.02	16.8	10.3	10.6	17.2	12.57	5.1	5.2	4.6
27	29.83	30.33	28.47	29.54	19.7	11.5	12.1	19.9	14.43	6.5	6.4	6.2
28	25.15	27.93	30.96	28.01	22.3	13.0	10.1	22.8	15.13	8.6	10.9	2.1
29	29.90	30.74	31.63	30.76	15.3	11.5	11.2	18.0	12.67	7.3	4.3	2.1
30	31.28	32.21	33.82	32.44	15.2	11.1	12.2	15.9	12.83	7.2	3.7	2.5
31	32.06	34.33	32.23	32.87	16.6	11.0	9.9	16.9	12.50	5.3	4.3	2.7
31	27.96	28.61	30.48	29.02	19.6	11.6	9.5	19.3	13.57	6.0	3.4	2.9

AGOSTO

1	27.88	29.54	28.06	28.49	18.7	12.6	13.9	19.7	18.33	7.6	7.3	5.3
2	25.09	27.50	30.33	27.64	24.8	13.7	10.6	25.0	16.37	8.5	11.5	1.9
3	30.11	30.26	32.31	31.06	15.3	11.9	12.8	15.7	13.33	9.3	3.3	3.9
4	32.02	31.54	31.63	31.75	18.3	12.0	11.1	18.4	13.80	6.6	5.1	3.5
5	29.26	31.06	31.31	30.54	19.5	12.0	10.5	19.8	14.00	8.1	6.4	2.7
6	29.41	30.51	31.21	30.33	17.6	11.9	9.2	17.9	12.90	7.3	4.7	1.5
7	28.61	30.31	30.50	29.81	17.4	11.1	9.3	17.9	15.93	7.0	4.7	1.5
8	23.94	29.31	28.35	28.86	17.4	12.0	13.6	18.0	14.33	7.5	4.9	5.5
9	25.82	27.57	27.56	26.98	25.1	15.6	15.4	25.3	13.70	10.0	3.9	6.5
10	27.00	29.00	30.11	28.70	21.3	13.9	12.2	23.0	15.80	8.5	5.0	1.9
11	25.68	27.21	28.34	27.08	20.0	14.0	10.9	23.0	14.97	9.0	5.2	1.1
12	26.89	27.73	28.37	27.66	16.7	12.1	12.5	16.7	13.77	9.6	3.9	2.5
13	27.49	28.10	30.17	28.59	17.6	13.3	13.8	18.0	14.90	9.6	4.8	2.1
14	29.88	30.71	31.50	30.70	17.0	13.2	13.1	17.8	14.43	9.6	3.6	2.5
15	30.87	31.08	31.66	31.20	18.6	13.4	12.0	18.7	14.67	7.7	4.0	3.3
16	29.67	30.85	31.51	30.68	19.9	13.3	13.4	20.3	15.53	7.3	5.8	4.3
17	30.13	30.90	30.75	30.50	21.6	13.4	11.2	22.2	18.73	7.6	6.7	3.3
18	28.09	30.01	29.27	29.12	13.0	12.5	10.2	19.0	13.90	7.5	5.9	1.8
19	27.87	28.91	29.66	28.81	19.2	12.4	11.3	20.0	14.30	7.5	4.7	1.9
20	28.13	29.60	31.85	29.86	17.3	12.5	11.2	19.8	15.67	6.4	4.1	2.5
21	30.09	32.31	32.36	31.59	18.5	11.2	10.6	18.8	13.43	5.3	6.6	2.7
22	31.27	32.76	31.44	31.82	19.0	11.6	12.8	19.3	14.47	6.7	5.8	6.0
23	29.56	30.68	30.66	30.20	22.0	12.8	9.5	23.9	14.77	7.6	3.0	1.8
24	27.90	28.90	31.04	29.28	17.9	11.0	11.3	18.0	13.40	8.8	4.5	1.7
25	28.89	30.93	31.17	30.33	18.8	12.3	13.3	19.0	14.80	9.6	4.9	2.4
26	28.80	31.01	31.59	30.47	19.0	11.1	11.6	19.6	13.90	9.1	4.9	3.8
27	30.59	31.63	31.91	31.54	18.3	11.3	11.3	19.0	13.70	8.6	5.3	2.1
28	31.02	31.57	32.23	31.61	17.2	11.5	11.4	17.5	13.37	9.8	4.8	1.9
29	30.96	31.60	32.27	31.61	18.2	12.0	12.0	18.1	14.07	10.0	4.9	2.3
30	31.68	33.13	31.07	31.96	17.1	10.9	10.9	18.1	12.97	5.2	4.9	2.3
31	28.09	30.19	30.77	29.28	17.8	10.6	9.6	18.2	12.67	5.0	6.1	2.0

DE 1871.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.								
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
71	80	76	8.43	7.65	8.04	NO ₁	C ₀	C ₀	D.	Np.	N.
71	77	74	7.84	6.62	7.23	—	—	—	—	D.	D.
58	84	71	7.23	6.44	6.83	—	—	NO ₃	—	—	—
64	87	75	7.59	6.81	7.20	—	—	—	—	—	—
62	80	71	7.59	6.99	7.29	—	NO ₁	C ₀	—	N.	N.
69	82	76	7.49	6.96	7.22	—	NO ₂	NO ₀	—	D.	Np.
60	83	71	7.11	7.02	7.06	—	—	C ₀	—	—	D.
45	85	65	6.14	6.98	6.56	—	C ₀	NO ₂	—	—	N.
72	65	68	7.73	5.69	6.71	—	—	C ₀	—	—	Np.
48	49	48	6.39	4.79	5.59	—	—	—	—	—	D.
25	39	32	4.33	4.24	4.28	—	—	NO ₃	—	—	Np.
28	82	55	5.19	6.96	6.07	—	—	C ₀	—	—	—
63	77	70	7.93	6.03	6.99	—	—	—	—	—	D.
66	81	73	7.99	7.29	7.64	—	—	—	—	—	—
53	80	67	6.87	7.17	7.02	—	—	NO ₄	—	—	Np.
55	69	62	7.27	6.93	7.10	—	NO ₃	—	—	—	D.
52	75	63	7.43	6.93	7.18	—	—	C ₀	—	—	—
62	75	68	8.85	7.41	8.13	—	—	—	—	—	—
62	79	70	8.85	7.41	8.13	—	—	NO ₁	—	—	Np.
63	75	69	7.71	6.70	7.20	—	C ₀	C ₀	—	—	N.
56	75	65	7.40	6.93	7.16	—	—	—	—	—	D.
68	74	71	7.71	7.61	7.66	—	—	—	Np.	N.	D.
59	73	66	7.11	7.17	7.14	—	—	—	D.	D.	D.
66	56	61	7.99	5.26	6.62	—	—	—	—	—	—
49	42	45	6.72	4.23	5.47	—	—	—	—	—	—
32	31	31	5.18	3.43	4.30	—	—	—	—	—	—
14	72	43	2.94	6.48	4.71	—	—	NO ₂	—	—	—
54	73	63	6.87	7.29	7.08	—	—	C ₀	—	—	N.
59	70	64	7.11	7.25	7.18	—	NO ₃	—	Np.	N.	D.
56	65	60	7.26	6.12	6.69	—	C ₀	—	D.	D.	Np.
28	62	45	5.06	5.51	5.28	—	—	NO ₂	Np.	—	D.

DE 1871.

33	45	38	5.30	5.13	5.22	NO ₂	C ₀	C ₀	D.	D.	D.
19	73	47	4.25	7.17	5.71	—	—	NO ₁	—	—	N.
64	56	60	7.87	6.52	7.19	—	NO ₁	—	—	D.	D.
50	59	54	7.34	5.09	6.22	—	NO ₂	C ₀	—	D.	—
42	67	54	7.00	6.69	6.85	—	NO ₂	—	—	—	—
55	80	67	7.75	6.64	7.19	—	C ₀	NO ₁	—	—	—
53	80	66	7.44	6.89	7.17	—	NO ₁	C ₀	—	—	N.
53	39	46	7.56	4.54	6.05	—	C ₀	—	—	—	D.
32	34	33	6.58	4.40	5.49	—	—	—	—	—	—
53	77	65	8.62	8.44	8.53	—	NO ₁	—	—	—	—
52	85	68	8.50	7.97	8.24	—	C ₀	—	—	—	—
60	71	65	8.30	7.72	8.01	—	—	NO ₁	—	—	N.
53	76	64	7.69	8.73	8.21	—	—	C ₀	Np.	—	Np.
62	71	67	8.42	8.20	8.31	—	NO ₁	—	D.	D.	D.
59	62	60	8.66	6.64	7.65	—	—	—	—	—	—
46	51	48	7.29	5.97	6.63	—	—	—	—	—	—
40	60	50	6.75	6.33	6.54	—	C ₀	NO ₁	—	—	—
46	77	61	7.30	7.85	7.58	—	—	—	—	—	—
55	76	65	8.10	7.61	7.86	—	C ₀	NE ₁	—	—	—
57	60	63	7.52	6.93	7.23	—	—	—	—	—	—
37	65	51	5.60	6.32	5.96	—	—	—	—	—	—
44	37	40	6.70	4.47	5.59	—	—	—	—	—	—
68	76	72	9.06	6.61	7.84	—	—	NE ₁	—	—	—
56	78	67	7.80	7.41	7.61	—	NO ₁	NO ₁	—	—	—
53	72	62	7.70	8.02	7.86	—	C ₀	C ₀	—	—	D.
53	37	55	7.98	6.64	7.31	—	NO ₂	—	—	—	D.
48	74	61	7.22	7.37	7.29	—	C ₀	—	—	—	—
52	75	63	7.10	7.41	7.26	—	NO ₂	NO ₁	Np.	Np.	N.
51	71	61	7.46	7.17	7.32	—	NO ₁	NE ₁	D.	D.	—
51	70	60	6.30	6.56	6.73	—	—	C ₀	—	—	D.
41	73	57	6.02	6.50	6.31	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO. A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
											Dir. de los termómetro	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	700+	700+	700+	700+	16.5	10.5	9.1	16.8	12.09	7.1	5.2	1.9
2	30.48	31.02	32.01	31.17	16.9	10.2	9.1	17.1	12.07	6.9	5.5	1.7
3	30.12	30.89	31.35	30.79	16.9	10.2	9.1	17.1	12.07	6.9	5.5	1.7
4	29.65	30.47	31.06	30.29	16.4	10.7	11.6	17.2	12.90	7.9	4.7	2.4
5	31.75	31.98	17.8	11.1	18.0	5.1	5.5
6	29.71	31.20	31.35	30.75	19.8	11.3	10.1	18.9	13.73	7.9	6.3	1.8
7	29.39	31.20	32.23	30.94	18.6	11.6	12.2	20.1	14.13	9.3	4.9	2.4
8	30.58	31.88	31.53	31.16	18.3	10.9	12.4	19.2	14.03	6.3	5.5	3.0
9	30.41	31.20	32.45	31.35	17.6	11.0	11.8	18.0	13.47	9.6	5.6	3.3
10	31.40	31.67	29.86	30.98	17.8	11.5	11.2	18.7	13.50	6.2	6.1	2.7
11	27.61	30.41	31.03	29.68	19.6	10.8	11.8	20.0	14.07	9.3	5.6	1.8
12	31.41	32.91	33.62	32.65	14.2	11.2	11.7	14.6	12.37	3.3	3.3	2.7
13	32.10	32.27	31.94	32.10	18.5	11.2	12.3	18.8	15.00	6.1	6.5	4.3
14	29.24	30.46	30.19	29.96	22.5	13.3	10.0	23.7	12.23	6.2	8.8	1.7
15	27.50	28.13	28.17	27.93	20.8	12.2	10.2	22.7	14.40	6.0	7.8	1.5
16	24.93	27.00	29.33	27.09	21.3	11.8	11.9	21.7	15.00	9.6	7.1	1.7
17	28.79	30.37	30.69	29.95	16.8	12.7	13.7	17.0	14.40	10.5	4.1	2.7
18	29.88	30.59	31.19	30.55	19.9	13.0	12.5	20.1	15.13	6.7	6.2	3.1
19	28.89	30.70	31.41	30.33	18.8	12.8	12.9	19.0	14.83	8.3	6.4	3.3
20	30.19	31.29	30.09	30.52	17.7	13.2	12.5	18.0	14.47	6.4	5.9	4.0
21	28.10	29.03	29.79	28.97	20.6	12.8	11.6	23.2	15.00	6.6	8.0	2.6
22	28.81	29.99	30.33	29.71	21.2	12.4	11.4	21.5	15.00	3.1	7.8	1.9
23	28.10	30.95	31.00	30.02	18.7	11.6	13.5	18.8	14.60	3.3	5.3	3.9
24	29.19	30.71	30.79	30.23	18.9	12.4	13.3	20.0	14.87	6.3	5.3	3.6
25	28.29	30.93	31.05	30.08	21.1	12.3	13.1	22.0	15.50	6.3	6.8	3.7
26	31.08	31.68	31.80	31.52	18.2	12.2	14.0	18.7	14.80	7.4	5.5	3.7
27	28.20	28.43	32.08	29.57	21.3	12.1	12.9	21.6	15.43	7.0	6.0	2.7
28	31.35	31.98	32.04	31.79	18.6	12.4	12.3	18.8	14.43	6.5	5.7	3.3
29	30.54	32.00	31.04	31.22	20.0	11.5	13.9	20.5	15.13	6.7	6.7	3.8
30	28.27	30.07	30.20	29.85	23.1	14.0	14.4	23.5	17.17	7.1	8.9	3.7
31	27.84	30.54	31.26	29.83	22.9	12.8	12.6	24.0	16.10	7.5	8.3	2.2

OCTUBRE

1	29.23	30.59	30.09	29.97	20.5	12.5	12.5	20.5	15.17	6.4	6.2	4.0
2	29.41	29.80	31.00	30.07	19.2	12.1	13.3	19.5	14.87	9.9	4.3	2.7
3	29.47	30.08	29.97	29.84	21.3	13.1	11.6	21.3	15.33	6.6	6.7	1.7
4	27.01	28.51	28.33	27.95	23.6	13.7	11.3	23.5	16.20	8.1	8.4	1.7
5	28.70	29.24	31.35	29.76	20.9	15.0	13.6	21.1	16.50	9.9	5.3	1.1
6	29.73	30.56	30.65	30.31	21.7	12.4	15.4	21.8	16.50	8.4	5.9	3.1
7	29.44	30.27	30.25	29.99	23.4	14.5	13.1	23.8	17.00	9.0	5.6	1.9
8	27.81	30.96	29.04	29.27	23.2	14.0	13.7	23.7	16.97	9.1	6.5	2.1
9	27.04	28.59	32.38	29.00	20.9	13.7	14.4	21.1	16.33	11.2	4.0	2.3
10	30.90	31.01	31.44	31.12	18.0	12.8	14.7	18.2	15.17	7.4	4.8	2.8
11	29.41	30.90	30.70	30.34	22.4	13.4	14.5	23.0	16.77	8.1	7.2	3.3
12	29.34	30.81	31.00	30.33	22.0	13.5	13.8	22.3	16.43	10.1	7.1	2.3
13	29.31	30.85	28.75	29.64	21.9	12.4	16.5	22.5	16.23	8.6	7.0	4.1
14	27.45	28.72	29.59	28.59	23.8	13.4	16.0	24.2	16.73	11.0	6.9	1.2
15	27.36	29.48	29.59	28.98	21.3	13.7	15.1	21.5	16.70	10.2	5.7	2.5
16	27.54	29.30	29.02	28.62	25.1	15.6	18.2	25.5	19.63	10.2	6.5	4.1
17	27.44	29.04	20.55	28.63	25.5	15.6	17.1	25.6	19.33	9.9	8.3	3.7
18	27.63	28.56	28.83	28.34	25.0	14.6	14.4	25.3	18.00	10.1	8.7	3.4
19	29.50	30.09	30.37	29.93	19.9	14.2	14.4	20.2	16.17	10.8	4.7	2.4
20	27.60	28.40	29.79	28.60	22.4	13.4	12.9	23.0	16.23	9.6	6.6	1.8
21	28.26	29.96	30.10	29.44	20.8	13.8	16.1	21.0	16.90	6.6	4.3	3.3
22	29.46	30.36	31.68	30.50	22.6	13.8	16.0	23.1	17.47	8.1	7.3	3.9
23	30.44	31.35	29.79	30.52	22.1	14.2	17.6	23.0	17.97	8.6	5.5	4.7
24	26.52	27.48	28.20	27.40	26.6	17.1	15.3	27.0	19.67	10.1	9.0	3.6
25	28.01	28.85	30.12	29.06	22.6	14.9	14.8	23.0	17.43	11.1	7.1	2.3
26	29.08	30.10	30.20	29.79	21.4	13.9	14.9	21.5	16.73	12.1	4.8	2.6
27	26.63	27.84	28.97	27.81	24.5	14.1	14.0	24.4	17.53	10.9	5.7	2.3
28	26.42	28.29	29.77	28.16	24.1	14.7	15.8	24.6	18.20	10.6	7.7	2.2
29	26.74	28.20	28.71	27.88	24.8	14.9	15.3	25.0	18.32	10.6	6.7	2.1
30	26.84	28.43	28.88	28.05	23.7	14.9	16.5	24.4	18.37	12.8	4.9	2.5
31	26.32	28.31	28.32	27.34	23.4	14.3	15.3	24.3	17.30	13.0	6.2	2.2

DE 1871

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.						
47	74	60	6.26	6.11	6.18	NO ₁	C ₀	NO ₁	D.	D.	N. D.
45	76	60	6.14	6.32	6.23	—	—	C ₀	—	—	—
51	70	60	6.51	6.81	6.66	—	—	—	—	—	—
45	—	—	6.53	—	—	—	—	—	—	—	—
41	74	58	6.61	7.23	6.92	—	NO ₁	NO ₁	—	—	D.
51	70	60	7.46	7.11	7.28	—	—	C ₀	—	—	—
47	63	55	6.39	6.57	6.73	—	C ₀	NO ₁	—	—	Np.
46	60	53	6.61	6.09	6.35	—	—	—	—	—	D.
41	67	54	6.02	6.57	6.30	—	NO ₁	C ₀	—	—	N. D.
47	77	62	7.06	7.79	7.42	—	—	NO ₁	—	—	—
62	67	64	6.76	6.57	6.66	—	—	C ₀	N. D.	N. D.	D.
40	51	45	5.93	5.49	5.71	—	—	—	D.	D.	—
28	78	53	5.61	7.05	6.33	—	—	NO ₁	—	—	—
33	30	56	6.22	7.41	6.82	—	—	—	—	—	—
40	79	59	7.34	7.79	7.56	—	—	C ₀	—	—	N. D.
57	69	63	7.80	7.59	7.69	—	—	—	Np.	—	N. D.
43	64	53	7.26	7.01	7.13	—	—	NO ₁	D.	—	—
40	62	51	6.43	6.76	6.62	—	—	NO ₂	—	—	—
44	54	49	6.43	5.73	6.08	—	—	C ₀	—	—	Np.
32	89	50	5.68	7.07	6.37	—	—	NO ₁	—	—	D.
35	76	55	6.43	7.73	7.08	—	—	—	—	—	—
50	55	52	7.46	6.21	6.83	—	NO ₂	—	—	N. D.	Np.
50	59	54	7.60	6.40	7.00	—	NO ₁	—	—	D.	D.
41	57	49	7.10	5.85	6.47	—	—	—	—	—	—
47	59	53	6.82	7.23	7.02	—	—	—	—	—	—
46	69	57	7.94	7.59	7.77	—	—	C ₀	—	—	—
47	62	54	7.07	6.64	6.86	—	—	NO ₁	—	—	—
38	67	52	6.37	7.25	6.81	—	—	—	—	—	—
28	53	43	5.41	6.52	5.96	—	—	—	—	—	—
33	73	53	6.19	7.73	6.96	—	NO ₂	C ₀	—	—	—

DE 1871.

45	54	49	7.54	5.73	6.63	NO ₂	NO ₁	C ₀	D.	D.	D.
62	69	66	11.97	7.71	9.84	—	C ₀	NO ₁	—	—	—
44	79	51	7.92	7.85	7.88	—	NO ₁	NO ₂	—	—	—
34	79	56	7.28	7.97	7.62	—	C ₀	NO ₂	—	—	—
52	86	69	8.77	9.04	8.90	—	—	NO ₁	—	—	—
48	66	57	8.56	8.41	8.48	—	—	—	—	—	—
51	77	64	9.45	8.56	9.00	—	NO ₁	—	—	—	—
45	76	56	8.36	8.59	8.47	—	—	NO ₂	—	—	Np.
62	74	68	9.64	8.61	9.12	—	—	—	—	—	—
53	69	61	7.62	8.18	7.90	—	C ₀	—	Np.	—	D.
40	64	52	7.61	7.41	7.51	—	—	—	—	—	Np.
41	73	57	7.59	8.32	7.95	—	—	—	—	—	D.
40	59	49	7.54	8.04	7.79	—	NO ₁	—	D.	—	—
42	86	64	8.27	9.42	8.85	—	—	C ₀	—	—	—
50	73	61	8.52	9.29	8.90	—	—	NO ₁	—	—	—
46	60	53	9.30	8.74	9.02	—	C ₀	—	—	—	—
36	62	49	8.05	8.71	8.38	—	—	—	—	—	—
34	63	48	7.80	8.16	7.98	—	—	—	—	—	—
55	72	63	8.10	8.26	8.13	—	NO ₁	—	—	—	Np.
44	78	61	8.54	8.50	8.52	—	—	—	—	—	D.
60	64	62	9.53	8.15	8.84	—	—	—	—	—	—
38	53	43	7.22	7.35	7.28	—	—	C ₀	—	—	—
50	53	51	8.17	7.30	7.73	—	—	NO ₁	—	—	—
31	61	46	6.84	8.08	7.44	—	—	—	—	—	—
41	74	57	7.75	8.89	8.32	—	—	—	—	—	N. D.
56	71	63	9.55	8.64	9.09	—	—	—	—	—	—
51	75	63	9.63	9.13	9.38	—	—	—	—	—	—
40	76	58	8.37	9.26	8.91	—	—	—	—	—	—
46	78	62	9.72	9.26	9.49	—	—	—	—	—	—
56	74	65	10.44	10.43	10.46	—	—	—	—	—	—
43	73	62	9.56	9.75	9.66	—	—	—	—	—	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO. Dif. de los termómetros.	
	2½ h.	9 h.	2i h.	Medio	2½ h.	9 h.	2i h.	Máx.	Medio	Mínim.	2½ h.	2i h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
2	25 82	26 91	28 21	26 98	23 3	15 1	15 8	24 3	18 07	12 9	5 1	2 3
3	26 72	27 37	29 34	27 98	23 6	16 1	16 1	24 3	18 60	13 6	4 5	2 2
4	27 62	29 14	29 44	28 73	24 3	16 4	17 3	24 5	19 33	13 2	6 3	2 6
5	27 38	28 89	29 06	28 44	25 3	16 0	15 8	25 0	19 03	12 1	6 2	2 0
6	26 68	29 03	29 16	28 27	25 6	15 8	16 6	25 8	19 33	11 9	6 1	2 9
7	27 81	28 52	30 06	28 80	23 4	14 9	15 5	23 8	17 93	12 9	5 9	2 4
8	28 84	29 14	29 68	29 22	22 1	15 6	16 9	22 4	18 20	13 6	4 1	2 7
9	27 85	28 82	29 30	28 65	23 2	16 0	17 0	23 8	18 73	13 2	6 6	2 3
10	28 11	29 32	30 75	29 89	24 5	17 0	16 6	24 5	19 37	13 6	6 5	2 1
11	30 84	31 10	31 08	30 87	21 3	15 7	18 6	21 5	18 53	13 6	3 4	3 1
12	29 50	30 14	30 88	29 01	24 7	15 9	18 7	25 0	19 77	11 7	5 1	3 6
13	28 16	29 66	29 56	29 13	25 2	16 3	16 9	25 5	19 47	11 1	6 4	2 3
14	27 11	28 55	29 23	28 81	24 9	16 4	16 7	26 0	19 33	13 6	7 3	2 2
15	27 35	28 71	30 04	28 70	24 7	17 0	19 7	25 8	20 47	14 3	4 9	3 0
16	28 18	29 08	29 47	28 88	25 6	16 2	17 0	26 3	19 60	13 1	5 3	1 8
17	27 60	28 30	28 80	28 23	24 3	16 0	16 7	25 0	19 17	12 6	4 7	1 9
18	26 51	27 66	27 00	27 06	24 3	16 4	17 0	25 0	19 23	12 6	4 6	3 2
19	26 56	26 96	28 74	27 42	24 3	15 5	16 6	24 7	18 80	13 6	4 5	2 1
20	26 60	27 96	28 37	27 64	24 4	16 5	16 7	24 7	19 20	14 1	4 6	2 2
21	27 54	28 84	30 24	28 87	22 3	16 2	16 6	22 8	18 87	14 1	4 0	2 0
22	28 64	29 46	29 62	29 24	23 9	16 0	18 2	24 0	19 37	12 1	4 6	2 9
23	27 98	28 14	28 54	28 22	25 9	15 8	16 3	26 3	19 33	11 6	6 0	1 9
24	26 34	28 54	29 75	28 21	27 3	17 2	16 5	27 5	20 33	11 6	7 3	2 5
25	28 26	29 29	31 43	29 66	25 6	17 2	17 6	25 8	20 13	13 9	4 9	2 9
26	31 00	31 20	30 14	30 78	21 1	16 9	19 4	21 5	19 13	14 0	3 9	3 3
27	27 84	28 10	27 24	27 73	24 1	17 1	19 6	25 0	20 27	11 9	5 1	4 1
28	26 64	28 60	30 08	28 44	23 8	16 7	19 3	24 5	19 93	14 3	5 2	3 6
29	28 28	29 14	29 84	29 09	25 2	17 3	18 6	25 6	20 37	12 6	8 1	3 4
30	28 63	29 44	30 24	29 44	25 7	16 4	18 6	26 2	20 28	14 6	5 9	3 1

DIEMBRE

1	28 91	30 13	30 71	29 92	25 6	17 1	18 3	26 2	20 33	13 3	6 1	2 6
2	28 20	28 74	29 78	28 91	25 8	16 3	18 3	26 4	20 17	12 6	5 7	3 2
3	27 98	28 35	29 99	28 77	24 8	17 1	16 6	25 0	19 50	14 1	5 1	1 9
4	28 34	29 20	29 91	29 15	24 3	17 1	16 7	24 7	19 37	14 4	4 7	2 2
5	28 50	29 04	29 61	29 05	23 8	16 8	17 6	24 0	19 40	14 4	4 7	2 3
6	27 92	29 34	29 68	28 93	24 1	17 1	17 8	24 5	19 67	13 3	5 1	2 5
7	27 57	28 78	29 61	28 65	26 0	17 6	19 5	26 1	21 03	14 7	5 4	2 9
8	28 13	28 82	29 16	28 70	26 6	17 7	18 9	26 9	12 07	14 4	3 4	2 4
9	27 37	28 34	28 98	28 23	25 8	17 4	17 6	26 4	20 27	11 5	5 9	2 5
10	27 32	28 31	29 37	28 33	25 1	17 4	17 2	26 2	19 90	14 4	7 7	2 6
11	28 38	29 01	29 36	28 91	24 4	17 3	17 6	24 6	19 77	12 4	4 9	2 7
12	28 59	28 93	29 74	29 09	25 1	17 6	18 1	25 4	20 27	13 0	6 4	3 2
13	28 67	29 42	29 33	29 14	25 7	17 7	19 5	26 5	20 97	12 4	5 5	3 7
14	28 92	29 26	29 80	29 33	25 9	17 5	17 8	26 5	20 40	13 5	5 6	2 5
15	27 89	28 22	28 74	28 23	24 7	17 3	19 0	24 8	20 33	14 8	5 1	2 7
16	28 23	29 33	31 19	29 60	25 8	17 5	17 6	26 0	20 23	15 1	5 0	1 8
17	30 57	30 19	30 78	30 51	23 4	17 3	16 7	23 7	19 13	12 9	3 6	2 0
18	20 48	30 23	30 10	29 94	25 1	17 1	17 4	25 3	19 87	14 4	4 4	2 1
19	28 09	29 58	30 54	29 40	24 3	17 1	19 8	24 7	20 40	14 7	5 0	3 1
20	29 58	30 32	31 18	30 36	25 3	17 7	19 1	25 7	20 37	13 1	5 7	3 3
21	30 33	31 33	31 39	31 04	26 2	17 7	18 9	26 5	20 93	12 6	5 0	3 2
22	29 30	29 48	29 64	29 47	27 8	18 3	20 1	28 0	22 07	13 1	2 9	2 7
23	27 82	28 31	28 94	28 36	25 6	17 8	18 6	26 1	20 67	15 6	5 5	2 8
24	27 58	28 88	29 92	28 73	26 3	18 3	18 5	26 8	21 03	15 1	5 5	2 8
25	27 89	28 78	29 04	28 57	25 6	18 4	18 9	25 8	21 97	13 1	5 0	3 3
26	28 77	28 36	28 55	28 56	26 2	17 6	19 6	26 5	21 13	13 1	5 5	3 0
27	27 46	28 10	28 89	28 15	26 2	18 6	18 7	26 8	21 17	15 8	2 7	2 4
28	27 46	28 50	28 32	28 09	26 4	19 0	21 3	26 5	22 23	14 3	6 2	3 5
29	27 78	28 83	29 32	28 81	26 6	18 1	18 9	27 3	21 20	15 8	6 1	2 7
30	27 56	28 53	30 04	28 71	26 3	18 5	18 5	26 5	21 10	14 2	5 7	2 5
31	27 60	28 04	29 57	28 40	26 5	18 2	19 2	27 1	21 30	13 7	6 1	2 6

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.						
56	76	66	10.52	9.69	10.10	NO ₂	NO ₁	NO ₁	D.	D.	D.
60	76	68	10.88	10.23	10.56	—	—	—	—	—	—
49	73	61	10.14	9.86	10.00	—	CO	—	—	—	—
49	78	63	10.56	9.60	10.08	—	NO ₁	—	—	—	—
50	70	60	10.15	9.89	10.02	—	—	CO	—	—	—
51	74	62	10.21	9.35	9.78	—	NO ₂	NO ₁	—	—	Ni.
62	72	67	10.60	9.73	10.16	—	—	—	—	—	—
45	76	60	9.08	10.01	9.54	—	NO ₁	—	—	—	—
46	77	61	9.38	9.82	9.60	—	—	—	—	—	—
67.	69	68	10.71	10.42	10.57	—	—	—	—	—	D.
56	65	60	10.70	10.20	10.45	—	CO	—	—	—	—
48	76	62	9.81	10.33	10.07	—	—	—	—	—	—
42	76	59	8.97	10.23	9.60	—	—	—	—	—	N.
58	71	64	11.18	10.87	11.03	—	NO ₁	—	—	—	D.
56	80	68	11.45	10.79	11.12	—	—	—	—	—	—
59	79	69	11.48	10.73	11.10	—	—	—	—	—	—
60	76	68	11.42	10.49	10.96	—	—	—	—	—	—
59	68	63	11.27	9.96	10.62	—	—	—	—	—	—
60	77	68	11.42	10.29	10.86	—	—	CO	—	—	Ni.
59	76	67	11.27	10.33	10.80.	—	—	NO ₁	—	—	—
63	78	70	10.82	10.03	10.43	—	—	—	—	—	N.
59	70	65	11.00	9.89	10.44	—	—	—	—	—	D.
50	79	65	10.60	10.73	10.66	—	NO ₂	—	—	—	—
43	76	59	9.71	10.01	9.86	—	NO ₁	—	—	—	—
58	70	64	11.18	9.75	10.46	—	—	—	—	—	N.
63	67	65	9.62	9.79	9.70	—	—	—	N.	—	D.
55	60	58	9.83	9.16	9.49	—	—	—	D.	—	—
54	64	59	10.09	9.54	9.81	—	—	—	—	—	—
37	66	51	8.17	9.66	8.92	—	—	—	—	—	—
51	68	59	10.39	9.63	10.01	—	—	—	—	—	—

DE 1871.

57	73	65	16.38	10.91	13.64	NO ₂	NO ₁	NO ₁	D.	D.	D.
59	68	63	16.51	10.12	13.31	—	—	—	—	—	—
62	79	70	16.08	10.09	13.09	—	—	—	—	—	Ni.
64	76	70	16.49	9.99	13.24	—	—	CO	—	—	—
63	76	70	15.39	10.49	12.94	—	—	NO ₁	—	—	—
62	74	68	16.24	11.03	13.63	—	—	—	—	—	—
61	72	66	17.56	11.01	14.28	—	—	—	—	—	D.
60	75	67	16.44	10.67	13.55	—	—	—	—	—	—
58	74	66	16.99	10.07	13.53	—	—	—	—	—	—
51	73	62	17.69	9.93	13.81	—	—	—	—	—	Ni.
63	72	67	15.70	9.87	12.78	—	—	—	—	—	D.
57	67	62	16.62	9.36	12.99	—	—	—	—	—	—
59	64	61	15.99	9.74	12.86	—	—	—	—	—	—
59	74	66	16.69	10.00	13.34	—	—	—	—	—	Ni.
62	73	67	15.80	11.14	13.47	—	—	—	—	—	Np.
63	81	72	16.52	11.29	13.90	—	—	—	—	—	N.
70	79	74	15.73	10.85	13.29	—	—	—	N.	—	D.
65	76	70	16.72	10.61	13.66	—	—	—	—	—	—
62	70	66	16.08	11.37	13.72	—	—	—	—	—	—
59	68	63	16.63	9.98	13.30	—	—	—	—	—	—
63	68	65	16.82	10.36	13.59	—	—	—	—	—	—
47	73	60	19.46	11.14	15.80	—	—	—	—	—	—
60	72	66	16.75	10.69	13.72	—	—	—	—	—	—
60	72	66	16.87	10.69	13.73	—	—	—	—	—	—
63	68	66	16.58	10.22	13.40	—	—	—	—	—	—
60	71	66	16.99	11.11	14.05	—	—	—	—	—	—
80	75	77	23.31	10.77	17.04	—	—	—	—	—	—
57	68	62	17.06	10.67	14.36	—	—	—	—	—	—
58	73	66	17.85	10.99	14.42	—	—	—	—	—	—
66	74	70	17.61	11.11	14.36	—	—	—	—	—	—
58	74	66	18.09	11.14	14.61	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
											Dif. de los termómetros	
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
	700+	700+	700+	700+								
1	27.52	29.62	30.59	26.24	26.1	18.5	18.6	26.4	21.07	15.6	5.3	2.4
2	28.36	29.33	29.30	29.03	25.9	17.6	19.6	26.7	21.03	13.3	6.6	3.2
3	25.64	26.70	26.80	26.33	27.7	18.7	19.5	28.0	22.90	13.3	5.6	3.6
4	24.70	29.23	30.08	27.99	26.3	19.3	20.1	26.5	21.90	16.2	5.0	3.2
5	28.08	29.60	29.64	29.11	25.5	19.5	20.0	26.8	22.00	15.1	5.2	3.4
6	26.71	29.24	30.75	28.90	29.6	20.0	18.1	29.7	22.57	14.1	6.8	1.6
7	28.29	29.49	28.82	28.87	26.4	19.6	20.2	27.0	22.07	14.1	5.0	2.8
8	25.55	26.76	27.88	26.73	30.1	20.7	18.0	30.5	22.93	14.1	7.9	2.3
9	25.81	27.54	28.97	27.44	27.9	19.2	18.9	28.5	22.00	15.1	6.9	2.7
10	25.62	27.91	28.82	27.43	27.0	20.3	20.2	27.0	22.50	16.1	8.9	2.7
11	25.54	28.62	28.32	27.39	26.8	18.5	18.5	27.2	21.60	15.9	5.5	2.3
12	26.64	27.81	29.02	27.82	25.1	18.6	18.5	25.3	20.73	15.0	5.6	2.2
13	26.64	28.59	28.89	28.04	26.0	19.6	17.9	26.3	21.17	14.1	4.8	2.2
14	25.93	28.12	27.88	27.34	26.9	18.5	18.0	25.9	21.13	13.8	5.3	2.1
15	25.42	27.26	28.86	27.13	26.1	18.2	18.2	26.8	20.83	14.8	5.4	2.3
16	27.04	28.13	29.31	28.16	24.1	19.3	17.7	24.5	20.37	15.1	3.9	2.1
17	27.34	28.74	28.62	28.23	26.8	18.3	18.5	27.0	21.20	15.6	5.5	2.1
18	25.93	28.56	27.87	27.59	26.9	19.9	18.1	27.1	21.63	13.5	5.9	1.9
19	24.69	27.45	28.13	26.76	28.1	19.1	19.3	28.2	22.50	13.1	8.0	2.6
20	25.73	27.92	28.45	27.37	26.9	18.5	19.1	27.5	21.50	13.8	5.5	2.9
21	25.87	28.06	28.91	27.61	27.4	19.0	18.6	27.7	21.67	13.8	6.3	2.1
22	27.41	29.81	31.26	29.49	26.2	19.4	18.0	26.5	21.20	15.1	5.6	2.4
23	28.79	29.56	29.55	29.30	25.5	19.0	17.4	25.7	20.63	15.3	5.4	1.9
24	26.74	29.46	29.84	28.68	26.8	18.2	18.3	27.0	21.10	15.9	6.1	2.7
25	26.92	28.84	29.66	28.47	27.0	18.3	18.2	27.2	21.17	15.3	7.1	2.6
26	27.20	28.91	29.84	28.65	26.3	18.6	18.3	26.5	21.07	16.1	5.6	3.0
27	27.72	28.92	31.32	29.38	26.1	18.5	18.4	26.5	21.00	16.0	5.0	3.1
28	29.34	30.52	30.79	30.22	25.1	19.2	20.3	25.5	21.53	15.3	4.6	3.5
29	29.07	30.72	30.80	30.20	29.1	19.2	20.2	29.3	22.83	16.2	4.3	3.2
30	29.38	30.81	30.02	30.07	28.0	19.3	20.3	28.3	22.53	14.7	8.7	3.5
31	27.14	28.99	28.93	28.33	29.4	19.6	17.6	30.2	22.20	14.2	8.8	2.1

FEBRERO

1	25.82	29.20	29.54	28.19	27.8	18.7	18.2	28.5	21.6	15.9	8.5	2.1
2	26.58	29.43	30.57	28.86	27.3	18.4	18.1	27.3	21.3	15.1	7.5	2.1
3	27.38	28.13	28.61	28.04	25.6	18.4	18.6	25.8	20.9	15.9	5.9	2.7
4	26.91	27.37	29.11	27.80	25.4	18.1	18.6	25.6	20.7	16.0	5.8	2.3
5	26.97	29.10	29.10	28.39	26.6	19.5	17.8	27.0	21.3	14.3	6.4	2.5
6	27.03	29.07	28.33	28.14	26.9	18.1	17.6	27.5	20.9	14.9	6.1	2.3
7	26.42	28.00	28.60	27.63	26.1	18.7	17.8	26.1	20.9	15.8	5.5	2.4
8	26.56	28.10	29.31	28.16	25.8	18.7	18.6	26.5	21.0	16.0	5.3	2.5
9	28.13	28.99	29.02	28.71	26.9	19.6	20.2	27.0	22.2	14.0	6.2	3.9
10	26.73	28.53	29.20	28.15	28.6	19.3	17.0	29.2	21.6	14.1	8.1	2.0
11	26.69	28.25	28.33	27.76	28.1	19.1	18.4	28.5	21.9	13.9	6.7	2.1
12	26.34	28.48	29.01	27.94	27.7	19.7	18.6	27.8	22.0	14.1	6.4	2.0
13			28.41				19.4	28.2		14.1		3.0
14	26.54	28.39	29.41	28.11	26.8	19.6	18.6	27.0	21.7	15.6	6.2	2.3
15	27.95	29.21	29.68	28.95	25.9	18.6	18.8	26.7	21.1	15.5	5.1	2.6
16	27.27	28.75	29.21	28.41	25.7	19.1	18.6	26.0	21.1	16.8	5.1	1.7
17	27.45	29.04	28.97	28.49	24.2	18.3	18.1	24.4	20.2	15.9	4.6	2.2
18	27.34	29.18	29.86	28.79	25.1	19.7	18.2	25.5	21.0	16.1	5.0	2.6
19	27.46	29.61	30.48	29.18	25.8	18.6	17.9	26.3	20.8	15.1	5.7	2.3
20	27.04	29.41	30.29	28.91	26.8	18.6	17.9	27.2	21.1	14.6	6.2	2.9
21	27.50	30.16	31.33	29.66	26.3	18.2	16.6	26.3	21.4	14.5	6.1	1.8
22	28.92	30.18	30.03	29.71	23.6	18.0	16.7	24.0	19.4	12.5	4.3	2.0
23	28.25	30.43	31.34	30.01	25.0	18.3	17.5	25.0	20.3	15.2	6.5	2.5
24	29.01	30.81	30.61	30.14	25.4	18.5	18.6	25.8	20.8	14.1	5.2	1.6
25	28.39	30.12	29.45	29.32	25.5	18.5	19.1	26.0	21.0	12.3	5.8	3.3
26	27.50	28.73	29.43	28.57	27.2	18.0	17.6	28.1	20.9	15.1	8.1	2.9
27	26.61	29.38	29.67	28.55	26.2	18.0	17.2	26.5	20.5	14.1	6.7	2.2
28	26.01	28.86	29.00	27.96	26.2	17.3	17.0	26.2	20.2	14.1	6.2	2.1
29	25.05	27.05	28.64	26.94	25.9	17.6	15.8	26.3	19.3	13.7	5.5	1.3

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.						
57	76	67	11.63	11.40	11.52	NO ₂	NO ₁	NO ₁	D.	D.	D.
49	69	59	10.98	10.75	10.87	—	—	—	—	—	—
55	65	60	12.43	10.07	11.25	—	—	—	—	—	—
59	70	65	12.80	11.58	11.94	—	—	—	—	—	—
58	68	63	12.17	11.46	11.87	—	—	—	—	—	—
48	83	66	11.70	11.42	11.56	—	—	—	—	—	—
59	73	66	12.18	12.55	12.37	—	—	—	—	—	—
45	77	61	12.00	11.07	11.54	—	—	—	—	—	—
38	74	56	9.61	11.38	10.50	—	—	—	—	—	Ni.
49	75	62	12.04	12.16	12.10	—	—	—	—	—	D.
57	78	68	12.49	11.38	11.94	—	—	C ₃	—	—	Ni.
55	77	66	11.63	11.05	11.34	—	—	—	—	—	—
60	77	69	12.42	10.81	11.62	—	—	NO ₁	—	—	—
58	79	69	12.41	11.27	11.84	—	—	—	—	—	D.
55	77	66	11.57	11.23	11.40	—	—	—	—	—	Ni.
67	79	75	12.49	10.71	11.60	—	—	—	—	—	—
56	80	68	12.19	11.50	11.85	—	—	NO ₂	—	—	D.
54	81	68	11.45	11.54	11.50	—	—	—	—	—	—
42	74	58	10.82	11.44	11.13	—	—	—	—	—	—
57	72	65	12.29	11.33	11.81	—	—	C ₃	—	—	—
52	80	66	11.80	11.82	11.81	—	—	—	Np.	N.	Np.
54	75	65	11.81	11.09	11.45	—	—	NO ₁	—	—	Ni.
55	81	68	11.84	11.31	11.58	—	—	—	D.	D.	—
53	73	63	11.73	10.83	11.23	—	—	—	—	—	—
47	73	60	11.41	10.81	11.11	—	—	—	—	—	D.
55	70	63	12.13	10.24	11.19	—	—	C ₃	—	—	Ni.
58	70	64	11.91	10.23	11.07	—	—	—	—	—	—
61	67	64	12.15	11.13	11.64	—	—	NO ₁	—	—	D.
63	70	67	12.51	11.58	12.05	—	—	—	—	—	—
38	70	54	9.56	11.61	10.59	—	—	NO ₂	—	—	—
38	79	58	10.77	11.03	10.90	—	NO ₂	NO ₁	—	—	—

DE 1872.

39	80	60	10.05	11.50	10.78	NO ₂	NO ₁	NO ₂	D.	D.	Ni.
45	80	63	11.17	11.50	11.34	—	—	C ₃	—	—	—
53	74	64	11.45	11.30	11.38	—	—	NO ₁	—	—	—
53	78	66	11.60	11.38	11.49	—	—	—	—	—	—
49	75	62	10.96	10.87	10.92	—	—	—	—	—	D.
53	77	65	11.73	10.59	10.66	—	—	—	—	—	—
55	76	66	11.33	11.48	11.41	—	—	C ₃	—	—	Ni.
56	76	66	11.45	11.90	11.68	—	—	—	—	—	—
50	64	57	10.81	10.56	10.68	—	—	NO ₁	—	—	D.
42	79	61	10.80	11.09	10.95	—	—	—	—	—	—
49	80	65	11.62	11.82	11.72	—	—	—	—	—	—
50	80	65	11.74	11.88	11.81	—	—	—	—	—	—
51	72	11.71	...	—	—	C ₃	—	—	Ni.
51	78	65	11.86	11.76	11.81	NO ₂	NO ₁	NO ₁	D.	D.	—
59	74	67	12.34	11.44	11.89	—	—	—	—	—	—
59	83	71	12.34	12.07	12.21	—	—	C ₃	—	—	—
61	77	69	12.15	11.21	11.63	—	—	—	—	—	—
58	73	66	11.82	10.77	11.50	—	—	—	—	—	—
54	77	66	11.39	10.97	11.18	—	—	NO ₁	—	—	D.
50	72	61	11.35	10.71	11.03	—	—	—	—	—	—
52	81	67	11.51	10.81	11.16	—	—	—	—	—	Ni.
62	78	70	11.72	10.59	11.16	—	—	—	—	—	—
49	77	63	10.90	10.99	10.95	—	—	—	—	—	—
56	83	70	11.69	12.05	11.87	—	—	—	—	—	D.
53	89	61	10.88	11.09	10.99	—	—	—	—	—	—
40	72	56	9.92	10.23	10.08	—	—	—	—	—	—
48	77	63	10.73	10.73	10.73	—	—	—	—	—	—
50	79	69	11.35	10.71	11.03	—	—	—	—	—	Ni.
55	80	68	11.33	10.63	11.26	—	—	—	—	—	—

Días.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
											Dif. de los termómetros	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	26.86	27.40	27.73	27.33	24.8	17.9	17.1	25.0	19.98	14.2	5.7	2.2
2	26.23	29.01	29.73	28.32	25.6	16.7	17.6	25.8	19.97	13.6	5.3	2.7
3	26.61	28.11	29.97	27.56	25.3	16.9	15.6	25.5	19.27	12.3	5.6	2.5
4	26.08	28.16	30.30	28.18	25.6	17.7	15.7	25.7	19.67	13.8	6.0	1.7
5	29.39	29.90	30.06	29.78	24.3	18.0	17.4	24.5	19.90	12.1	6.0	3.0
6	28.23	30.06	30.16	29.48	26.1	16.7	15.8	26.5	18.87	12.9	6.6	1.5
7	28.34	29.23	29.60	29.06	24.2	16.6	16.6	24.6	19.13	12.0	5.9	2.5
8	26.72	28.61	29.24	28.19	25.1	17.7	17.9	25.5	20.23	13.1	5.2	2.7
9	27.48	29.02	29.35	28.62	25.4	17.5	18.6	26.1	20.50	12.3	6.8	3.2
10	28.41	29.61	29.40	29.14	24.7	17.3	16.4	25.0	19.47	11.6	6.3	2.3
11	28.64	28.51	30.05	28.87	25.0	17.2	14.9	25.2	19.03	12.9	6.2	1.7
12	27.99	28.96	29.60	28.85	24.7	17.6	15.7	25.1	19.33	13.3	5.1	1.8
13	27.74	28.82	29.75	28.77	25.1	17.8	15.5	25.5	19.47	13.3	5.3	1.5
14	28.02	28.66	29.80	28.83	25.2	17.2	15.7	26.4	19.37	12.6	5.4	1.9
15	29.33	29.01	29.66	29.33	23.8	17.3	17.8	24.2	19.63	13.6	5.9	2.6
16	27.66	27.81	27.86	27.78	25.1	18.6	17.9	25.3	20.53	12.8	5.6	2.7
17	26.56	28.14	29.06	27.92	25.6	18.5	16.6	26.5	20.23	13.3	5.1	1.7
18	27.84	28.53	29.22	28.53	24.5	18.0	16.1	24.8	19.53	12.8	4.9	2.1
19	28.36	29.81	28.54	28.90	25.4	17.3	18.0	25.9	20.23	12.1	6.0	3.7
20	26.66	27.64	28.86	27.72	26.1	16.5	15.3	26.5	19.30	13.3	6.6	1.7
21	26.57	27.56	27.93	27.35	24.0	16.1	15.5	25.9	18.53	13.6	6.0	2.1
22	26.13	27.54	27.93	27.20	24.6	16.2	15.6	23.6	18.80	11.6	5.6	2.3
23	26.64	27.74	27.33	27.25	23.3	15.4	14.6	24.0	17.77	12.1	4.8	1.4
24	26.91	27.44	29.01	27.79	23.1	15.6	15.1	23.5	17.93	13.1	4.4	1.9
25	27.63	28.76	28.97	28.45	21.9	15.0	15.9	23.3	17.60	14.0	4.5	1.7
26	27.34	29.06	29.47	28.63	22.1	14.9	14.8	22.5	17.30	12.3	4.3	2.1
27	27.92	29.63	30.73	29.43	22.7	14.4	12.8	23.0	16.63	11.1	5.9	1.7
28	29.76	30.21	29.48	29.82	19.9	14.8	14.0	20.1	16.23	8.1	3.9	2.0
29	27.26	28.46	23.4	13.5	24.0	11.9	5.3
30	27.80	29.10	29.66	28.85	21.3	15.5	14.9	21.7	17.23	12.1	5.4	1.5
31	27.20	29.23	29.76	28.73	22.8	15.5	14.6	23.1	17.63	12.1	5.4	1.7

ABRIL

1	28.01	29.07	29.46	28.85	20.6	16.1	15.8	20.9	17.50	13.1	3.6	2.1
2	27.97	28.86	30.42	29.08	22.3	16.3	17.1	22.6	18.57	13.2	4.4	2.3
3	29.13	30.15	30.23	29.83	24.1	16.5	14.9	24.4	18.50	10.2	3.6	2.1
4	29.71	29.57	30.61	29.96	22.7	15.5	15.7	23.2	17.97	13.3	4.6	1.9
5	29.85	29.90	30.27	30.01	22.1	15.5	13.8	22.7	17.13	9.6	4.0	1.5
6	27.33	29.96	30.12	29.15	21.3	14.6	14.6	22.5	16.83	12.6	4.6	1.5
7	29.66	30.65	30.65	30.32	19.7	14.5	13.6	19.9	15.93	9.6	4.1	1.6
8	28.87	30.07	30.82	29.92	20.4	14.4	13.5	20.7	16.43	11.0	5.3	1.5
9	28.78	30.45	30.77	29.99	19.1	14.3	14.9	19.3	16.03	11.8	5.9	3.1
10	29.40	30.65	30.14	30.06	20.9	14.5	14.7	21.4	16.77	9.1	3.9	2.4
11	28.47	29.82	29.89	29.39	21.6	14.4	14.2	22.2	16.73	10.6	4.2	2.6
12	28.87	29.86	30.70	29.81	20.0	14.6	13.2	20.2	15.93	9.6	3.5	1.3
13	28.57	30.02	30.13	29.57	20.3	14.8	16.0	21.0	17.20	9.1	3.7	3.4
14	28.48	29.90	31.14	29.84	24.1	15.1	11.8	24.2	17.00	10.0	6.7	0.9
15	29.41	30.19	30.39	30.00	20.1	14.5	13.7	20.2	16.10	8.7	4.7	1.9
16	29.43	29.80	30.57	29.93	21.0	13.9	12.3	21.2	15.73	8.1	4.3	1.4
17	29.39	29.99	31.36	30.31	19.7	14.3	13.4	20.0	15.30	11.4	3.3	1.2
18	30.00	30.59	31.56	30.65	21.0	14.0	13.1	21.3	16.03	10.6	4.0	1.4
19	29.60	31.17	30.96	30.58	20.0	13.6	13.5	20.2	15.63	8.1	3.9	1.6
20	29.19	30.31	30.01	29.84	22.2	14.6	13.9	22.8	16.90	9.4	5.5	2.7
21	28.83	29.61	29.31	29.42	21.5	14.0	13.1	21.8	16.20	10.8	4.9	2.1
22	28.01	29.89	30.05	29.32	19.1	14.1	14.0	19.3	15.73	12.1	3.0	1.5
23	29.49	29.79	30.17	29.82	21.9	13.6	14.2	22.0	16.57	9.0	5.5	1.5
14	29.59	30.58	30.27	30.15	21.9	14.5	14.1	22.0	16.83	8.9	5.6	4.9
25	28.29	29.37	29.76	29.14	23.5	14.4	11.3	24.0	16.57	9.2	5.0	3.0
26	28.19	29.30	30.59	29.36	18.9	14.3	11.3	19.3	14.83	8.6	4.3	1.6
27	29.00	29.71	30.34	29.85	17.5	13.3	11.5	17.7	14.10	6.1	3.6	2.3
28	29.43	30.01	31.28	30.24	19.0	12.6	9.6	19.1	13.73	6.6	2.9	0.7
29	29.43	30.52	31.09	30.35	17.0	12.1	11.5	17.8	13.53	8.3	2.7	1.1
30	29.30	31.11	30.21	30.44	18.0	12.6	12.7	18.4	14.43	10.2	2.0	1.5

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.						
54	77	66	11.39	11.05	11.22	NO ₂	NO ₁	NO ₁	D.	D.	D.
56	73	65	11.81	10.91	11.86	—	—	—	—	—	—
54	75	62	11.45	9.72	10.59	—	—	NO ₂	—	—	—
52	82	67	11.48	10.37	10.95	—	—	NO ₁	—	—	—
52	70	61	10.75	10.29	10.52	—	—	—	—	—	—
48	84	66	10.51	10.49	10.50	—	—	—	—	—	—
51	75	63	10.75	10.14	10.45	—	—	—	—	—	—
56	73	65	11.60	10.67	11.64	—	—	—	—	—	—
47	68	58	10.27	9.96	10.12	—	—	—	—	—	—
49	76	68	10.23	10.49	10.36	—	—	—	—	—	—
50	82	66	10.63	9.92	10.28	—	—	—	—	—	—
58	80	69	11.40	10.71	11.06	—	—	C _o	—	—	Ni.
56	84	70	11.36	10.60	10.98	—	—	—	—	—	D.
55	80	68	11.48	10.41	10.95	—	—	NO ₁	—	—	—
51	73	62	10.77	10.89	10.83	—	—	C _o	—	—	—
54	73	64	11.00	10.67	10.84	—	—	NO ₁	—	—	—
58	82	70	11.85	10.59	11.22	—	—	—	—	—	—
59	79	69	11.52	10.68	11.08	—	—	—	—	—	—
52	65	59	10.76	10.33	10.57	—	—	—	—	—	—
47	82	65	10.28	10.13	10.18	—	—	—	—	—	—
50	73	64	9.88	9.97	9.93	—	—	—	—	—	—
54	76	65	11.00	9.41	10.21	—	—	—	—	—	—
58	84	71	10.97	10.17	10.57	—	—	—	—	—	—
61	80	71	11.03	9.66	10.35	—	—	—	—	—	Ni.
61	82	72	10.88	10.53	10.71	—	—	C _o	—	—	—
62	78	70	11.00	9.68	10.34	—	—	NO ₁	—	—	—
50	80	65	9.67	8.50	9.09	—	—	C _o	—	—	—
63	77	70	9.97	9.07	9.52	—	—	—	—	—	D.
51	10.09	—	—	—	—	—
51	84	68	8.86	10.25	9.56	—	—	C _o	—	—	Ni.
55	82	69	10.36	9.50	9.93	—	—	—	—	—	—

DE 1872.

66	77	72	10.75	9.82	10.28	NO ₂	C _o	NO ₁	D.	N.	Np.
60	76	63	10.42	10.59	19.50	—	—	C _o	D.	D.	D.
69	77	73	13.75	9.54	11.65	—	—	NO ₁	D.	—	—
59	79	69	10.73	9.66	10.19	—	NO ₂	C _o	—	—	Ni.
58	83	70	9.98	9.41	9.69	—	—	—	—	—	—
63	83	73	10.66	9.62	10.14	—	—	—	—	—	—
60	82	71	9.16	9.21	9.18	—	—	NO ₁	—	—	—
51	82	66	9.44	8.71	9.07	—	—	—	—	—	—
62	66	64	9.00	9.99	9.49	—	—	—	—	—	D.
63	74	68	9.62	9.00	9.31	—	—	—	Np.	—	—
61	78	69	10.30	9.11	9.70	—	—	—	D.	—	—
66	84	75	10.18	8.95	9.57	—	C _o	—	—	—	—
65	64	65	10.29	8.40	9.35	—	—	—	—	—	—
46	88	67	9.54	8.92	9.23	—	—	NO ₂	—	—	Ni.
56	79	67	9.45	9.24	9.34	—	—	NO ₂	—	—	D.
60	83	72	9.69	8.71	9.20	—	—	NO ₁	—	—	—
68	86	77	10.45	9.45	9.85	—	—	C _o	—	—	Ni.
63	83	73	10.26	8.89	9.57	—	—	NO ₁	—	—	—
63	82	72	9.94	9.35	9.64	—	—	—	—	—	D.
52	70	61	9.75	8.90	9.33	—	—	NO ₁	—	—	—
56	76	66	9.80	8.40	9.10	—	—	—	—	—	Ni.
71	82	76	10.87	9.10	9.93	—	—	—	—	D.	—
51	82	66	8.72	9.24	9.03	—	—	—	—	D.	—
50	46	48	8.66	5.37	7.02	—	—	—	—	—	—
71	65	68	10.87	6.71	8.79	—	—	—	—	—	—
59	79	68	8.62	7.96	8.29	—	NO ₂	NO ₁	—	—	—
62	72	67	8.49	7.31	7.90	—	—	C _o	—	—	—
72	90	81	10.93	8.15	9.54	—	—	—	—	—	Ni.
72	86	79	9.52	8.56	9.04	—	C _o	C _o	—	—	—
70	81	76	9.61	8.50	9.05	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
											Dif. de los termómetros	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínm.	2½ h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	C	C	o
1	29.42	30.58	31.85	30.43	18.5	12.5	11.4	18.4	13.1	7.7	3.5	1.7
2	29.42	30.58	31.85	30.43	18.5	12.5	11.4	18.4	13.1	7.7	3.5	1.7
3	29.16	30.27	31.18	30.20	19.0	13.0	11.2	18.5	14.4	7.9	4.0	1.5
4	29.31	30.69	31.68	30.56	18.6	12.0	12.0	18.7	14.2	9.1	3.8	1.6
5	30.04	30.75	30.97	30.59	16.6	12.3	11.3	18.2	13.4	7.9	2.9	2.1
6	28.41	30.46	31.29	30.05	19.4	13.1	10.3	18.6	14.3	7.8	4.8	0.8
7	30.37	30.92	31.63	30.97	17.2	12.6	12.4	18.0	14.1	9.2	2.3	1.5
8	30.45	31.18	33.23	31.62	15.7	12.9	12.5	16.0	13.7	10.4	2.8	1.1
9	31.29	30.16	32.43	31.29	17.8	13.1	12.4	18.0	14.4	7.1	2.9	2.3
10	30.83	31.88	32.91	31.87	19.2	12.8	10.9	19.5	14.3	7.1	4.2	0.7
11	30.63	31.98	32.04	31.55	20.0	12.8	11.5	20.3	14.8	7.1	4.2	2.6
12	29.87	31.98	31.38	31.08	18.8	12.0	12.0	19.1	14.3	6.5	3.9	3.9
13	29.47	30.66	30.87	30.33	18.8	12.2	12.1	19.2	14.4	7.6	4.0	2.8
14	28.64	31.13	29.80	29.69	19.2	12.5	11.9	19.6	14.5	7.6	4.2	2.7
15	28.98	30.22	31.42	29.53	17.4	11.7	12.5	17.7	13.9	10.5	2.9	1.2
16	29.50	30.39	30.92	30.27	17.0	12.0	12.6	17.3	13.9	8.7	2.6	1.6
17	28.13	30.11	33.11	30.45	18.4	11.3	11.7	18.7	14.0	8.9	4.0	2.0
18	31.26	32.64	31.32	31.74	17.2	11.5	9.2	17.5	12.6	6.3	3.0	0.9
19	27.68	29.75	30.96	29.46	18.0	12.3	12.2	18.2	14.2	8.2	3.3	1.8
20	28.57	31.01	31.81	30.80	16.1	11.8	11.7	16.8	13.3	9.3	2.3	0.9
21	31.81	32.09	32.12	32.01	13.4	11.9	9.9	13.6	11.7	7.9	1.7	1.3
22	30.21	31.19	31.89	31.11	14.8	11.1	11.1	15.0	12.3	8.1	2.3	1.9
23	30.21	31.68	31.52	31.14	16.9	11.2	9.1	17.1	12.4	5.8	3.1	2.1
24	28.43	30.05	30.86	29.78	17.6	11.5	9.7	17.9	12.9	5.3	3.8	2.9
25	28.30	30.57	30.72	30.20	17.8	12.1	10.9	18.1	13.6	8.2	4.1	1.4
26	29.29	30.77	31.18	30.41	15.4	12.1	12.0	15.7	13.2	10.1	2.7	1.9
27	29.46	30.83	30.77	30.35	17.3	12.5	12.1	17.5	14.0	9.8	3.7	1.7
28	28.36	30.57	30.06	29.66	18.2	12.1	9.7	18.5	13.3	7.6	3.6	1.1
29	28.64	30.75	31.47	30.29	16.5	12.3	11.2	17.0	13.3	8.9	0.6	0.7
30	29.57	30.99	31.76	30.77	18.1	12.0	10.4	15.4	13.5	8.0	3.5	1.4
31	30.72	31.49	32.38	31.53	15.1	11.9	9.4	16.5	12.1	7.3	2.3	1.0
31	30.41	31.62	32.26	31.43	16.0	11.6	9.6	16.3	12.4	6.9	2.7	0.4

JUNIO

1	28.46	30.02	30.77	29.75	17.3	11.7	9.6	17.7	12.9	5.8	3.4	1.2
2	28.36	30.63	32.00	30.33	19.0	11.6	11.0	19.0	13.9	8.1	5.8	1.1
3	29.03	31.16	30.90	30.36	15.0	11.4	10.2	15.3	12.2	7.0	2.4	1.2
4	28.28	30.73	32.11	30.38	16.3	10.6	10.1	16.5	12.3	8.9	3.5	1.1
5	30.65	31.68	32.31	31.71	14.0	10.3	7.5	14.2	10.6	4.1	0.9	0.9
6	30.44	31.75	32.04	31.41	15.6	10.3	8.1	15.9	11.4	5.6	3.1	1.0
7	30.63	31.52	33.16	31.77	14.2	10.3	10.4	14.5	11.8	6.8	2.4	1.2
8	30.09	32.67	33.20	31.99	13.7	11.2	10.1	14.0	12.0	9.1	2.1	1.1
9	30.76	33.22	34.02	32.67	16.4	10.8	9.5	16.8	12.1	5.8	3.4	0.7
10	31.32	33.29	31.80	32.14	16.7	11.0	10.2	17.0	12.6	6.1	3.4	1.9
11	30.67	31.06	33.06	31.60	18.1	11.9	7.1	18.6	12.2	4.9	4.2	1.0
12	29.88	30.85	31.40	30.71	16.3	11.5	9.3	16.7	12.4	3.2	3.7	4.1
13	27.26	28.45	29.80	28.50	19.0	11.5	7.6	19.4	12.7	5.0	4.6	1.4
14	27.29	30.06	31.87	30.07	15.4	9.7	9.6	15.7	11.6	6.4	3.0	1.6
15	29.61	30.90	32.23	30.91	13.2	9.3	9.1	15.0	11.5	3.6	3.2	1.2
16	30.08	31.35	32.57	31.33	16.3	9.8	8.7	16.7	11.6	5.1	3.2	1.5
17	29.52	30.63	31.89	30.78	16.8	11.6	9.4	17.3	12.6	6.9	3.3	1.3
18	28.51	30.26	29.32	29.36	18.6	12.2	10.9	18.7	13.9	7.4	5.0	3.0
19	26.76	27.93	30.64	28.44	15.6	13.3	13.9	16.0	14.3	9.6	3.4	1.5
20	28.08	30.97	30.99	30.01	18.0	12.1	12.0	18.4	14.0	9.1	2.7	1.1
21	29.22	30.70	32.04	30.65	18.5	11.0	10.6	18.8	13.4	8.6	3.3	1.5
22	30.12	31.30	31.71	31.04	14.3	10.2	10.0	14.5	11.5	5.5	2.8	1.9
23	30.30	33.27	33.32	32.50	14.4	9.5	8.3	14.6	10.7	4.1	2.8	2.1
24	31.17	31.74	29.35	30.95	16.3	9.8	9.8	16.5	12.0	3.3	3.0	3.7
25	27.31	29.57	31.87	29.58	17.7	10.4	9.6	18.0	12.6	7.6	5.0	1.8
26	29.67	30.76	34.06	31.45	14.7	10.5	10.1	15.0	11.8	3.3	3.3	1.4
27	32.08	35.05	35.24	34.12	14.5	9.7	8.1	14.8	10.8	3.9	3.3	2.3
28	32.22	33.10	32.56	32.56	16.7	10.1	9.6	17.0	12.1	4.6	4.4	2.8
29	28.74	31.53	33.15	31.07	20.0	10.7	8.0	20.0	12.9	5.1	6.2	1.2
30	31.64	34.36	33.34	33.11	15.7	10.4	8.1	16.0	11.4	5.1	3.2	1.3

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉRICO.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.								
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
66	80	73	9.89	7.67	8.53	NO ₂	NO ₁	NO ₁	D.	D.	D.
61	82	72	9.08	7.91	8.50	—	—	—	—	—	—
61	80	71	8.78	7.79	8.29	—	C ₀	—	—	—	—
69	75	72	8.58	7.81	7.92	—	NO ₁	C ₀	—	—	—
55	89	72	9.53	8.19	8.86	—	—	NO ₁	—	—	Ni.
71	83	77	9.46	8.56	9.01	—	—	—	Np.	Np.	Np.
76	86	81	9.13	9.04	9.09	—	—	—	—	—	—
71	74	73	9.75	7.84	8.80	—	C ₀	C ₀	D.	D.	D.
59	93	76	8.75	8.74	8.75	—	—	—	—	—	—
59	69	64	9.24	7.13	8.19	—	—	—	—	—	—
71	65	68	9.61	6.77	8.19	—	NO ₁	—	—	—	—
61	67	64	9.08	7.01	8.05	—	C ₀	NO ₁	—	—	—
59	69	64	8.82	7.01	7.92	—	—	C ₀	—	—	—
71	85	78	9.40	8.98	9.19	—	NO ₂	NO ₁	Np.	N.	N.
72	80	76	9.51	8.44	8.98	—	C ₀	NO ₁	D.	D.	Np.
61	75	68	8.73	7.37	8.05	—	—	C ₀	Np.	D.	Np.
69	89	79	9.34	7.83	8.59	—	NO ₂	—	D.	D.	D.
66	77	72	8.95	7.61	8.28	—	—	—	Np.	—	—
76	80	83	9.55	9.32	9.44	—	NO ₂	NO ₂	Np.	Np.	Np.
80	84	82	8.44	7.71	8.08	—	C ₀	C ₀	Np.	D.	Np.
75	78	76	8.75	7.41	8.08	—	—	C ₀	Np.	D.	Np.
67	73	70	8.55	6.58	7.57	—	—	—	D.	D.	D.
61	64	63	8.57	6.20	7.39	—	—	—	—	—	—
59	81	70	8.32	7.47	7.90	—	NO ₂	—	—	—	Ni.
71	77	74	8.44	7.85	8.15	—	NO ₁	NO ₁	—	—	D.
62	80	71	8.57	8.00	8.33	—	—	—	—	—	D.
62	86	74	8.77	7.18	7.98	—	—	—	—	—	Np.
93	92	93	11.96	8.60	10.33	—	—	C ₀	—	—	—
66	81	74	9.04	7.47	8.26	—	C ₀	NO ₁	—	—	—
75	86	81	8.89	7.72	8.31	—	—	C ₀	—	—	D.
72	94	83	8.89	8.08	8.49	—	—	—	—	—	—

DE 1872.

64	81	76	8.82	7.69	8.26	NO ₂	NO ₁	C ₀	D.	D.	D.
46	86	66	7.36	8.09	7.73	—	C ₀	—	—	—	—
73	84	79	8.52	7.77	8.16	—	—	—	—	—	—
63	86	75	8.31	7.51	7.91	—	—	NO ₁	—	—	Ni.
...	88	6.91	...	—	—	C ₀	—	—	D.
67	85	76	8.27	6.75	7.51	—	—	—	—	—	Ni.
72	84	78	8.08	7.65	7.87	—	—	—	—	—	D.
74	86	80	7.96	7.76	7.86	—	—	—	—	—	—
64	92	78	8.40	8.00	8.20	—	NO ₁	—	Ni.	—	D.
64	76	70	8.61	7.05	7.83	—	C ₀	—	D.	—	—
58	85	72	7.47	6.80	7.14	—	—	—	—	—	—
61	43	55	8.04	4.13	6.09	—	—	—	—	—	—
55	79	67	7.35	6.15	7.05	—	—	—	—	—	—
66	79	73	7.89	7.15	7.52	—	NO ₁	—	—	—	—
64	84	74	7.71	7.29	7.50	—	C ₀	—	Np.	—	—
66	81	74	8.82	6.94	7.73	—	NO ₁	—	Np.	D.	Np.
66	84	75	8.67	7.49	8.08	—	NO ₂	—	D.	D.	D.
52	62	57	7.64	6.04	6.84	—	—	—	—	—	—
63	83	73	8.02	9.31	8.67	—	NO ₃	NE ₁	Np.	N.	Np.
73	85	80	10.01	9.04	9.58	—	NO ₁	C ₀	Np.	N.	Np.
67	81	74	9.65	7.53	8.55	—	—	—	—	—	—
63	76	72	7.89	6.87	7.38	—	—	—	—	—	—
69	71	70	8.10	5.63	6.87	—	—	—	D.	D.	D.
67	52	60	8.33	4.47	6.40	—	—	—	—	—	—
50	76	68	8.77	6.71	6.74	—	NO ₁	—	—	—	Np.
64	81	73	7.23	7.05	7.14	—	—	—	—	—	—
66	71	69	7.35	5.73	7.54	—	C ₀	—	—	—	D.
53	63	58	6.87	5.77	6.32	—	—	—	—	—	—
40	83	62	5.96	6.77	6.37	—	—	—	—	—	—
65	83	74	7.98	6.86	7.40	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO. Dif. de los termómetros	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°	°	°	°	°
1	31.44	32.98	33.69	31.69	16.0	11.0	11.6	16.2	12.87	7.0	4.5	1.2
2	32.04	33.78	33.69	33.15	16.0	10.3	9.5	16.2	11.93	5.1	3.5	1.2
3	32.65	33.58	33.63	33.19	14.6	9.5	8.1	14.9	10.73	3.3	3.4	3.5
4	32.27	33.27	32.75	31.76	15.2	9.9	6.7	15.5	10.60	2.1	4.3	3.5
5	29.64	31.72	31.74	31.03	16.7	9.8	7.1	17.0	11.20	2.8	5.8	3.9
6	29.44	31.53	32.73	31.23	14.9	9.2	8.1	15.4	10.73	6.1	3.9	1.9
7	30.60	31.57	33.21	31.79	14.3	9.0	7.5	14.6	10.27	3.6	1.9	1.8
8	30.93	31.97	32.66	31.83	14.2	9.3	7.3	14.6	10.27	2.7	2.7	1.5
9	31.29	31.93	33.83	31.68	16.1	9.4	8.4	16.0	11.30	4.2	3.7	2.1
10	32.04	33.07	30.65	31.92	16.3	10.8	7.8	16.5	11.65	3.6	3.9	3.6
11	28.08	28.91	30.28	29.09	13.0	11.1	8.1	18.5	12.40	5.2	6.4	1.5
12	28.82	30.48	31.82	30.37	15.3	10.4	9.3	15.5	11.67	7.0	3.2	1.5
13	30.25	31.45	32.91	31.54	15.1	9.4	11.4	15.3	11.97	8.1	3.1	2.9
14	31.26	32.17	29.89	31.11	16.3	9.8	8.5	16.5	11.53	3.8	3.7	3.5
15	29.09	31.60	31.57	30.76	16.7	10.1	9.0	16.8	11.93	5.0	3.6	2.3
16	29.67	30.51	29.18	29.79	15.9	10.3	11.2	16.1	12.47	5.4	3.5	4.3
17	25.76	27.69	29.78	27.74	23.0	10.3	9.2	23.6	14.17	7.6	3.1	1.1
18	27.99	29.86	31.61	29.82	15.2	11.0	11.1	15.5	12.43	8.1	3.4	1.5
19	30.16	30.26	31.35	30.59	15.3	10.9	10.1	15.7	12.17	8.2	2.7	1.7
20	29.72	30.93	32.78	31.14	16.8	10.5	11.5	16.5	12.93	9.4	3.0	2.2
21	32.24	32.69	31.09	32.01	15.9	11.6	10.3	16.2	12.60	9.1	2.7	2.2
22	29.69	31.96	31.65	31.10	17.9	10.2	11.3	18.0	13.13	9.5	3.9	1.9
23	30.66	31.55	31.99	31.40	14.9	10.4	11.5	15.3	12.33	9.2	3.2	2.3
24	29.74	30.89	31.93	30.85	17.9	10.3	10.7	18.0	12.97	9.9	4.7	1.9
25	31.04	32.43	32.61	32.03	19.0	11.6	10.3	19.9	13.63	5.3	5.6	3.4
26	30.29	32.05	30.62	30.99	18.0	10.4	10.3	18.2	12.90	4.3	5.9	3.8
27	27.69	29.34	28.68	28.57	21.6	11.6	14.6	22.0	15.93	7.3	8.2	5.7
28	26.93	28.33	30.81	28.69	20.9	12.1	8.6	21.4	13.87	4.0	5.8	1.1
29	30.15	30.53	30.33	30.52	15.4	11.0	10.1	15.6	12.17	4.8	2.5	1.4
30	29.36	30.65	31.12	30.23	15.5	11.0	8.6	15.7	11.70	6.1	2.8	0.7
31	30.37	31.34	31.24	30.93	13.6	10.6	7.3	14.0	10.50	3.5	2.1	0.9

AGOSTO

1	30.02	30.96	31.35	30.74	16.5	10.3	9.1	16.9	11.97	4.7	3.6	0.5
2	30.07	31.06	33.10	31.41	16.0	10.3	11.3	16.3	12.53	7.3	3.2	2.0
3	31.22	32.66	31.39	31.76	16.8	11.1	11.5	16.9	13.13	5.4	3.2	3.9
4	28.51	30.83	32.45	30.60	21.2	12.6	10.5	21.5	14.77	8.6	6.5	1.5
5	31.23	32.64	33.36	32.41	13.6	11.2	11.4	14.0	12.07	9.1	2.1	1.4
6	30.17	32.44	32.30	31.64	16.6	11.3	9.1	17.1	12.33	5.1	3.6	1.3
7	30.77	21.88	32.57	31.74	16.1	11.0	10.5	16.5	12.53	5.8	3.6	2.5
8	29.40	32.32	32.05	31.26	21.2	11.1	11.0	21.5	14.43	8.1	6.3	1.9
9	30.52	32.55	31.73	31.59	16.5	11.6	10.8	16.9	12.97	6.1	3.3	1.5
10	31.23	32.23	32.55	32.00	17.8	11.3	11.1	17.8	13.40	6.1	4.2	2.0
11	30.84	31.25	31.67	31.25	20.2	12.9	12.1	20.0	15.07	6.7	5.3	3.9
12	29.29	30.22	28.81	29.44	22.9	14.2	14.0	24.2	17.03	8.1	7.2	5.1
13	25.83	27.96	29.23	27.65	25.6	15.3	14.4	27.6	13.43	8.2	8.3	5.1
14	27.53	28.76	29.79	28.69	20.3	14.0	10.4	20.7	14.90	6.2	5.1	2.9
15	28.69	29.30	27.83	28.62	19.2	13.1	14.9	19.7	15.73	9.0	5.0	5.1
16	25.60	28.11	30.04	27.92	22.7	13.1	11.2	23.9	15.67	8.8	5.1	1.7
17	28.23	30.11	31.95	30.10	18.2	13.5	11.6	18.3	14.43	9.3	4.3	2.0
18	30.30	30.89	31.48	30.89	18.5	12.1	12.1	18.7	14.23	7.6	4.1	2.3
19	29.16	30.24	29.24	29.55	21.3	12.6	14.6	21.6	16.17	8.1	6.1	4.2
20	27.66	28.30	30.59	28.85	21.8	14.8	11.1	22.5	15.90	9.0	5.5	1.1
21	29.64	31.10	33.77	31.50	17.1	14.6	12.8	17.5	14.83	9.6	3.0	2.1
22	32.25	33.01	30.64	31.97	20.0	12.9	14.4	20.1	15.77	8.4	3.9	3.3
23	27.99	31.40	30.59	29.99	22.6	13.6	11.1	23.0	15.77	8.1	5.7	1.0
24	28.66	31.06	30.51	30.08	19.4	12.4	13.8	19.7	15.20	8.8	4.6	3.0
25	29.61	31.11	30.84	30.52	18.8	12.4	11.4	19.0	14.20	7.6	3.8	0.7
26	28.33	30.77	31.35	30.48	18.6	12.5	13.1	18.9	14.73	7.1	3.7	2.1
27	29.60	31.26	30.94	30.60	21.8	12.4	13.6	22.0	15.93	8.0	6.7	4.9
28	29.29	31.50	31.98	30.92	22.6	13.7	10.7	22.6	15.67	8.0	6.8	1.5
29	28.76	31.27	31.91	30.65	19.5	14.5	11.2	20.0	15.07	8.6	4.6	1.5
30	30.63	31.50	31.57	31.23	20.0	14.0	10.8	20.5	14.93	8.2	1.3	1.4
31	29.09	31.03	30.79	30.30	20.0	13.0	11.5	20.1	14.83	8.5	4.6	1.7

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.						
53	86	70	6.33	8.63	7.81	NO ₂	NO ₁	C ₆	D.	Ni.	Ni.
62	83	72	7.47	7.22	7.35	—	C ₆	—	—	D.	D.
61	53	57	6.70	4.20	5.45	—	—	—	—	—	—
53	51	52	6.16	3.61	4.89	—	—	—	—	—	—
36	46	41	4.41	3.08	4.05	—	—	—	—	—	—
57	75	66	6.46	6.26	6.36	—	NO ₁	—	—	—	—
77	75	76	7.49	5.92	6.71	—	—	—	—	—	—
70	79	75	7.59	5.99	6.79	—	C ₆	—	Np.	—	—
60	72	66	7.23	5.99	6.61	—	—	—	D.	—	—
58	51	54	7.17	3.94	5.56	—	—	—	—	—	—
38	80	59	5.30	6.25	5.78	—	—	—	Np.	Np.	—
64	81	73	7.71	6.69	7.20	—	—	—	D.	D.	Np.
66	65	66	7.59	6.45	7.02	—	—	—	Np.	Np.	D.
60	55	58	7.35	4.49	5.92	—	—	—	D.	—	—
61	70	66	7.89	5.92	6.91	—	—	—	—	—	—
62	48	55	7.53	4.47	6.00	—	—	—	—	—	—
32	86	59	5.62	6.88	6.25	—	—	—	—	—	—
62	81	72	7.47	7.41	7.44	—	—	—	—	—	Ni.
72	79	76	9.03	7.05	8.04	—	—	—	—	Np.	Np.
67	73	70	8.47	7.25	7.86	—	—	—	—	D.	N.
72	72	72	8.82	6.69	7.76	—	—	—	Np.	Np.	D.
61	77	69	8.44	7.49	7.97	—	—	—	D.	Np.	D.
64	72	68	7.23	7.11	7.17	—	—	—	—	D.	D.
53	76	62	7.37	7.05	7.21	—	—	—	—	—	—
46	56	51	6.89	5.26	6.08	—	—	—	—	—	Np.
42	54	48	6.02	5.46	5.74	—	—	—	—	—	D.
31	40	36	5.63	5.01	5.32	—	—	—	—	—	—
46	86	66	7.36	6.88	7.12	—	—	—	—	—	Ni.
73	81	77	8.49	7.29	7.89	—	—	NO ₂	—	—	Np.
69	91	80	8.52	7.37	7.95	—	—	—	—	—	Ni.
76	88	82	8.08	6.91	7.50	—	—	—	—	—	D.

DE 1872.

61	94	78	7.96	8.12	8.04	NO ₂	NO ₁	C ₆	D.	D.	D.
65	75	70	8.21	7.37	7.79	—	—	—	—	Ni.	Ni.
65	54	60	8.28	5.30	6.79	—	C ₆	—	—	D.	D.
40	81	60	6.35	7.41	6.88	—	—	—	—	—	N.
75	82	78	7.85	8.09	7.97	—	NO ₁	—	Np.	N.	Ni.
61	83	72	7.61	7.06	7.33	—	C ₆	—	D.	D.	D.
61	69	65	7.61	6.41	7.01	—	—	—	—	—	—
44	76	60	6.97	7.35	7.16	—	—	—	—	—	—
65	81	73	8.15	7.53	7.84	—	—	NO ₂	Np.	N.	Np.
56	74	65	7.50	7.29	7.39	—	—	C ₆	D.	D.	D.
50	56	53	7.74	5.82	6.78	—	—	—	—	—	—
39	43	41	6.79	4.73	5.79	—	—	—	—	—	—
33	45	39	6.47	5.01	5.74	—	—	—	—	—	—
53	64	59	8.28	6.10	7.19	—	—	NO ₁	—	—	Np.
52	47	49	7.99	5.68	6.83	—	—	C ₆	—	—	D.
53	80	67	8.56	7.61	8.08	—	NO ₁	—	—	—	—
58	75	67	8.34	7.49	7.91	—	C ₆	—	—	—	—
59	73	66	8.46	7.37	7.91	—	—	—	—	—	—
47	55	51	8.60	6.69	7.63	—	—	—	—	—	—
51	86	69	8.56	8.19	8.38	—	NO ₁	—	—	—	Ni.
68	76	72	8.99	8.20	8.59	—	—	NO ₁	—	—	D.
63	64	63	9.42	7.35	8.39	—	—	C ₆	—	—	—
50	86	68	8.66	8.56	8.61	—	—	C ₆	—	—	—
56	66	61	8.65	7.65	8.15	—	—	NO ₁	NO ₂	—	—
63	93	78	8.99	9.04	9.01	—	—	NO ₃	C ₆	—	—
64	77	70	9.13	8.59	8.86	—	—	C ₆	—	—	—
44	43	46	8.19	5.92	7.05	—	—	—	—	—	—
44	82	63	8.56	7.85	8.20	—	—	NO ₃	—	—	Ni.
56	82	69	8.58	7.97	8.27	—	—	C ₆	—	—	D.
87	82	84	12.31	7.97	10.14	—	—	—	—	—	—
56	80	68	8.65	8.09	8.37	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO. A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	Dif. de los termómetro	
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	°	°	°	°	°	°	°	°
1	29.87	31.08	31.83	30.93	19.5	12.2	12.3	20.2	14.67	6.1	3.9	2.5
2	31.53	32.79	32.74	32.35	18.4	12.0	12.8	18.5	14.40	10.6	3.7	1.9
3	30.65	33.01	31.79	31.82	19.0	12.1	12.3	19.4	14.47	6.8	4.4	2.1
4	29.93	31.26	31.79	30.99	20.8	12.0	11.1	21.0	14.63	6.8	5.2	1.1
5	29.85	30.80	30.85	30.50	18.2	11.2	11.1	18.5	13.50	7.4	3.8	1.9
6	29.78	31.81	32.13	31.22	19.2	10.9	10.8	19.8	13.63	9.1	4.1	1.3
7	30.66	31.94	30.52	31.04	18.5	11.0	12.4	18.8	13.97	5.1	4.1	3.9
8	27.15	23.82	30.63	28.86	22.6	11.1	14.4	23.2	16.03	8.1	6.7	4.1
9	26.73	27.19	29.77	27.90	24.4	15.6	12.3	24.8	17.43	7.6	8.5	1.5
10	27.91	30.59	31.93	30.14	20.7	14.1	11.9	21.1	15.57	10.0	5.0	1.1
11	30.56	31.66	31.83	31.35	19.5	13.1	11.0	19.7	14.53	9.0	4.4	0.8
12	30.57	31.21	30.62	30.80	20.3	12.8	14.5	20.5	15.87	7.3	4.5	2.3
13	29.02	31.70	31.73	30.82	21.9	12.7	10.1	22.0	14.90	8.1	5.7	1.9
14	31.45	11.3	7.5	1.5
15	30.23	31.67	31.39	31.10	20.1	11.5	10.3	20.1	13.97	7.3	4.5	0.9
16	29.63	31.41	31.52	30.85	19.1	11.4	12.0	19.4	14.17	9.1	4.4	1.9
17	30.87	31.64	19.5	11.5	20.0	4.7
18	30.24	12.9	10.0	2.1
19	31.86	11.5	10.2	1.7
20	29.76	30.74	31.23	30.58	20.0	13.5	12.0	20.2	15.17	10.3	5.0	1.9
21	27.27	29.14	29.30	28.57	19.3	12.9	13.6	19.7	15.27	9.3	4.8	2.5
22	27.83	29.04	29.64	28.84	19.0	12.6	14.1	19.2	15.13	10.1	4.5	2.4
23	28.91	29.30	31.47	29.89	18.9	13.7	12.7	19.2	15.10	11.8	4.2	2.5
24	30.60	31.26	31.02	30.96	16.4	13.4	13.9	16.5	14.57	7.2	2.3	2.4
25	28.39	30.50	30.39	29.76	21.4	13.8	13.2	21.7	16.13	8.0	4.9	2.1
26	28.70	29.89	30.03	29.54	20.8	13.6	12.7	21.2	15.80	9.2	4.2	1.6
27	27.77	29.61	28.47	28.62	20.7	15.8	14.0	21.5	16.17	9.3	3.9	2.0
28	27.03	29.05	30.41	28.33	22.8	14.0	17.5	23.1	18.10	8.8	5.1	5.6
29	26.53	27.50	28.62	27.55	24.6	14.7	13.3	25.4	17.53	10.1	5.7	2.0
30	27.69	28.51	29.50	28.57	20.8	13.6	14.1	21.5	15.97	9.1	5.2	2.6

OCTUBRE

1	27.01	29.74	30.80	29.18	22.8	13.3	14.0	23.9	16.70	10.3	6.8	2.0
2	29.28	30.29	30.52	30.03	19.9	13.1	13.1	20.4	15.37	11.1	3.9	1.5
3	28.29	29.79	30.11	29.40	20.4	13.3	14.1	21.0	15.93	10.3	5.2	2.7
4	28.79	29.59	30.11	29.56	20.7	13.2	14.2	21.0	16.03	11.3	5.3	2.4
5	28.77	29.59	29.41	29.26	20.0	13.0	12.9	20.3	15.30	10.1	4.9	1.9
6	27.44	30.38	31.85	29.89	21.8	13.6	14.6	22.0	16.67	11.5	5.8	2.6
7	30.03	30.67	29.20	29.97	21.2	13.3	16.4	22.7	16.97	8.1	6.2	5.0
8	27.11	28.95	31.54	29.20	25.7	16.1	13.7	24.7	18.50	10.1	8.5	2.1
9	30.40	31.18	31.01	30.86	21.3	14.1	14.6	21.8	16.73	9.0	5.1	2.5
10	29.67	30.86	28.47	29.67	22.7	14.2	18.1	23.7	18.33	10.0	5.5	5.9
11	26.95	29.67	28.83	28.48	26.6	15.7	14.1	29.0	18.39	10.6	8.5	1.9
12	28.71	28.30	30.65	29.22	23.2	13.9	13.6	23.3	16.90	11.0	7.9	1.3
13	29.09	30.76	32.50	30.78	21.6	13.1	13.8	21.5	16.17	11.1	6.3	1.3
14	29.33	32.41	31.50	31.28	21.1	14.5	16.3	22.0	17.30	11.9	5.5	3.3
15	27.11	30.86	28.49	28.82	23.0	14.8	15.9	23.7	17.90	10.3	7.4	3.0
16	26.41	28.79	29.37	28.19	24.0	20.3	16.1	23.7	20.13	10.9	6.9	2.1
17	27.16	30.39	30.38	29.31	24.3	14.5	15.5	24.5	18.19	11.9	7.7	2.5
18	27.57	29.66	30.02	29.03	24.6	15.1	15.4	24.8	18.37	11.9	7.6	2.1
19	27.46	29.56	29.61	28.88	24.5	15.9	16.1	25.0	18.83	12.8	6.9	2.3
20	26.56	27.46	28.97	27.66	24.1	15.6	16.4	24.5	18.70	12.8	6.5	2.7
21	27.03	29.19	30.60	28.94	23.1	16.8	16.4	23.4	18.77	13.4	5.5	2.1
22	27.48	29.64	30.76	29.23	22.7	15.1	15.3	23.6	18.77	12.9	4.7	2.2
23	28.46	29.71	30.37	29.51	23.1	15.8	15.8	24.0	18.23	12.6	5.5	2.2
24	29.57	30.26	28.74	29.52	22.8	15.0	16.4	23.3	18.07	13.1	5.3	1.7
25	29.16	29.90	31.34	30.13	24.2	16.2	17.0	24.5	19.13	11.7	5.9	2.6
26	29.66	30.22	31.07	30.32	22.4	15.9	16.4	23.0	18.23	11.7	3.3	2.6
27	28.16	29.70	30.67	29.51	24.4	16.0	15.6	24.7	19.00	11.7	6.1	4.5
28	26.86	27.42	30.16	28.15	23.3	16.1	16.4	24.0	18.77	13.8	5.3	2.7
29	28.36	29.53	30.51	29.47	21.6	16.1	16.3	23.2	18.00	13.8	2.1	2.3
30	29.24	29.92	31.10	30.09	22.3	16.7	16.2	23.0	18.40	14.0	5.4	2.3
31	29.13	31.22	31.02	30.46	23.4	16.1	17.4	23.6	18.97	10.6	6.0	3.4

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.								
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
63	71	67	9.14	7.87	8.25	NO ₂	C ₀	C ₀	D.	D.	D.
64	78	71	9.20	8.08	8.64	—	—	—	—	—	—
57	76	66	8.91	8.44	8.67	—	—	—	—	—	—
52	86	69	8.57	8.09	8.33	—	—	NO ₁	—	—	—
63	77	70	8.92	7.61	8.26	—	—	C ₀	—	—	—
61	84	72	8.74	7.85	8.29	—	—	—	—	—	—
61	57	59	8.88	6.34	7.61	—	NO ₁	—	—	—	—
44	55	49	8.08	6.16	7.12	—	C ₀	—	—	—	—
34	83	59	7.14	8.32	7.73	—	—	NO ₁	—	—	Ni.
54	86	70	9.35	8.68	9.01	—	—	C ₀	—	—	—
57	90	73	9.05	8.80	8.92	—	NO ₁	—	—	—	—
59	69	64	9.57	8.10	8.83	—	C ₀	—	—	—	D.
50	77	63	8.52	7.61	8.06	—	—	NO ₁	—	—	Ni.
...	82	7.85	NO ₂
57	89	73	8.78	8.09	8.43	NO ₂	NO ₂	NO ₁	D.	D.	—
57	78	67	8.91	8.08	8.49	—	NO ₁	C ₀	—	—	—
55	3.24	—	—	—	—	—	...
...	76	8.20	NO ₁	Ni.
...	80	7.85	NO ₂	—
53	78	65	8.69	8.02	8.35	NO ₂	NO ₁	—	D.	D.	—
55	72	63	8.32	8.20	8.51	—	—	NO ₁	—	—	Np.
57	73	65	8.62	8.69	8.65	—	—	—	Np.	N.	—
59	73	66	8.61	8.49	8.55	—	—	—	Np.	N.	—
70	72	71	8.83	8.14	8.48	—	—	—	N.	N.	D.
55	76	65	8.47	8.44	8.45	—	—	—	Np.	D.	—
59	81	70	9.24	9.10	9.17	—	—	—	D.	—	—
63	78	70	9.78	9.39	9.58	—	—	—	D.	—	—
53	46	49	8.70	6.75	7.72	—	—	—	—	—	—
53	76	64	10.78	8.33	9.58	—	—	—	—	—	—
52	71	61	8.57	8.64	8.60	—	—	—	—	—	—

DE 1872.

41	77	59	7.59	9.14	8.37	NO ₂	NO ₁	NO ₁	D.	D.	Ni.
63	83	73	9.78	9.10	9.49	—	—	—	—	—	—
53	71	62	8.75	8.23	8.49	—	—	—	—	—	—
52	73	63	8.44	8.48	8.46	—	NO ₂	—	—	—	D.
56	79	68	9.00	8.99	9.00	—	C ₀	C ₀	—	—	D.
49	71	60	8.86	8.29	8.58	—	NO ₁	NO ₁	—	—	Ni.
45	50	48	7.82	7.19	7.51	—	C ₀	C ₀	—	—	D.
35	77	58	7.60	8.52	8.06	—	NO ₁	NO ₂	—	—	—
54	74	64	9.53	9.16	9.35	—	—	C ₀	—	—	—
51	46	49	9.28	7.51	8.40	—	—	—	—	—	—
37	79	58	8.62	8.71	6.67	—	NO ₂	NO ₁	—	—	Ni.
37	79	58	7.83	8.86	8.55	—	—	NO ₂	—	—	—
45	86	66	8.36	9.64	9.00	—	NO ₁	NO ₁	—	—	Np.
51	66	58	8.96	8.81	8.39	—	—	—	—	—	D.
41	69	55	8.27	9.34	8.81	—	—	NO ₂	—	—	—
44	78	61	8.90	10.29	9.60	—	—	C ₀	—	—	—
41	75	58	8.93	9.72	9.33	—	NO ₁	C ₀	—	—	—
41	78	60	9.08	10.29	9.69	—	—	—	—	—	—
45	76	61	10.05	10.17	10.11	—	—	NO ₂	—	—	—
48	73	61	10.29	9.24	10.12	—	—	NO ₁	—	—	—
54	78	66	10.81	10.29	10.55	—	—	C ₀	—	—	Ni.
59	76	68	11.28	10.31	10.80	—	—	NO ₁	—	—	D.
54	76	65	10.62	10.47	10.55	—	—	—	—	—	—
55	82	69	10.75	10.45	10.50	—	—	—	—	—	—
51	73	62	10.48	10.65	10.57	—	—	—	—	—	Ni.
70	73	72	11.79	10.40	11.10	—	—	—	—	—	—
50	59	55	10.63	9.57	10.10	—	—	C ₀	—	—	—
55	73	64	11.11	9.59	10.35	—	NO ₂	—	—	—	N.
80	76	78	11.98	10.49	11.24	—	—	—	Np.	Np.	—
53	76	65	9.89	9.55	9.72	—	—	—	—	—	—
49	66	58	9.69	9.52	9.61	—	NO ₁	NO ₂	D.	D.	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	Dif. de los termómetros	
											2½ h.	21 h.
1	700+	700+	700+	700+	0	0	0	0	0	0	0	0
2	28.35	30.55	30.70	29.87	23.8	15.8	16.7	24.3	18.77	13.9	5.6	2.3
3	28.95	31.22	31.01	30.39	23.9	16.1	17.4	24.4	19.13	10.6	6.3	3.5
4	29.64	30.24	31.18	30.53	24.4	16.3	17.0	25.0	19.23	13.2	4.7	2.5
5	29.45	31.66	31.49	30.87	23.0	15.8	16.1	23.6	18.30	13.4	6.3	2.7
6	29.44	31.21	30.53	30.53	23.6	15.4	16.6	24.0	18.53	10.6	6.1	3.1
7	27.24	29.14	29.80	28.73	24.6	16.0	15.8	24.7	18.80	13.1	6.1	2.8
8	27.84	30.18	29.89	29.14	24.8	15.6	17.5	24.8	19.30	10.2	6.3	3.6
9	28.81	29.84	30.06	29.59	23.8	15.8	17.1	24.6	18.90	13.1	7.0	2.8
10	27.41	30.14	28.47	28.67	23.6	16.1	18.1	24.1	19.27	11.1	6.7	4.5
11	28.64	31.46	30.45	30.18	22.8	15.2	18.1	23.5	18.70	13.1	6.5	3.7
12	27.68	30.04	30.47	29.40	23.5	15.0	15.0	24.2	17.83	11.1	6.9	2.3
13	28.46	28.80	29.51	28.92	24.9	14.9	16.6	24.0	18.80	10.0	7.2	3.3
14	28.44	30.04	29.76	29.41	24.9	15.8	18.0	25.0	19.57	11.6	6.9	3.9
15	26.94	28.48	29.15	28.19	26.9	17.4	17.8	27.3	20.70	12.1	7.3	3.9
16	26.62	28.48	31.74	28.95	24.4	17.0	16.6	25.0	19.33	13.9	7.2	3.4
17	30.43	30.73	30.84	30.67	23.5	16.2	17.5	24.2	19.07	11.1	6.9	3.5
18	29.78	31.13	30.69	30.53	23.9	16.0	16.6	24.5	18.83	11.3	7.2	3.4
19	29.34	30.53	30.60	30.16	23.6	15.7	16.3	24.3	18.53	13.1	7.1	2.7
20	27.22	29.26	31.24	29.22	25.7	19.2	15.5	26.2	20.13	11.1	8.3	2.7
21	20.01	30.83	30.06	30.30	24.9	13.8	16.5	25.3	19.07	14.1	7.8	3.3
22	26.28	29.82	30.63	28.98	24.1	16.1	15.6	24.9	18.93	11.4	6.8	3.3
23	28.81	30.04	31.50	30.12	23.0	16.1	17.1	23.1	18.73	11.6	6.8	3.5
24	28.95	31.13	30.69	30.26	22.9	16.1	16.8	24.5	18.60	11.3	5.6	4.1
25	29.78	28.24	27.65	29.22	24.0	16.3	18.0	24.8	19.43	13.2	6.1	2.7
26	26.51	28.82	29.47	28.27	24.5	17.0	17.0	24.8	19.50	14.7	5.8	1.9
27	27.42	30.02	31.05	29.50	25.1	17.4	18.0	25.3	20.17	14.1	6.2	2.5
28	28.66	30.87	31.26	30.26	27.1	17.4	17.1	27.2	20.53	12.7	7.0	2.3
29	28.10	29.12	29.26	28.33	26.2	17.1	17.2	26.4	20.17	12.3	6.6	2.5
30	26.46	28.22	29.41	28.03	25.3	17.6	17.0	26.2	19.97	12.1	6.9	2.7

DICIEMBRE

1	26.73	29.52	30.10	28.78	25.1	17.4	16.5	25.3	19.67	13.6	6.9	2.6
2	28.23	29.42	30.35	29.33	23.5	17.4	17.0	23.8	19.30	13.7	5.1	1.8
3	27.82	30.31	29.39	28.34	26.0	17.6	17.7	26.5	20.43	13.1	7.2	3.1
4	27.24	27.04	29.41	27.90	26.2	17.5	18.1	26.7	20.60	13.9	7.5	2.7
5	26.83	28.34	28.33	27.83	25.2	18.1	19.1	25.7	20.80	13.2	5.0	3.7
6	26.94	28.50	28.18	27.87	25.7	18.3	17.4	27.0	20.53	13.6	6.4	2.1
7	26.64	29.75	27.38	28.09	25.0	18.0	18.0	25.3	20.33	13.1	5.7	3.4
8	26.01	26.90	28.27	27.73	26.0	18.1	18.6	26.3	20.90	12.1	5.7	2.8
9	26.40	28.50	29.60	28.17	25.4	18.1	17.4	25.8	20.30	14.6	6.3	2.7
10	27.39	29.40	27.69	28.16	26.3	16.9	17.5	26.7	20.23	12.3	7.1	4.3
11	24.98	26.51	27.32	26.27	26.6	17.2	18.6	26.9	20.80	14.1	7.3	3.3
12	25.30	26.51	28.79	26.80	27.1	17.8	17.5	24.7	20.80	13.8	7.1	2.4
13	25.71	26.91	27.58	26.73	26.3	17.5	17.9	26.6	20.57	13.8	7.7	3.0
14	25.03	26.71	29.48	27.07	26.0	17.3	18.1	26.6	20.47	13.1	7.4	2.4
15	25.08	26.81	26.73	26.21	26.7	18.0	18.2	27.3	20.97	12.7	7.5	3.1
16	25.06	27.47	28.67	27.07	26.4	18.3	17.2	26.7	20.63	12.7	7.2	2.3
17	26.40	29.89	30.13	28.81	26.3	18.3	18.2	26.7	21.10	13.9	7.4	3.3
18	28.99	29.48	29.60	29.36	25.6	19.3	19.9	26.3	21.60	14.1	6.6	4.4
19	26.34	29.24	28.13	27.90	26.0	18.7	18.5	26.5	21.07	15.5	6.8	3.4
20	25.31	26.84	27.67	26.60	26.2	19.0	17.8	26.5	21.00	14.5	6.7	3.0
21	26.18	26.61	28.95	27.24	26.1	18.8	19.3	26.1	21.57	15.3	6.9	3.4
22	24.98	27.88	29.73	27.53	27.0	18.6	18.8	27.5	21.47	14.9	7.2	3.5
23	25.37	29.23	29.98	28.19	26.7	18.4	18.4	27.2	21.17	14.9	7.4	3.8
24	26.68	29.52	29.92	28.71	27.2	18.6	18.6	27.5	21.47	15.1	7.8	3.7
25	26.11	26.98	30.86	27.82	26.4	18.3	17.2	27.5	20.63	14.1	5.7	2.3
26	27.47	29.98	30.72	29.39	26.5	18.7	17.5	26.7	20.90	14.1	6.9	2.9
27	26.85	29.44	27.45	27.91	26.9	18.5	18.9	27.5	21.43	15.3	7.1	3.5
28	27.17	28.74	29.48	28.46	26.8	19.2	19.1	27.6	21.70	15.1	7.3	3.3
29	25.21	27.36	30.11	27.56	27.3	19.0	18.7	27.3	21.67	15.3	7.2	3.1
30	26.69	28.63	28.36	27.89	27.6	19.6	19.6	27.9	21.33	13.9	8.0	3.1
31	26.30	30.13	30.02	29.02	26.3	18.5	17.7	26.6	20.87	15.3	6.3	1.9

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.						
53	76	65	10.21	10.17	10.19	NO ₂	NO ₁	NO ₁	D.	D.	D.
48	65	57	9.58	9.39	9.49	—	—	NO ₂	—	—	—
59	65	62	11.30	9.39	10.35	—	—	NO ₁	—	—	—
48	72	60	9.02	9.31	9.17	—	—	—	—	—	—
49	68	59	9.71	9.35	9.53	—	NO ₂	NO ₂	—	—	—
52	71	62	11.33	9.60	10.47	—	NO ₁	NO ₁	—	—	—
49	65	57	10.41	9.44	9.95	—	—	—	—	—	—
43	72	58	8.88	1.29	9.59	—	—	—	—	—	—
45	57	51	9.02	8.78	8.90	—	—	—	—	—	—
...	62	8.58
46	64	55	8.74	9.27	9.01	NO ₂	—	NO ₂	D.	—	—
44	75	60	8.58	9.27	8.93	—	—	NO ₁	—	—	—
43	67	55	9.14	9.23	9.19	—	—	—	—	—	—
45	63	54	9.78	9.62	9.80	—	—	—	—	—	—
45	62	54	10.23	9.33	9.73	—	—	—	—	—	—
43	66	55	9.68	9.31	9.50	—	—	—	—	—	—
44	66	55	8.90	9.57	9.24	—	—	—	—	—	—
42	66	54	8.71	9.24	8.98	—	—	—	—	—	—
43	72	58	8.62	9.59	9.11	—	NO ₂	—	—	—	—
39	72	56	9.44	9.31	9.38	—	—	—	—	—	—
40	66	53	8.96	8.95	9.96	—	NO ₁	—	—	—	—
45	67	56	9.83	9.23	9.53	—	—	—	—	—	—
45	65	50	9.39	8.97	9.63	—	—	—	—	—	N.
53	59	56	10.12	8.32	9.22	—	—	—	—	—	D.
50	73	62	10.45	10.67	10.56	—	—	—	—	—	—
51	80	67	10.63	10.67	10.65	—	—	—	—	—	—
50	75	63	10.90	10.94	10.92	—	—	—	—	—	—
46	76	61	10.86	10.59	10.72	—	—	—	—	—	—
48	74	61	11.20	10.79	11.00	—	—	—	—	—	—
47	72	60	10.30	9.73	10.02	—	—	—	—	—	Nl.

DE 1872.

47	73	60	10.66	10.26	10.46	NO ₂	NO ₁	NO ₁	D.	D.	Nl.
57	81	69	11.31	11.28	11.30	—	—	—	—	—	—
46	69	53	11.25	10.26	10.76	—	—	—	—	—	D.
45	73	59	10.87	10.90	10.89	—	—	—	—	—	—
59	65	62	11.94	10.69	11.32	—	—	—	—	—	—
50	79	65	11.26	11.34	11.30	—	—	—	—	—	—
49	67	58	10.72	10.24	10.48	—	—	—	—	—	—
55	72	64	12.37	11.07	11.72	—	—	—	—	—	—
50	73	62	11.02	10.82	10.92	—	—	—	—	—	—
46	60	53	11.31	9.69	10.50	—	—	—	—	—	—
46	68	57	10.99	10.77	10.88	—	—	—	—	—	—
46	76	61	11.11	11.00	11.06	—	—	—	—	—	—
44	70	57	10.33	10.43	10.43	—	—	—	—	—	—
45	76	61	10.83	11.16	11.00	—	—	—	—	—	—
45	70	58	11.07	10.89	10.98	—	—	—	—	—	—
46	77	62	11.25	11.33	11.52	—	—	—	—	—	—
45	68	57	11.13	10.61	10.87	—	—	—	—	—	—
49	60	55	11.14	10.13	10.66	—	—	—	—	—	—
48	67	53	11.60	10.63	11.12	—	—	—	—	—	—
49	71	60	11.76	10.71	11.24	—	—	—	—	—	—
48	68	58	11.64	11.03	11.34	—	—	—	—	—	—
47	66	57	11.83	10.73	11.28	—	—	—	—	—	—
46	64	55	11.41	10.14	10.78	—	—	—	—	—	Nl.
44	64	54	11.26	10.06	10.66	—	—	—	—	—	—
55	77	66	11.37	10.91	11.64	—	—	—	—	—	—
43	72	60	11.34	10.63	10.99	—	—	—	—	—	—
47	67	57	11.70	10.89	11.30	—	—	—	—	—	D.
46	69	58	11.57	11.09	11.33	—	—	—	—	—	—
47	71	59	11.73	11.13	11.43	—	—	—	—	—	—
43	72	53	11.44	11.74	11.59	—	—	—	—	—	—
50	81	66	12.00	11.70	11.85	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o
1	57.72	58.21	58.99	58.51	20.5	17.6	17.4	18.5	3.1	3.9	2.2
2	58.04	58.63	60.04	58.90	21.0	18.3	18.7	19.3	4.0	2.1	2.5
3	58.20	59.05	61.08	59.63	21.8	18.0	17.4	19.1	4.4	1.9	1.5
4	59.75	59.05	60.39	59.73	19.2	17.1	18.0	18.1	2.4	1.2	1.3
5	59.41	58.66	60.65	59.27	21.9	17.7	20.6	20.1	5.3	1.9	3.4
6	58.56	58.77	60.01	59.11	22.2	18.6	21.0	20.6	4.4	6.8	3.8
7	59.63	59.47	60.04	59.71	23.3	18.6	20.8	20.9	5.0	1.6	3.3
8	59.14	59.50	58.01	58.88	22.6	18.7	20.3	20.5	4.0	1.6	2.5
9	56.80	57.22	57.01	22.8	18.8	20.8	4.4	1.3
10	56.90	57.07	58.25	57.41	23.0	18.7	19.7	20.5	4.6	1.8	1.9
11	58.36	58.65	60.93	59.31	21.5	19.1	20.0	20.2	3.3	1.9	2.3
12	58.74	58.46	60.55	58.58	22.0	19.0	20.3	20.4	3.8	1.6	2.7
13	57.13	58.46	58.51	58.08	22.5	19.0	19.0	20.2	4.3	1.6	2.4
14	58.13	60.96	59.54	17.5	18.9	18.2	1.9	2.3
15	59.82	58.14	60.27	59.41	20.4	18.4	19.2	19.3	3.2	1.7	2.4
16	59.52	58.45	60.86	59.61	20.0	17.9	19.6	19.2	2.6	1.1	2.1
17	59.45	59.82	60.26	59.84	21.2	19.5	19.7	20.1	2.9	2.3	2.9
18	58.95	58.21	59.49	58.88	21.2	18.0	19.4	19.5	3.9	1.1	2.2
19	59.39	59.42	60.16	59.66	20.2	19.0	20.0	19.7	2.7	1.8	2.2
20	59.87	59.71	60.19	59.92	22.3	18.8	19.0	20.0	4.5	1.6	1.8
21	60.43	59.65	59.67	59.92	22.3	19.0	20.2	20.5	4.5	2.1	2.4
22	58.15	57.82	59.02	58.23	23.3	18.2	19.0	20.2	5.0	1.8	1.8
23	58.45	60.07	61.33	59.95	20.7	17.0	17.8	18.5	3.5	1.6	2.2
24	59.82	58.55	61.33	59.90	21.0	18.7	18.6	19.4	3.8	2.7	2.5
25	59.42	58.26	60.23	59.30	21.0	18.8	19.0	19.6	3.4	1.4	3.0
26	59.12	58.96	59.04	21.5	19.0	20.3	2.7	1.2
27	57.92	57.15	59.84	58.30	21.0	18.2	18.1	19.1	3.2	1.4	1.6
28	58.30	57.49	60.45	58.75	20.5	18.2	17.7	18.8	3.2	1.8	1.7
29	60.23	60.69	60.16	22.0	21.0	21.5	3.9	3.5
30	59.13	58.42	60.49	59.35	22.2	19.0	20.7	20.6	4.1	1.8	3.4
31	59.15	59.22	60.41	59.59	23.5	19.7	21.0	21.4	4.4	1.7	2.0

FEBRERO

1	60.06	60.19	62.35	60.87	22.4	19.5	22.0	21.3	3.7	2.1	3.8
2	61.36	61.87	61.92	25.1	21.0	23.9	6.3	3.0
3	61.98	60.92	60.57	60.95	23.9	18.6	19.0	20.5	5.3	2.2	2.2
4	58.30	58.61	61.06	59.32	22.8	18.2	19.3	20.1	4.8	1.6
5	60.61	60.63	61.41	60.88	21.8	19.0	20.2	20.3	5.6	1.5	2.4
6	60.46	60.18	60.71	60.45	22.5	18.3	21.0	20.3	4.1	3.2	2.6
7	59.41	58.59	58.42	58.31	22.0	19.0	20.0	20.3	4.0	1.5	4.0
8	62.10	62.57	58.36	61.01	20.9	19.5	21.8	20.7	2.5	2.5	4.0
9	59.45	60.18	59.31	20.0	22.5	21.2	1.2	4.5
10	61.36	59.60	59.95	60.30	23.9	20.0	21.2	21.7	5.3	2.2	2.8
11	59.32	60.11	60.92	60.12	22.0	21.6	21.7	21.8	4.0	3.8	3.9
12	58.98	59.84	58.30	59.21	24.0	21.9	20.0	22.0	5.2	3.9	3.4
13	59.14	58.95	59.72	59.27	21.7	18.2	19.0	19.7	3.7	0.6	1.8
14	59.10	59.67	58.56	59.11	21.8	18.2	19.2	19.7	3.4	1.8	1.6
15	59.46	60.31	60.16	59.98	20.9	17.5	18.4	18.9	3.5	1.5	1.9
16	59.21	58.45	59.45	59.04	20.5	17.2	18.4	18.7	3.1	1.6	1.7
17	58.56	57.76	58.15	27.7	18.0	22.8	9.3	1.6
18	58.72	59.56	61.62	59.97	20.8	17.7	19.4	19.3	3.2	1.9	1.6
19	60.42	60.78	61.89	61.03	21.0	17.8	19.2	19.3	3.2	2.0	2.4
20	60.00	59.27	60.57	59.95	21.9	19.0	19.2	20.0	3.7	2.2	2.3
21	58.89	59.17	61.11	59.72	22.0	18.2	20.2	20.1	4.6	1.8	2.5
22	60.67	60.45	59.20	60.14	21.3	18.2	20.5	20.0	3.1	2.4	2.9
23	59.23	59.67	60.53	59.31	21.6	18.4	19.0	19.7	3.6	2.3	1.9
24	59.42	58.85	59.35	59.04	22.0	18.0	18.3	19.4	4.1	1.6	1.9
25	59.42	58.66	59.92	59.33	20.4	18.4	18.7	19.2	2.8	1.6	1.9
26	59.13	59.63	60.05	59.60	20.7	18.2	19.0	19.2	3.1	1.4	1.9
27	59.15	58.96	60.08	59.28	21.3	17.9	18.0	19.1	2.9	1.1	0.9
28	52.47	52.01	50.78	52.74	32.5	17.2	18.5	19.1	2.7	1.0	2.2

PSICRÓMETRO.								ESTADO ATMOSFÉRICO.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.			
72	63	78	71	12.89	9.28	11.52	11.23	Np.	D.	N.
65	80	77	74	11.98	12.42	12.17	12.19	D.	N.	Np.
62	82	85	76	12.09	12.46	12.51	12.85	D.	D.	N.
77	87	82	82	12.71	12.68	12.69	12.67	D.	N.	Np.
55	81	69	68	10.78	12.18	12.52	11.83	D.	Np.	Np.
62	92	67	74	12.45	14.65	12.28	13.13	—	D.	D.
58	84	71	71	12.11	13.44	12.86	12.80	—	—	—
66	84	77	76	13.45	13.53	13.61	13.53	—	—	—
63	88	...	76	13.02	14.08	13.55	—	—	—
62	88	89	78	12.90	13.99	13.98	13.62	—	—	N.
64	83	79	75	12.91	13.44	13.65	13.33	N.	—	—
72	84	76	77	13.97	13.80	13.31	13.69	N.	Np.	D.
64	84	77	75	12.91	13.80	12.55	13.09	D.	N.	N.
...	81	78	80	12.02	12.61	12.31	N.	Np.	Np.
71	84	77	77	12.65	13.06	12.71	12.31	D.	N.	D.
76	90	81	82	13.19	13.51	13.59	13.43	D.	D.	N.
76	79	73	76	14.16	13.20	12.41	13.26	D.	N.	N.
67	90	79	79	12.31	13.65	13.26	13.07	—	—	—
76	83	79	79	13.22	13.50	13.80	13.51	—	D.	—
62	84	80	76	12.39	13.62	13.50	13.17	—	—	—
62	80	77	73	12.39	13.04	13.67	13.03	—	—	—
59	82	83	75	12.57	12.76	13.50	12.78	—	—	—
69	83	78	77	12.46	12.05	11.84	12.12	N.	—	—
67	75	77	73	12.28	11.89	12.09	12.09	D.	N.	—
72	86	72	76	12.26	13.93	11.71	12.85	N.	—	—
76	...	88	82	14.43	14.41	14.42	D.	D.	—
71	86	84	80	13.19	13.32	12.96	13.16	—	—	—
71	82	84	79	12.74	12.76	12.50	12.67	—	—	—
67	...	69	68	13.06	12.73	12.90	—	—	—
66	83	69	73	12.94	13.50	12.61	13.02	Np.	—	—
64	85	82	77	13.75	14.32	15.12	14.40	—	—	D.

69	81	67	72	13.72	13.50	13.21	13.48	Np.	Np.	D.
51	...	73	62	12.22	13.52	12.87	D.	D.	—
58	78	78	71	12.75	12.51	12.83	12.70	—	—	N.
60	84	...	72	12.42	13.04	12.73	—	—	—
69	86	77	79	13.33	13.96	13.67	13.65	—	—	—
66	69	76	74	13.21	11.23	14.13	12.86	N.	N.	—
66	86	64	72	12.91	13.96	11.10	12.66	Np.	—	—
73	77	65	73	14.19	12.89	12.70	13.26	N.	—	—
...	88	63	76	15.34	12.60	13.97	N.	D.	D.
58	79	75	71	12.65	13.80	14.00	13.48	D.	—	—
66	67	67	67	12.91	12.82	12.76	12.83	Np.	Np.	Np.
58	67	77	67	12.89	12.97	13.49	13.12	D.	D.	D.
69	94	83	82	13.09	14.59	13.50	13.73	D.	—	Np.
70	82	84	79	13.64	12.76	13.98	13.46	—	—	—
69	86	82	79	12.70	12.02	13.78	12.70	—	—	D.
72	83	84	80	12.89	12.21	13.06	12.72	—	—	—
36	84	...	60	10.03	12.88	11.46	—	—	—
71	81	75	76	13.01	12.13	12.59	12.59	—	—	—
71	30	77	76	13.19	12.12	12.71	12.67	—	—	—
69	76	73	73	13.26	12.83	12.15	12.75	—	—	N.
61	32	77	73	11.97	12.76	13.52	13.75	Np.	—	—
73	76	74	74	13.64	11.88	13.19	12.70	D.	—	D.
69	76	83	76	13.15	11.96	13.35	12.82	—	—	—
63	84	82	76	12.66	12.88	12.70	12.75	—	—	N.
74	84	82	80	13.25	13.20	13.02	13.16	—	—	—
72	83	83	80	13.07	13.32	13.35	13.25	—	—	D.
75	90	92	86	13.94	13.57	13.36	13.82	—	—	N.
76	90	79	81	12.53	13.09	13.44	13.04	—	—	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETR CENTÍGRADO.				PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio	Dif. de los termómetros.		
									2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°	°	°	°
1	700.4	700.4	700.4	700.4	21.2	18.2	19.0	19.5	5.7	1.5	1.7
2	59.24	58.87	59.15	59.09	20.6	17.4	17.9	18.6	2.7	1.1	1.3
3	59.47	58.58	59.72	59.24	20.4	17.2	19.2	18.9	2.8	1.0	2.2
4	60.42	58.61	59.51	59.51	20.5	17.2	19.0	18.6	2.2	0.8	1.8
5	58.30	58.30	59.65	58.78	20.0	17.5	18.2	19.0	2.4	1.2	1.4
6	58.11	58.56	59.15	58.61	19.9	18.0	19.0	19.8	2.3	1.9	1.6
7	57.62	59.11	58.61	58.45	23.3	18.2	17.9	18.9	3.9	1.6	1.4
8	58.91	58.37	59.75	59.01	21.0	17.3	18.4	17.7	3.0	1.1	2.2
9	58.92	58.32	60.37	59.20	18.1	17.5	17.5	17.4	1.9	1.3	1.9
10	59.79	60.33	59.16	59.76	17.2	17.6	18.4	1.9	2.2
11	58.62	60.04	59.33	21.4	16.6	17.2	18.2	4.6	2.2	1.7
12	58.20	58.81	60.55	59.19	20.3	17.2	17.0	17.3	3.5	1.3	1.6
13	59.11	57.36	59.03	59.17	21.2	16.4	16.2	17.2	3.3	1.7	1.4
14	58.92	57.79	61.10	59.27	18.6	16.7	17.4	17.6	2.4	2.1	2.4
15	59.13	58.62	59.20	58.93	20.0	16.7	16.6	17.8	3.2	1.3	1.6
16	58.20	60.39	60.92	59.84	19.1	15.4	16.0	16.8	3.1	1.3	1.2
17	59.75	59.67	61.12	60.18	18.5	15.2	16.0	16.6	3.2	1.2	1.9
18	60.48	59.29	60.73	60.18	18.7	16.2	17.0	17.3	3.0	2.1	1.8
19	59.37	59.62	59.24	59.41	19.0	15.8	16.7	17.2	2.9	1.8	1.1
20	58.28	58.47	61.68	59.48	19.2	18.2	16.9	18.1	3.7	2.1	1.8
21	60.83	59.22	60.10	60.05	18.8	16.4	16.5	17.2	2.5	1.4	1.3
22	57.57	57.82	59.04	58.14	19.7	16.2	14.5	16.8	2.9	1.2	0.7
23	59.02	58.66	59.99	59.22	18.2	14.3	16.2	16.2	2.5	0.9	0.6
24	58.48	58.77	61.85	59.70	18.8	15.6	18.1	17.5	2.5	1.8	2.0
25	60.01	60.59	58.34	59.81	19.8	17.6	16.2	17.9	2.6	1.2	1.0
26	60.85	60.62	61.70	61.06	20.1	19.0	17.1	18.7	3.5	3.0	1.6
27	60.73	58.97	61.43	60.33	18.4	16.2	16.9	17.2	1.4	0.9	1.5
28	59.14	60.09	61.18	60.18	18.5	17.4	17.0	17.6	1.7	1.6	1.6
29	60.33	61.25	61.38	60.99	19.2	17.4	17.0	17.9	2.6	1.7	1.2
30	60.17	60.14	60.16	17.7	16.8	17.3	2.0	1.6
31	59.67	59.33	60.77	60.09	18.9	16.0	17.0	17.2	2.5	1.0	1.6

ABRIL

1	60.82	61.65	60.83	61.10	17.9	17.2	17.5	17.5	2.0	1.4	1.3
2	59.72	59.09	59.39	59.40	19.8	17.2	16.9	18.0	3.0	1.2	0.9
3	59.62	58.79	60.20	59.54	18.9	16.4	16.0	17.1	4.5	0.7	0.5
4	59.17	59.39	59.18	59.25	19.4	16.4	15.7	17.2	2.6	1.2	0.7
5	58.88	59.62	60.05	59.52	16.1	15.7	15.8	15.9	1.2	1.1	1.2
6	58.69	57.79	59.72	58.73	17.0	16.6	17.0	16.9	1.7	0.8	1.0
7	58.57	60.09	60.16	59.61	19.4	18.3	19.5	19.1	3.2	2.7	2.9
8	58.92	60.94	59.93	20.2	18.5	19.3	2.3	2.3
9	60.41	61.89	61.68	61.35	20.3	16.4	19.1	18.6	2.4	0.8	3.6
10	60.73	60.24	59.39	60.29	20.9	16.9	19.2	19.0	3.3	1.5	3.0
11	59.18	60.35	63.14	60.87	20.2	17.4	20.0	19.2	2.6	1.2	4.2
12	61.69	62.02	60.84	61.52	21.4	18.7	19.2	19.8	3.3	1.5	2.4
13	59.50	59.33	61.05	59.96	22.2	17.4	18.0	19.2	3.1	2.4	1.7
14	60.04	60.23	62.45	60.91	19.1	18.3	18.9	18.8	1.5	1.4	2.1
15	60.96	59.81	62.38	61.05	20.3	18.2	19.1	19.2	3.2	1.5	2.7
16	60.99	62.24	63.98	62.40	20.3	17.0	18.3	18.5	3.8	0.9	2.9
17	60.53	60.45	61.45	60.74	21.3	17.2	15.2	17.9	2.7	1.2	0.9
18	59.45	59.78	61.85	60.36	20.4	18.0	18.4	18.9	2.7	2.3	1.9
19	60.01	61.10	61.19	60.77	21.0	16.4	18.0	18.5	3.9	1.2	2.5
20	60.97	60.62	61.89	61.16	19.5	17.4	17.2	18.0	2.5	0.8	1.0
21	61.15	61.50	62.00	61.55	19.1	16.2	16.5	17.3	3.3	1.7	2.5
22	60.63	61.33	67.98	20.5	16.1	18.3	4.4	2.7
23	60.52	60.73	60.91	60.72	19.0	14.2	16.6	16.6	3.6	1.9	2.8
24	59.47	60.73	58.85	59.68	19.2	13.9	14.4	15.8	3.7	1.0	1.4
25	57.28	58.25	61.11	58.88	18.3	13.4	15.3	15.7	2.3	1.2	2.3
26	59.72	60.70	62.69	61.04	17.4	13.9	17.3	16.2	3.2	1.3	3.0
27	62.45	63.10	63.74	63.10	16.2	15.1	15.0	15.4	2.0	1.6	2.6
28	61.08	60.81	62.21	61.37	17.3	14.0	14.3	15.2	3.9	1.9	2.1
29	61.61	62.31	62.36	62.09	15.3	11.4	14.9	13.9	3.7	1.2	2.7
30	61.39	62.44	63.72	62.52	17.0	13.2	15.3	15.2	2.4	1.4	3.1

PSICRÓMETRO.								ESTADO ATMOSFÉRICO.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medic	2½ h.	9 h.	21 h.	Medio.			
51	86	84	74	6.63	13.18	13.65	12.16	D.	D.	D.
76	90	88	85	13.58	13.11	13.22	13.30	—	—	N.
74	90	79	81	13.25	13.09	13.08	13.14	—	—	D.
80	92	83	85	14.28	13.37	13.50	13.72	—	—	N.
77	88	86	84	13.49	13.04	13.32	13.28	Np.	N.	—
79	82	84	81	13.56	12.46	13.80	13.27	—	—	D.
68	84	86	79	14.36	13.04	13.08	13.49	D.	D.	N.
73	90	78	80	13.52	12.99	12.85	12.95	—	—	D.
82	88	81	84	12.54	12.90	12.02	12.49	N.	—	—
...	81	78	80	11.78	11.63	11.73	—	—
59	77	83	73	11.37	10.89	12.07	11.44	D.	—	N.
63	87	83	79	12.04	12.63	12.05	12.24	—	—	N.
71	83	85	80	13.22	11.44	11.70	12.12	—	—	N.
77	79	76	77	12.23	11.11	11.24	11.53	—	—	—
70	87	83	80	12.12	12.23	11.73	12.03	—	N.	—
72	87	87	82	11.65	11.20	11.82	11.56	—	D.	—
69	87	81	79	10.99	11.18	10.83	11.00	Np.	—	—
71	79	81	77	11.43	10.71	11.76	11.30	N.	N.	—
73	81	89	81	11.85	10.81	12.51	11.72	—	—	G.
66	80	81	76	10.85	12.34	11.68	11.62	D.	—	D.
77	85	87	83	12.25	11.85	12.07	12.06	—	D.	N.
73	87	84	81	12.41	11.97	10.81	11.73	—	—	N.
76	91	93	87	11.74	11.90	12.81	12.15	—	—	—
77	80	80	79	12.25	10.49	12.40	11.71	Np.	—	D.
76	88	89	84	13.01	13.12	12.25	12.79	—	N.	—
68	72	83	74	11.88	11.71	12.13	11.91	D.	D.	N.
86	91	85	87	13.57	12.39	12.11	12.69	N.	—	—
84	83	83	83	13.14	12.37	12.05	12.52	Np.	—	—
75	83	87	82	12.43	12.23	12.61	12.42	N.	—	—
80	...	83	81	12.04	11.89	11.97	N.	—
77	89	87	84	12.33	12.09	12.61	12.34	Np.	D.	—

DE 1871.

80	85	88	84	12.20	12.49	12.90	12.53	N.	N.	N.
72	88	92	84	12.35	12.80	12.99	12.71	D.	—	—
59	93	96	83	9.45	12.83	12.80	11.99	—	—	—
75	85	93	84	12.59	12.01	12.27	12.29	—	—	—
87	89	87	88	11.90	11.66	11.66	11.74	N.	—	—
83	91	90	88	11.91	12.85	12.93	12.56	—	—	—
70	74	73	72	11.74	11.54	12.25	11.78	—	—	D.
79	...	78	78	13.83	12.29	13.06	D.	—
77	91	66	78	13.76	12.69	10.91	12.45	—	D.	—
71	85	72	76	12.95	12.11	11.87	12.31	—	—	—
76	88	61	75	13.37	12.96	10.78	12.37	Np.	—	—
72	86	77	78	13.43	13.69	12.71	13.28	D.	—	—
74	76	84	73	14.55	11.24	12.74	12.84	D.	—	N.
86	86	80	84	14.06	13.40	12.90	13.45	N.	—	—
71	86	75	77	12.56	13.18	12.21	12.65	N.	N.	D.
65	92	72	76	11.62	13.07	11.25	11.98	D.	—	—
76	88	90	85	14.25	12.80	13.17	12.88	—	—	—
76	78	82	79	13.40	11.86	12.78	12.68	—	Np.	N.
67	87	76	77	12.13	12.13	11.38	11.88	N.	D.	N.
77	92	90	86	12.89	13.53	13.09	13.17	D.	N.	N.
69	83	75	76	11.33	10.94	10.33	10.89	N.	D.	D.
61	...	73	67	10.93	9.80	10.36	D.	—
66	80	71	72	10.88	9.52	10.02	10.12	—	D.	—
66	88	84	79	10.85	10.48	10.31	10.55	—	—	—
78	86	76	78	12.13	9.87	9.77	10.59	—	—	N.
68	86	70	75	10.10	10.15	10.29	10.18	—	—	—
79	82	72	78	10.85	10.54	9.16	10.18	N.	—	D.
65	80	78	74	9.07	9.38	9.33	9.26	—	—	N.
63	85	72	75	8.85	8.56	8.96	8.79	—	—	D.
75	83	68	75	10.87	9.43	8.72	9.67	D.	D.	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°	°	°	°
1	700+	700+	700+	700+	17.0	16.0	15.5	16.2	2.6	4.0	2.9
2	62.11	62.32	59.76	61.40	17.8	17.1	14.8	16.6	2.2	5.0	1.6
3	60.41	62.06	63.86	62.11	16.1	14.0	13.9	14.7	1.6	2.9	2.9
4	63.21	63.73	61.19	62.72	13.4	11.8	14.5	13.9	3.0	1.6	3.1
5	65.90	65.76	62.08	64.58	16.0	11.8	13.3	13.7	2.6	1.2	2.5
6	59.78	60.95	59.88	60.00	17.1	13.2	13.9	14.7	2.4	2.8	1.3
7	53.46	58.60	62.97	60.01	15.3	11.0	14.0	13.4	1.4	0.6	1.4
8	62.00	62.02	62.01	17.4	12.4	14.9	2.3	0.8
9	60.76	61.31	61.32	61.13	16.0	13.2	12.2	13.8	1.6	1.8	1.6
10	60.39	61.05	60.63	60.69	14.4	13.2	15.5	14.4	1.5	1.0	4.8
11	61.27	61.23	60.77	61.09	12.6	16.6	11.1	13.4	0.8	5.6	0.9
12	60.28	61.58	63.47	61.78	14.3	13.5	14.1	14.0	1.7	1.1	1.5
13	62.24	63.16	63.46	62.95	17.0	13.1	16.4	15.5	3.2	0.7	2.6
14	62.38	62.37	62.55	63.43	17.2	13.4	14.0	14.9	1.8	1.4	1.2
15	62.07	60.77	61.42	13.1	12.2	12.6	0.5	0.3
16	60.21	62.20	62.60	61.67	13.5	13.2	12.7	13.1	1.1	0.8	1.5
17	61.94	62.05	61.75	61.91	15.2	14.2	13.9	14.4	2.6	2.8	2.5
18	60.90	62.35	62.62	61.96	16.4	13.7	14.8	15.0	2.3	1.7	3.2
19	62.14	61.80	61.32	61.75	17.3	11.4	14.7	14.5	2.9	0.7	2.8
20	60.35	62.27	63.35	61.99	16.6	13.9	15.2	15.2	1.8	0.9	2.0
21	61.62	61.55	62.98	62.05	16.7	14.2	14.4	15.1	3.8	0.8	1.5
22	62.61	64.12	63.05	63.26	17.4	14.2	15.2	15.6	2.2	1.2	2.7
23	61.59	61.12	63.55	62.09	17.2	14.5	15.0	15.6	2.5	1.3	1.8
24	64.21	61.15	63.40	62.92	17.2	13.0	15.2	15.1	2.6	1.2	3.6
25	60.92	61.95	61.48	61.45	18.0	13.4	14.3	15.2	2.9	1.4	2.7
26	59.64	61.84	62.66	61.38	17.9	14.0	15.1	15.7	4.1	0.7	2.7
27	62.11	62.19	64.25	62.85	17.2	13.5	16.0	15.6	2.0	1.3	3.4
28	63.11	63.92	64.15	63.73	17.7	13.4	15.5	15.5	2.0	0.9	2.3
29	65.80	65.07	64.53	65.13	14.2	13.2	14.4	13.9	0.7	1.6	2.3
30	61.94	61.55	60.46	61.32	16.9	13.0	13.4	14.4	1.9	0.9	2.0
31	59.06	61.05	61.45	60.52	17.2	14.0	16.1	15.8	1.9	2.5	2.7

JUNIO

1	60.71	62.85	61.78	17.8	15.3	16.5	2.0	2.3
2	60.81	61.74	65.32	62.62	18.4	13.9	15.4	15.9	3.2	1.7	2.0
3	63.06	63.81	61.72	62.86	19.9	13.3	16.2	16.5	3.7	1.1	2.4
4	59.85	60.55	61.04	60.47	18.1	13.2	14.0	15.1	3.1	0.8	1.2
5	57.33	59.46	61.12	59.97	16.0	12.4	13.9	14.1	2.0	0.6	1.2
6	60.14	61.16	62.75	61.35	17.3	13.7	14.9	15.3	2.9	1.1	2.1
7	61.30	62.05	62.75	62.03	18.7	14.9	14.7	16.1	2.9	2.7	1.4
8	62.40	64.36	66.91	64.56	17.2	14.8	15.0	15.7	1.9	1.1	1.8
9	65.21	62.11	61.56	62.29	17.0	14.3	13.9	15.1	3.0	1.9	1.8
10	60.31	61.37	62.35	61.34	16.1	12.0	14.5	14.2	1.8	0.7	1.6
11	60.44	64.41	66.34	63.73	17.4	14.3	14.0	15.2	3.6	1.5	1.6
12	63.18	67.25	65.21	17.7	13.7	15.7	2.9	1.5
13	65.25	66.75	61.42	66.14	16.8	12.7	13.3	14.3	2.2	0.7	1.3
14	63.46	61.95	62.16	62.52	16.2	12.0	12.4	13.5	2.3	0.7	1.6
15	61.61	62.21	62.57	62.13	15.9	11.5	14.2	13.9	2.1	0.5	1.8
16	61.26	62.28	63.15	62.23	16.1	12.9	12.4	13.8	2.5	1.1	0.4
17	61.44	61.63	59.78	60.95	16.0	10.9	12.0	13.0	2.3	0.5	1.2
18	59.48	60.35	63.45	61.09	13.4	13.4	13.1	13.3	1.3	3.2	2.1
19	62.45	61.95	63.37	62.59	15.3	11.7	13.2	13.4	3.1	1.1	2.0
20	62.16	61.86	62.81	62.28	16.5	11.7	12.0	13.4	3.3	1.5	1.3
21	61.75	64.50	63.30	63.18	17.2	14.0	13.3	14.8	3.0	1.3	2.5
22	60.84	61.20	62.57	61.54	17.4	13.2	13.9	14.8	3.2	0.8	2.1
23	61.15	61.65	63.96	62.25	16.2	13.2	14.1	14.5	2.0	1.2	1.5
24	63.15	64.30	62.37	63.27	15.2	11.6	13.1	13.3	3.0	1.0	1.8
25	61.26	61.56	60.96	61.26	15.0	9.8	13.4	12.7	2.8	3.2
26	60.48	60.97	65.18	62.21	15.1	12.2	10.3	12.6	2.0	0.9	1.1
27	64.13	64.79	65.18	65.03	13.8	11.2	11.9	12.3	2.4	1.8	2.3
28	66.65	67.36	66.78	66.33	15.3	11.3	12.3	13.1	2.7	1.5	2.6
29	63.87	63.12	60.33	62.66	16.4	11.3	13.4	13.7	3.8	1.5	1.2
30	59.67	60.32	62.56	60.98	16.2	15.3	12.0	13.3	2.4	0.5	0.8

PSICRÓMETRO.								ESTADO ATMOSFÉRICO.		
HUMEDAD RELATIVA.				FUERZA ELÁTICA.				2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.			
73	59	70	67	10.61	8.33	9.12	9.25	D.	D.	D.
78	52	82	71	11.84	7.50	10.33	9.89	N.	—	N.
83	69	69	74	11.34	8.10	8.04	9.16	N.	—	Np.
68	80	67	72	8.92	8.32	8.16	8.47	D.	—	D.
73	85	72	77	9.86	8.80	8.14	8.93	—	—	—
75	69	86	77	10.49	8.10	9.09	9.23	—	—	Np.
84	93	84	87	10.94	9.04	10.03	10.00	—	—	—
72	...	90	81	10.63	9.67	10.15	—	—	D.
83	79	80	81	11.26	8.94	8.56	9.59	—	N.	N.
84	38	50	74	10.18	9.99	6.69	8.95	Np.	—	—
90	46	90	75	9.79	6.46	8.74	8.31	N.	—	—
82	83	84	85	9.85	10.07	9.97	9.96	—	—	—
67	93	73	78	9.78	10.31	10.14	10.08	—	—	D.
81	84	86	84	11.92	9.61	10.29	10.61	D.	D.	D.
...	95	90	92	10.57	9.55	10.66	—	—
88	90	83	87	10.07	10.25	9.01	9.78	N.	N.	N.
72	69	73	71	9.30	8.34	8.52	8.72	—	—	D.
77	82	65	75	10.59	9.43	8.22	9.41	D.	D.	—
72	93	69	73	10.43	9.16	8.64	9.41	Np.	N.	—
81	91	78	83	11.45	10.62	10.09	10.72	D.	Np.	N.
71	91	84	82	10.09	10.96	10.18	10.41	N.	N.	Np.
78	86	72	79	11.52	10.43	9.17	10.37	D.	N.	D.
75	86	80	80	10.53	10.51	10.21	10.53	Np.	N.	Np.
73	86	61	73	10.75	9.55	7.25	9.18	D.	D.	D.
72	84	71	76	11.01	9.61	8.52	9.71	Np.	—	Np.
61	93	72	75	9.23	10.35	9.10	9.76	D.	—	D.
80	86	64	77	11.64	9.81	8.82	10.69	Np.	—	—
80	90	76	82	12.04	10.26	9.91	10.74	D.	—	Np.
93	81	76	83	11.09	9.18	9.13	9.80	LL.	—	N.
81	90	77	83	11.54	9.93	8.82	10.11	D.	—	N.
81	73	73	76	11.73	8.53	9.80	10.05	Np.	Np.	D.

DE 1871.

80	...	76	78	12.12	9.77	10.94	Np.	D.
69	82	78	76	10.91	9.57	10.23	10.24	D.	D.	—
67	88	75	77	11.44	9.93	10.27	10.55	—	—	—
71	90	86	82	10.81	10.25	10.29	10.45	—	—	N.
79	93	86	86	10.69	9.91	10.22	10.27	—	—	—
72	88	78	79	10.49	10.21	9.75	10.13	N.	—	—
72	72	84	76	11.57	8.96	10.52	10.35	D.	—	—
81	89	80	83	11.78	10.99	10.21	10.99	Np.	Np.	D.
70	80	82	77	10.08	9.65	9.55	9.76	D.	D.	—
81	93	82	85	11.05	9.55	10.12	10.24	—	—	N.
64	84	82	77	9.54	10.11	9.77	9.81	Np.	G.	D.
72	...	83	77	10.71	9.69	10.20	D.	—
77	93	85	87	11.05	10.03	9.67	10.25	—	D.	—
76	93	81	83	10.40	9.55	8.70	9.55	—	—	—
78	95	80	84	10.45	9.50	9.65	9.87	—	—	Np.
75	87	95	86	10.07	9.61	10.21	9.96	—	—	—
76	95	86	86	10.26	9.10	8.94	9.43	—	—	N.
86	64	76	75	9.74	7.35	8.52	8.54	N.	N.	N.
68	86	77	77	8.72	8.86	8.71	8.76	Np.	D.	Np.
67	83	78	76	9.80	8.33	8.20	8.63	D.	—	D.
70	86	72	76	10.22	10.30	8.16	9.56	N.	—	—
78	90	77	82	11.52	10.25	9.06	10.28	Np.	—	—
79	86	83	83	10.85	9.73	9.97	10.18	—	Np.	N.
68	86	79	78	8.78	6.92	8.90	8.87	—	—	N.
70	71	64	68	8.50	7.61	7.35	7.95	D.	—	G.
78	90	86	85	10.02	9.13	8.03	9.06	Np.	—	D.
73	77	72	74	8.58	7.73	7.54	7.95	—	—	D.
72	82	70	75	9.24	8.15	7.71	8.37	—	—	—
61	82	86	76	8.57	8.13	9.87	8.86	D.	—	—
75	95	90	87	10.27	10.71	3.57	10.13	—	—	N.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio	Dif. de los termómetros.		
									2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o
	700+	700+	700+	700+							
1	61.18	62.08	63.98	62.41	13.9	13.3	13.9	13.7	1.8	1.6	2.2
2	63.07	61.35	63.31	62.58	13.0	10.2	12.2	12.5	2.5	0.2	2.1
3	60.95	60.38	61.62	60.98	15.2	10.2	11.8	12.4	2.4	1.2	1.3
4	60.97	61.56	61.48	61.34	14.2	12.0	11.8	12.7	1.8	1.0	1.4
5	61.00	61.93	60.07	61.00	13.3	12.1	12.4	12.6	2.1	1.1	6.6
6	63.80	64.22	64.29	64.10	14.1	12.4	12.8	13.1	2.9	1.4	2.7
7	62.36	62.67	63.99	62.97	13.3	11.0	12.4	12.9	2.7	0.9	2.3
8	61.66	60.84	64.58	62.96	15.2	11.1	12.9	13.1	2.1	1.1	1.5
9	65.25	65.51	65.81	65.52	15.1	11.2	12.5	12.9	2.1	1.2	2.1
10	65.76	65.78	64.59	65.38	16.3	13.4	14.0	14.6	2.9	0.6	3.6
11	62.65	61.57	63.29	62.50	17.1	14.7	12.9	14.9	2.8	3.9	2.4
12	63.13	59.03	62.87	61.68	16.0	11.5	11.5	13.0	2.6	0.5	0.7
13	60.46	59.04	60.42	59.97	14.5	12.2	11.1	12.6	1.7	0.9	0.5
14	58.68	61.16	61.48	60.44	14.3	13.4	14.3	14.0	1.7	1.2	2.5
15	65.82	61.31	63.37	63.50	16.3	11.1	14.2	13.9	2.3	0.9	2.4
16	61.93	63.27	65.08	63.43	15.0	13.2	13.9	14.0	2.4	3.6	1.3
17	63.85	63.43	63.97	63.75	16.0	13.3	14.2	14.5	2.3	0.4	1.5
18	62.84	62.77	62.17	62.59	15.5	14.0	13.9	14.5	1.0	0.8	1.8
19	61.81	61.97	64.05	62.44	16.9	12.7	13.1	14.2	2.4	1.3	1.3
20	63.55	64.33	64.01	64.03	16.7	10.2	11.0	12.6	5.5	0.6	1.3
21	61.36	60.48	60.73	60.86	14.4	10.5	11.0	12.0	3.0	1.7	2.0
22	61.56	62.10	65.21	62.96	13.5	12.4	12.9	12.9	1.8	1.3	1.2
23	64.55	65.23	67.78	65.85	14.0	11.2	11.9	12.4	2.2	0.8	1.2
24	64.87	64.55	64.62	64.68	15.4	11.4	10.1	12.3	3.0	1.4	0.6
25	62.77	63.12	63.84	63.24	13.5	9.7	8.9	10.7	1.8	0.9	0.3
26	62.30	61.08	64.23	62.54	12.9	12.2	13.2	12.8	1.1	2.4	2.5
27	66.56	61.86	61.89	63.44	17.4	12.0	12.1	13.8	3.8	2.0	1.7
28	60.45	62.43	63.28	62.05	16.4	13.9	11.2	13.3	3.2	1.0	1.4
29	62.46	64.46	67.56	64.83	15.2	13.7	14.5	14.5	1.8	0.9	2.0
30	65.31	65.07	64.80	65.06	16.9	11.3	12.6	13.6	2.5	0.5	1.5
31	62.42	61.79	62.10	15.9	11.2	13.5	2.7	0.9

AGOSTO

1	60.93	60.72	59.93	60.53	14.4	10.7	10.3	11.8	1.8	0.7	0.5
2	56.90	57.49	61.29	58.56	14.5	12.9	13.0	13.5	1.8	1.6	1.2
3	61.27	61.97	66.09	63.11	14.0	13.7	14.0	13.9	1.9	0.9	1.2
4	65.00	65.15	63.46	64.54	16.4	13.0	11.8	13.7	2.5	1.4	1.2
5	61.52	61.97	62.99	62.16	16.5	11.2	10.2	12.6	2.5	0.9	0.8
6	62.23	62.67	63.27	62.72	13.8	10.7	11.4	12.0	1.6	1.2	0.9
7	61.47	60.08	62.45	61.33	15.0	11.4	13.0	13.1	2.4	0.9	1.0
8	61.25	60.71	60.17	60.71	15.2	11.9	13.1	13.4	1.7	0.6	1.0
9	58.52	58.67	59.58	58.92	17.1	13.5	12.4	14.3	2.5	0.9	1.0
10	59.06	61.17	62.31	60.85	15.1	12.5	12.4	13.3	1.6	0.9	0.9
11	59.76	58.66	60.08	59.50	15.9	13.5	12.8	14.1	2.1	0.5	0.7
12	59.45	59.15	59.55	59.38	13.9	13.3	14.5	14.1	0.8	1.2	1.3
13	53.26	59.60	62.53	60.13	15.2	13.8	14.3	14.4	1.8	0.9	0.7
14	62.75	64.70	66.15	64.53	13.3	12.2	11.5	12.3	0.4	1.2	1.6
15	64.65	65.27	64.35	64.76	17.0	12.7	12.0	13.9	2.9	1.1	1.0
16	62.91	64.39	63.65	16.3	11.1	13.7	2.4	0.4
17	62.61	63.16	63.48	63.08	14.0	13.0	12.7	13.2	1.2	0.7	1.1
18	61.38	61.91	62.52	61.94	15.0	11.5	11.4	12.6	1.8	0.9	0.6
19	61.92	64.15	63.96	65.01	13.9	13.5	13.9	14.4	3.6	1.8	2.9
20	64.45	65.37	65.39	65.14	17.2	11.3	11.2	13.2	4.4	1.7	2.2
21	62.25	65.33	66.40	64.99	16.1	10.9	11.8	13.9	4.2	1.7	2.5
22	64.26	64.87	64.12	61.42	15.6	10.7	11.5	12.6	3.7	1.3	1.7
23	62.05	61.18	61.28	61.50	16.2	12.6	13.1	14.0	3.2	1.3	1.3
24	60.48	61.77	63.60	61.95	15.4	13.0	13.0	13.8	2.1	1.4	1.0
25	62.45	65.00	63.73	14.3	13.0	13.6	2.2	1.5
26	62.13	62.63	64.76	63.17	15.4	13.9	14.0	14.4	2.4	1.9	1.4
27	63.32	64.47	65.25	64.51	15.0	11.0	13.2	13.1	2.3	1.5	1.4
28	63.92	64.11	65.48	64.30	15.2	12.9	12.5	13.5	2.7	1.4	1.5
29	63.37	64.45	65.70	64.71	15.5	12.4	12.1	13.3	3.3	1.6	2.2
30	66.86	65.53	63.52	65.21	14.4	9.4	12.0	11.3	4.3	1.8	2.2
31	61.33	62.38	62.49	62.33	16.2	10.1	12.0	12.3	4.1	1.3	2.6

PSICRÓMETRO.								ESTADO ATMOSFÉRICO.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.
3½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.			
82	84	76	81	9.50	9.54	8.92	9.32	N.	N.	N.
74	97	75	82	9.29	9.04	7.96	8.76	D.	D.	D.
75	84	84	81	9.57	7.85	8.70	8.71	D.	D.	Np.
80	87	83	83	9.65	9.19	8.57	9.14	N.	N.	N.
76	87	81	81	8.65	9.13	8.70	8.83	N.	N.	N.
68	83	69	73	8.17	8.95	7.59	8.24	D.	D.	D.
74	88	73	73	9.24	8.68	7.84	8.59	D.	D.	N.
77	86	82	82	9.97	8.50	9.15	9.21	N.	N.	N.
77	85	75	79	9.89	8.44	8.15	8.83	N.	N.	N.
70	93	60	74	9.70	10.66	7.24	9.20	Np.	N.	D.
72	59	72	68	10.44	7.31	8.03	8.59	D.	N.	N.
73	94	92	86	9.88	9.49	9.24	9.34	N.	N.	N.
81	89	94	88	9.99	9.45	9.24	5.56	Np.	N.	Np.
81	86	73	80	9.85	9.87	8.80	9.51	N.	N.	Np.
67	88	74	76	9.16	8.75	9.86	9.26	Np.	D.	N.
74	60	85	73	9.43	6.75	10.09	8.76	N.	N.	N.
76	95	83	85	10.29	10.85	10.04	10.39	N.	N.	N.
89	91	80	87	11.70	10.33	9.44	10.66	Np.	D.	N.
76	85	85	82	10.85	9.27	9.53	9.88	N.	D.	N.
47	93	84	75	6.60	8.56	8.20	7.79	D.	N.	N.
67	79	75	74	8.24	7.44	7.37	7.68	N.	N.	N.
80	85	84	84	9.17	9.08	9.53	9.26	N.	N.	N.
76	90	86	84	8.99	8.93	8.88	8.93	N.	D.	D.
68	83	92	81	8.92	8.32	8.51	8.58	D.	D.	N.
80	88	89	86	9.17	7.93	7.59	8.23	N.	N.	D.
87	72	72	77	9.66	7.60	8.09	8.45	N.	N.	N.
63	76	79	73	9.30	7.96	8.39	8.55	N.	N.	N.
67	89	84	80	9.37	10.49	10.17	10.01	Np.	N.	N.
80	90	73	83	10.37	10.48	9.60	10.15	N.	N.	D.
74	94	82	83	10.71	9.37	8.95	9.68	D.	D.	N.
74	...	88	81	9.95	8.81	9.38	N.	N.

DE 1871.

80	79	94	84	9.79	7.55	8.74	8.69	D.	D.	N.
81	81	85	82	11.21	9.02	9.59	9.94	N.	N.	N.
79	90	86	85	9.38	10.48	10.29	10.05	N.	G.	N.
74	84	86	81	9.32	9.35	8.82	9.16	D.	N.	D.
74	88	89	84	10.39	8.81	8.33	9.18	N.	D.	N.
82	84	83	85	9.63	8.15	8.93	8.90	Np.	N.	N.
75	88	83	84	9.43	8.93	9.85	9.40	D.	N.	D.
81	93	88	87	10.50	9.63	9.92	10.02	Np.	N.	N.
75	89	87	84	10.86	10.34	9.45	10.22	N.	N.	D.
82	88	89	86	10.56	9.65	9.58	9.93	N.	N.	N.
78	94	92	88	10.47	10.86	10.10	10.48	D.	N.	N.
91	86	80	86	10.75	10.15	9.86	10.25	N.	N.	N.
80	90	92	87	10.37	10.55	11.18	10.72	N.	N.	N.
95	86	80	87	10.85	9.07	8.14	9.35	G.	G.	N.
71	87	87	82	10.23	9.53	9.19	9.65	D.	D.	D.
75	...	95	85	10.38	9.36	9.87	N.	N.	N.
86	92	87	88	10.29	10.24	9.53	10.02	N.	N.	N.
80	83	93	87	10.22	9.00	9.30	9.51	D.	D.	D.
62	80	68	70	8.49	9.17	8.04	8.57	N.	N.	N.
57	79	73	70	8.35	7.90	7.25	7.83	N.	N.	N.
58	79	70	69	7.84	7.67	7.25	7.59	N.	N.	N.
62	83	79	75	8.15	8.03	8.02	8.07	N.	N.	N.
67	85	85	79	9.22	9.21	9.53	9.32	N.	N.	Np.
77	83	88	83	10.11	9.35	9.85	9.77	Np.	N.	N.
76	...	82	79	9.19	9.22	9.20	N.	N.	N.
75	79	84	79	9.71	9.31	10.03	9.68	N.	N.	N.
70	81	84	78	8.90	7.97	9.43	8.78	N.	N.	N.
71	83	82	79	9.17	9.28	8.89	9.11	D.	N.	N.
65	81	74	73	8.60	8.70	7.73	8.36	N.	N.	N.
54	76	74	83	6.63	6.72	7.72	7.02	D.	D.	D.
59	85	68	70	8.04	7.67	7.24	7.65	N.	N.	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o
1	700+	700+	700+	700+	o	o	o	o	o	o	o
2	62.45	63.28	65.21	63.65	14.4	9.3	11.3	11.7	2.7	0.7	1.8
3	63.83	63.29	63.49	63.54	14.4	10.2	12.0	12.2	3.3	2.0	1.9
4	62.16	66.68	64.42	14.2	13.4	13.8	2.8	1.9
5	65.76	65.71	64.58	65.35	16.5	9.7	12.6	12.9	4.5	1.1	2.6
6	62.56	62.57	63.76	62.96	16.2	11.5	12.7	13.5	3.3	0.9	1.7
7	62.18	63.26	66.06	63.83	14.5	12.7	13.4	13.5	2.3	1.7	2.3
8	65.02	64.41	64.37	64.60	15.0	10.4	11.0	12.1	3.2	1.7	1.4
9	63.05	64.46	65.67	64.39	15.1	12.4	13.1	13.5	2.9	1.8	2.5
10	65.14	64.67	62.08	63.96	15.1	11.2	12.4	12.9	2.1	1.4	1.8
11	65.55	60.44	63.31	63.10	16.2	11.8	12.2	13.4	3.8	2.4	1.5
12	64.96	67.30	69.16	67.14	12.6	11.3	12.1	12.0	1.6	1.3	1.7
13	64.85	65.12	64.67	64.88	16.3	11.2	12.6	13.4	4.2	1.8	1.9
14	62.61	62.66	62.92	62.73	17.2	11.9	10.2	13.1	3.5	1.3	0.7
15	61.16	59.68	59.18	60.01	15.2	11.6	13.4	2.2	0.9
16	58.17	58.68	62.07	59.64	14.1	12.5	12.1	12.9	1.9	1.2	1.5
17	61.73	63.27	64.30	63.10	14.4	12.8	13.1	13.4	2.3	1.4	1.9
18	63.24	63.51	63.77	63.51	15.9	12.7	13.4	14.0	2.9	1.3	1.5
19	63.12	64.20	65.96	64.43	14.9	13.0	13.3	13.7	2.1	1.4	2.5
20	64.05	63.27	62.30	63.21	17.0	10.5	13.2	13.6	1.5	1.7	3.0
21	61.02	61.77	62.47	61.75	16.5	12.2	13.3	14.0	5.4	1.2	1.5
22	61.27	62.52	61.98	61.92	16.0	13.7	13.1	14.3	2.1	1.5	1.6
23	60.06	61.93	66.35	62.78	14.0	12.5	14.9	13.8	2.2	0.9	3.0
24	65.25	64.75	64.35	64.78	16.3	12.7	15.0	14.7	3.1	1.1	2.4
25	61.51	61.67	65.17	62.78	18.1	12.8	14.2	15.0	3.6	1.5	1.8
26	63.93	64.72	65.15	64.70	17.2	13.5	14.0	14.9	3.4	1.1	1.4
27	61.99	62.70	64.96	63.22	17.0	12.6	13.3	14.3	3.0	0.9	2.2
28	65.12	64.93	65.37	65.14	14.3	13.1	14.2	13.9	2.9	2.1	3.2
29	64.81	65.77	63.30	64.63	16.3	12.0	14.5	14.3	3.4	0.8	3.3
30	61.19	61.05	61.12	17.8	13.5	15.6	3.2	1.7
31	60.94	62.24	63.28	62.15	16.3	13.7	13.2	14.4	2.3	1.8	1.4

OCTUBRE

1	62.43	61.59	62.78	62.27	16.5	12.5	13.2	14.1	2.3	0.4	0.3
2	65.52	62.17	64.41	64.03	13.9	14.7	13.1	13.9	1.5	0.8	0.7
3	63.79	63.12	62.36	63.09	15.1	13.5	13.5	14.0	0.9	0.6	1.4
4	60.43	65.50	61.86	62.60	16.0	13.2	13.2	14.1	2.5	0.3	1.1
5	61.89	61.77	64.85	62.84	16.2	15.1	14.8	14.7	2.1	0.5	0.9
6	63.30	63.25	63.74	63.43	16.4	14.9	14.9	15.4	1.7	1.8	1.5
7
8	60.13	59.86	60.36	60.12	17.7	12.5	13.4	14.5	1.9	0.9	1.2
9	59.91	60.60	64.86	61.79	15.6	13.2	13.3	14.0	2.3	1.4	1.5
10	65.92	65.40	64.65	65.32	16.1	12.4	13.9	14.1	3.1	1.2	2.1
11	63.45	63.44	63.85	63.58	17.9	12.4	13.9	14.7	2.9	0.8	1.9
12	62.70	63.25	63.76	63.24	17.1	12.3	15.4	14.3	2.3	0.7	1.6
13	63.78	61.60	61.45	62.28	16.9	13.1	14.2	14.7	3.2	0.3	2.3
14	59.03	59.65	61.46	60.05	17.3	13.6	13.3	14.7	2.2	0.5	1.2
15	61.11	62.15	62.45	61.90	15.4	12.5	13.6	13.8	2.5	1.4	2.1
16	62.15	62.35	60.27	61.59	17.9	13.1	15.1	15.0	3.6	1.0	1.9
17
18	61.11	59.43	60.29	60.28	17.6	13.9	14.8	3.0	1.1	1.5
19	62.41	63.14	62.94	62.83	16.5	14.4	15.8	15.9	2.0	1.5	2.6
20	61.46	60.30	60.33	60.73	18.1	13.4	15.2	15.6	3.6	1.2	2.0
21	60.50	61.90	62.54	61.65	16.8	14.5	15.3	15.5	2.8	1.7	2.9
22	62.11	62.58	63.39	62.69	17.6	14.2	16.7	16.2	3.7	2.4	1.5
23	64.00	65.05	62.70	63.92	17.2	13.8	15.7	15.6	3.2	0.9	2.5
24	60.10	65.51	59.85	61.82	19.5	13.9	13.9	15.8	3.3	2.1	1.2
25	60.78	60.73	62.76	61.42	16.5	14.5	13.6	14.9	1.9	1.1	0.8
26	62.79	64.40	60.49	62.56	15.3	14.5	15.1	15.0	2.1	2.9	1.8
27
28	60.09	60.35	62.65	61.00	17.3	15.9	15.8	15.7	2.6	1.1	1.7
29	60.45	59.53	60.18	60.05	18.2	11.5	15.9	16.2	2.9	0.7	1.6
30	60.00	60.01	61.39	60.63	18.5	14.2	15.2	16.0	2.7	0.9	0.8
31	57.60	59.42	60.08	59.72	18.6	11.1	15.1	15.9	2.3	0.9	0.9

PSICRÓMETRO.								ESTADO ATMOSFÉRICO.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.			
69	92	77	79	8.84	7.90	7.79	8.01	D.	D.	N.
65	74	78	72	7.86	6.91	8.08	7.62	—	—	—
69	...	79	74	8.34	8.94	8.64	—	Np.
56	86	70	71	7.73	7.66	7.59	7.66	—	—	D.
66	90	81	79	9.09	8.98	8.76	8.94	—	D.	N.
76	81	75	77	9.20	8.76	8.46	8.81	—	—	—
65	79	82	75	8.34	7.34	8.09	7.92	—	N.	D.
70	78	72	73	8.84	8.44	8.02	8.43	—	D.	—
78	82	78	79	9.89	8.21	8.44	8.85	—	N.	—
61	71	83	72	8.43	7.87	8.68	8.16	Np.	D.	—
81	83	80	82	8.32	8.38	8.38	8.53	D.	—	D.
58	77	78	71	7.98	7.73	8.44	8.05	D.	—	—
66	85	92	81	9.53	8.74	8.40	8.89	—	—	Np.
76	...	90	83	9.83	9.04	9.43	—	N.	N.
80	86	83	83	9.45	9.25	8.62	9.11	—	—	—
76	83	79	79	9.13	9.19	8.76	9.03	—	N.	D.
71	86	83	80.	9.40	9.25	9.43	9.36	D.	—	Np.
78	83	72	78	9.61	9.31	8.14	9.02	N.	D.	D.
85	79	66	77	12.19	7.59	7.47	9.02	—	—
66	86	83	78	9.17	9.07	9.37	9.20	D.	—
78	84	81	81	10.52	9.69	9.12	9.78	D.	—	N.
75	90	67	77	8.94	9.61	8.52	9.02	N.	N.	D.
69	87	74	77	9.42	9.49	9.36	9.42	D.	D.	—
65	83	80	76	10.07	9.07	9.65	9.60	—	—	N.
66	88	84	79	9.66	10.07	10.03	9.92	—	—	—
70	90	75	78	10.08	9.67	8.52	9.42	—	N.	D.
69	77	65	70	8.28	8.52	7.86	8.22	N.	D.	D.
64	90	65	73	9.03	9.43	7.92	9.79	D.	D.	—
68	81	...	74	10.33	9.24	8.81	—	—
77	79	83	80.	10.51	9.24	8.43	9.73	—	—	N.

77	95	98	90	10.67	10.28	10.91	10.62	E.	D.	N.
85	91	93	90	11.32	11.31	10.31	10.98	N.	N.	—
91	82	84	86	11.50	10.12	9.68	10.43	—	—	—
75	98	88	87	10.10	10.91	9.86	10.29	D.	—	—
79	95	91	88	10.71	10.57	11.25	10.84	—	D.	D.
83	80	84	82	11.44	10.14	10.53	10.70	—	—	—
...
81	90	86	86	12.18	9.61	9.87	10.55	D.	D.	N.
76	83	95	85	9.98	9.43	10.71	10.04	Np.	N.	—
69	86	77	77	9.28	9.19	9.00	9.16	N.	D.	D.
72	90	80	81	10.93	9.69	9.31	9.37	D.	—	—
77	93	81	84	11.15	9.73	9.30	10.06	—	—	—
67	98	75	80	9.71	10.84	8.94	9.83	—	—	—
78	95	86	86	11.44	10.93	9.80	10.72	—	—	N.
74	83	77	78	9.57	9.01	8.82	9.10	N.	N.	D.
65	83	80	86	9.93	9.92	10.15	10.00	D.	D.	—
...
70	87	84	80	10.50	9.67	9.83	10.00	D.	D.	Np.
79	84	73	79	11.09	10.18	9.72	10.33	Np.	N.	—
65	86	78	76	10.17	9.87	10.09	10.04	D.	D.	D.
72	82	70	75	10.21	9.99	8.98	9.73	Np.	N.	Np.
64	73	85	74	9.55	8.82	11.93	10.10	D.	D.	D.
68	90	75	78	9.96	10.54	9.29	9.93	Np.	—	—
70	77	86	78	11.68	9.00	10.22	10.30	D.	—	N.
81	89	90	87	11.23	10.78	10.47	10.83	N.	—	—
78	69	80	76	10.03	8.40	10.28	9.57	—	—	D.
...
73	88	89	83	10.82	10.35	11.73	10.97	D.	D.	D.
72	93	83	83	11.17	11.30	11.18	11.22	—	—	—
74	91	91	85	11.70	10.83	11.70	11.41	—	—	N.
72	91	91	85	11.49	10.76	11.30	11.25	—	—	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°.				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	0	0	0	0	0	0	0
1	58.90	58.50	60.26	59.22	17.5	14.8	15.6	16.0	2.2	1.6	1.4
2	59.72	59.57	62.68	60.44	17.1	15.4	14.9	15.8	1.9	1.2	1.0
3	61.19	60.81	62.33	61.44	17.9	15.1	15.0	15.7	2.5	1.0	0.9
4	60.99	60.94	62.11	61.21	18.1	15.6	14.9	16.2	2.2	1.2	1.1
5	59.40	59.50	61.71	60.34	17.9	15.2	15.0	16.0	2.1	1.4	1.1
6
7	62.10	61.28	61.50	61.63	17.1	15.1	15.9	16.0	1.6	1.2	1.2
8	60.49	60.25	62.21	60.98	17.6	16.1	15.8	16.5	2.3	1.4	1.3
9	60.99	61.31	63.61	61.97	18.1	15.8	15.2	16.4	1.6	1.2	1.3
10	63.19	64.56	64.40	64.05	16.6	15.2	15.6	15.8	2.1	0.6	1.6
11	62.88	62.15	61.73	62.25	18.1	14.8	15.4	16.1	2.9	1.5	1.3
12	60.08	60.44	65.69	62.07	18.2	15.5	15.6	16.4	2.8	0.9	1.3
13	60.09	59.44	61.43	60.32	17.9	15.7	15.7	16.4	2.3	1.1	1.2
14	66.70	60.50	63.60	61.60	17.0	15.6	15.3	16.0	1.9	1.2	1.6
15	61.88	60.93	67.62	63.48	17.9	14.8	15.7	16.1	2.5	1.2	1.2
16
17	59.90	60.68	59.66	60.08	18.7	14.3	14.7	15.9	2.5	0.7	1.1
18	60.48	64.30	58.15	60.98	16.2	14.3	14.6	15.0	1.4	0.4	0.9
19	58.20	58.49	60.50	59.06	17.2	15.2	14.1	15.5	2.1	1.4	1.6
20	60.48	59.76	67.34	62.69	17.5	14.2	15.2	15.6	2.1	1.0	1.4
21	60.69	60.00	63.21	61.30	17.4	15.1	16.6	16.4	2.1	0.8	2.0
22	62.39	62.58	61.49	62.15	18.5	14.3	15.9	16.2	3.4	0.5	2.1
23	61.47	67.56	61.83	63.55	17.6	15.2	15.0	15.9	2.2	1.1	1.1
24	59.59	65.30	61.48	62.12	18.2	15.3	14.6	16.0	2.1	1.1	0.9
25	61.26	61.46	63.31	62.01	18.2	14.8	15.5	16.2	3.9	1.4	1.3
26
27	60.07	59.90	58.79	59.39	21.3	14.9	16.1	17.4	4.4	1.5	1.9
28	58.33	60.37	62.65	60.52	18.8	15.3	16.5	16.9	3.2	1.2	2.1
29	61.77	61.47	63.31	60.52	18.1	14.8	16.8	16.6	2.2	1.6	2.9
30	62.02	61.17	63.18	62.12	18.1	15.2	14.8	16.0	2.8	1.3	1.0

DICIEMBRE

1	61.50	61.40	63.10	62.10	18.8	15.3	17.7	17.3	3.2	1.1	1.9
2	62.15	60.99	61.18	61.24	19.7	15.4	15.6	16.9	2.9	1.5	0.7
3	60.17	59.99	62.00	60.72	19.2	15.3	16.8	17.1	2.9	0.7	1.6
4	61.14	60.95	60.98	61.02	19.6	15.1	16.6	17.1	3.0	0.8	1.5
5	60.35	60.74	61.69	60.93	19.5	15.8	17.9	17.7	3.2	1.3	2.2
6
7	60.97	60.26	63.01	61.41	18.1	15.6	15.1	16.3	1.9	0.9	1.0
8	61.60	61.57	60.14	61.10	18.2	15.3	15.9	16.3	1.3	0.7	1.5
9	60.22	60.49	61.38	60.70	17.3	15.8	16.9	16.8	2.4	1.4	1.8
10	60.60	61.17	61.66	61.14	18.5	14.9	16.6	16.7	2.9	0.8	2.0
11	61.23	61.48	61.75	61.50	18.2	15.9	16.8	17.0	2.3	1.5	1.7
12	60.53	61.58	60.76	60.96	19.1	15.7	16.3	17.0	2.9	1.5	1.1
13	62.22	61.95	61.59	61.92	19.3	16.1	17.2	17.5	2.5	1.2	2.1
14	61.48	61.37	62.69	62.01	19.2	16.9	16.9	17.7	2.1	2.0	1.7
15	61.83	59.37	63.61	61.73	17.3	15.4	16.7	16.3	1.9	1.2	1.5
16
17	63.13	62.39	62.64	62.39	19.7	15.6	17.4	17.6	3.1	1.4	1.6
18	62.13	61.19	61.13	61.50	19.3	15.4	16.2	17.0	2.7	0.9	1.4
19	60.35	61.39	63.73	61.99	18.1	15.8	17.2	17.0	2.0	1.6	2.6
20	63.23	62.43	64.40	63.37	19.7	15.3	17.5	17.7	2.9	1.2	2.1
21	63.80	63.30	63.04	63.33	19.5	16.2	18.7	18.1	3.1	0.8	2.5
22	61.91	61.09	61.03	61.36	20.4	13.4	16.8	17.3	3.8	1.2	1.6
23	60.48	59.86	61.76	60.70	18.3	16.3	15.8	17.1	2.4	1.4	1.4
24	59.96	60.67	61.59	60.74	19.2	15.4	16.2	16.9	2.8	1.2	1.1
25	60.12	60.57	61.50	60.73	20.1	16.8	16.5	17.3	2.9	1.9	1.2
26
27	59.33	59.73	60.50	59.37	19.9	17.3	18.2	18.5	3.0	1.1	1.6
28	59.99	60.30	60.30	60.20	18.2	17.2	17.6	17.7	1.0	0.4	1.2
29	59.47	60.10	60.30	59.96	20.3	17.4	17.9	18.5	3.7	0.5	2.0
30	60.63	61.04	61.09	60.99	20.2	18.2	17.6	18.7	2.8	0.6	1.7
31	60.64	61.20	61.63	61.19	20.4	18.2	17.5	18.7	2.6	0.9	1.7

PSICRÓMETRO.								ESTADO ATMOSFÉRICO.		
HUMEDAD RELATIVA.				FUERZA ELÁTICA.				2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.			
78	82	85	82	11.60	10.33	11.22	11.05	Np.	D.	N.
81	87	89	86	11.70	11.34	11.19	11.41	N.	N.	—
76	89	91	85	11.50	11.37	11.43	11.43	—	—	—
73	87	89	85	12.00	11.50	11.06	11.52	D.	—	—
80	84	89	84	12.06	10.87	11.13	11.35	Np.	—	—
...
81	86	87	85	11.84	11.06	11.74	11.55	N.	N.	N.
78	85	87	83	11.54	11.62	11.52	11.56	—	—	—
74	87	86	82	11.52	11.66	11.09	11.39	—	—	—
79	93	83	85	11.03	11.96	10.94	11.31	—	—	—
72	84	87	81	11.09	10.46	11.20	10.92	D.	D.	—
72	91	87	83	11.31	11.78	11.36	11.48	—	—	—
78	89	87	85	11.78	11.66	11.58	11.67	Np.	N.	—
81	87	82	83	11.62	11.40	10.68	11.23	N.	N.	—
76	89	87	84	11.50	10.99	11.58	11.36	Np.	D.	—
...
77	93	89	86	12.17	11.16	10.92	11.42	D.	D.	N.
85	95	91	90	11.70	11.55	11.11	11.45	N.	—	—
80	84	82	82	11.50	10.87	10.26	10.88	—	N.	—
80	89	84	84	11.74	10.70	10.87	11.10	Np.	N.	—
80	91	79	83	11.60	11.63	11.17	11.47	—	N.	—
67	95	78	80	10.71	11.42	10.45	10.86	—	D.	D.
78	89	89	85	11.68	11.31	11.13	11.37	Np.	N.	N.
73	89	95	86	11.91	11.38	11.41	11.57	N.	N.	—
57	84	87	76	9.32	10.59	11.28	10.40	Np.	N.	—
...
61	84	81	75	11.57	10.53	10.91	11.00	D.	D.	D.
69	87	79	78	11.23	11.26	10.95	11.15	—	N.	N.
78	82	73	73	12.08	10.33	10.34	10.92	—	D.	D.
72	80	89	80	11.23	11.00	11.12	11.12	—	N.	N.

DE 1871.

69	89	87	80	11.23	11.20	12.18	11.54	D.	D.	N.
73	84	83	80	12.41	10.98	11.60	11.66	—	—	D.
75	93	83	83	12.01	11.90	11.89	11.93	—	—	N.
72	91	85	83	12.19	11.63	11.87	11.90	—	—	N.
70	87	78	82	11.82	11.52	11.92	11.75	—	—	Np.
...
82	91	83	85	12.54	11.85	11.02	11.80	N.	N.	N.
88	93	85	89	13.46	12.04	11.32	12.97	—	D.	—
76	85	81	81	11.56	11.33	11.68	11.54	Np.	N.	—
72	91	79	81	11.41	11.49	11.17	11.36	—	N.	D.
72	85	83	80	11.31	11.32	11.75	11.46	D.	N.	N.
73	85	89	82	11.93	11.15	12.19	11.76	Np.	—	N.
77	87	80	81	12.65	11.80	11.50	11.93	—	D.	N.
81	79	83	81	13.23	11.41	11.83	12.16	—	Np.	N.
81	87	85	84	12.02	11.34	11.95	11.77	N.	D.	—
...
72	85	83	80	12.13	11.22	12.37	11.91	D.	D.	N.
75	71	85	84	12.37	11.71	11.70	11.93	—	—	N.
82	83	73	79	12.54	11.10	10.75	11.46	N.	N.	—
73	87	80	80	12.41	11.66	11.74	11.94	D.	D.	—
72	91	77	80	11.97	12.53	12.17	12.22	—	—	D.
65	87	85	73	11.70	12.15	11.89	11.91	—	—	N.
77	85	83	82	12.39	12.17	11.38	11.98	N.	N.	N.
73	87	89	83	12.15	11.34	12.11	11.87	—	D.	—
74	81	87	81	13.43	11.47	12.21	12.37	D.	Np.	—
...
72	90	84	82	12.43	13.03	13.04	12.83	Np.	N.	D.
90	96	83	91	13.99	13.93	13.12	13.63	N.	—	N.
76	96	80	84	13.31	13.35	12.20	13.15	D.	—	—
74	94	83	84	13.07	14.53	12.39	13.33	Np.	—	—
76	92	83	84	13.55	14.14	12.31	13.33	D.	—	—

OBSERVACIONES TRIHORARIAS.

Instrumentos.	ENERO 2 DE 1871.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°	758.77	758.16	757.90	758.63	758.37	757.83	758.91	760.04	758.58	
Termómetro centígrado	20.0	21.1	18.4	18.3	16.0	15.9	15.7	18.7	18.01	
Psicrómetro. {	Humedad relat...	65	65	80	80	85	77	87.	77	73
	Fuerza elástica...	11.88	11.92	12.64	12.42	11.54	11.60	11.58	12.17	11.91
Estado atmosférico	N.	Np.	D.	N.	D.	N.	D.	N.	
ENERO 15 DE 1871.										
Barómetro reducido a 0°	761.01	759.82	759.02	759.33	758.57	758.09	758.66	758.57	759.13	
Termómetro centígrado	19.9	20.4	19.6	18.1	16.7	15.7	15.4	18.9	18.09	
Psicrómetro. {	Humedad relat...	74	71	73	80	89	93.	85	69	79
	Fuerza elástica...	12.65	12.65	12.47	12.16	12.51	12.41	11.06	11.17	14.14
Estado atmosférico	D.	D.	D.	D.	D.	D.	D.	D.	
FEBRERO 3 DE 1871.										
Barómetro reducido a 0°	761.78	761.36	761.02	760.92	758.55	758.55	759.51	760.57	760.30	
Termómetro centígrado	22.5	23.9	20.2	18.6	16.4	16.1	16.4	19.0	19.14	
Psicrómetro. {	Humedad relat...	59	58	77	78	83	83	89	78	76
	Fuerza elástica...	12.1.	12.65	13.67	12.51	11.53	11.34	12.27	12.83	12.37
Estado atmosférico	D.	D.	D.	D.	D.	D.	D.	D.	
FEBRERO 18 DE 1871.										
Barómetro reducido a 0°	758.92	758.63	758.71	759.56	759.77	759.67	761.09	761.62	759.75	
Termómetro centígrado	20.2	20.8	18.5	17.7	16.9	16.0	15.4	19.4	18.11	
Psicrómetro. {	Humedad relat...	76	71	84	81	83	91	89	75	81
	Fuerza elástica...	13.37	13.10	13.14	12.18	11.83	12.23	11.45	12.59	12.48
Estado atmosférico	D.	D.	D.	D.	D.	D.	D.	D.	
MARZO 6 DE 1871.										
Barómetro reducido a 0°	758.29	757.75	757.49	759.11	760.05	759.25	759.76	761.63	759.17	
Termómetro centígrado	19.8	19.9	18.2	18.0	17.5	17.2	18.0	17.5	18.26	
Psicrómetro. {	Humedad relat...	79	79	84	82	90	90	86	92	85
	Fuerza elástica...	13.62	13.62	13.04	12.46	12.19	13.09	13.16	13.47	13.08
Estado atmosférico	Np.	Np.	N.	N.	N.	N.	N.	G.	

Instrumentos.	JULIO 9 DE 1871.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°	mm. 764.67	mm. 765.25	mm. 765.28	mm. 765.51	mm. 765.37	mm. 765.32	mm. 765.10	mm. 765.81	mm. 765.29
Termómetro centígrado	14.4	15.1	12.6	11.2	11.6	10.8	10.5	12.5	12.26
Psicrómetro. {	Humedad relat...	80	77	92	85	81	77	75	80
	Fuerza elástica...	mm. 9.78	mm. 9.89	mm. 9.96	mm. 8.44	mm. 7.97	mm. 7.49	mm. 7.82	mm. 8.15
Estado atmosférico	D.	D.	D.	D.	D.	D.	N.	N.

Instrumentos.	JULIO 19 DE 1871.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°	mm. 761.70	mm. 761.31	mm. 761.04	mm. 762.11	mm. 762.27	mm. 763.62	mm. 764.05	mm. 762.30	
Termómetro centígrado	15.2	16.9	14.3	12.7	12.0	10.9	13.1	13.46	
Psicrómetro. {	Humedad relat...	80	75	88	85	90	84	85	84
	Fuerza elástica...	mm. 10.37	mm. 10.85	mm. 10.65	mm. 9.29	mm. 9.45	mm. 7.77	mm. 9.57	mm. 9.71
Estado atmosférico	D.	Np.	Np.	D.	D.	N.	N.	

Instrumentos.	JULIO 29 DE 1871.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°	mm. 764.49	mm. 763.46	mm. 763.93	mm. 764.46	mm. 765.10	mm. 765.51	mm. 766.78	mm. 767.56	mm. 765.15	
Termómetro centígrado	15.9	15.2	14.1	13.7	13.0	12.4	12.4	14.5	13.96	
Psicrómetro. {	Humedad relat...	74	89	80	90	88	93	90	78	84
	Fuerza elástica...	mm. 9.93	mm. 10.29	mm. 10.31	mm. 10.47	mm. 9.85	mm. 9.99	mm. 9.73	mm. 9.60	mm. 10.03
Estado atmosférico	N.	N.	N.	N.	N.	N.	N.	D.	

Instrumentos.	AGOSTO 8 DE 1871.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°	mm. 762.05	mm. 761.25	mm. 760.37	mm. 760.71	mm. 760.67	mm. 759.94	mm. 759.68	mm. 759.18	mm. 760.48	
Termómetro centígrado	14.7	15.2	13.2	11.9	11.2	10.8	11.7	13.1	12.73	
Psicrómetro. {	Humedad relat...	81	81	89	93	93	90	75	83	86
	Fuerza elástica...	mm. 10.13	mm. 10.51	mm. 10.12	mm. 9.62	mm. 9.18	mm. 8.68	mm. 7.65	mm. 9.92	mm. 9.48
Estado atmosférico	D.	Np.	D.	D.	D.	D.	D.	N.	

Instrumentos.	AGOSTO 13 DE 1871.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°	mm. 761.90	mm. 761.92	mm. 762.91	mm. 764.15	mm. 765.67	mm. 766.41	mm. 768.78	mm. 767.96	mm. 764.96	
Termómetro centígrado	15.3	15.9	13.2	13.5	11.4	11.2	10.6	13.9	13.12	
Psicrómetro. {	Humedad relat...	80	62	79	80	83	80	93	63	78
	Fuerza elástica...	mm. 10.44	mm. 8.49	mm. 9.18	mm. 9.17	mm. 8.52	mm. 7.95	mm. 8.80	mm. 8.04	mm. 8.80
Estado atmosférico	D.	D.	N.	N.	D.	D.	D.	D.	

Instrumentos.	AGOSTO 28 DE 1871.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°	764.95	763.92	763.97	764.11	763.98	763.38	764.42	765.48	764.28
Termómetro centígrado.....	14.0	15.2	14.0	12.9	12.2	10.5	10.5	12.5	12.72
Psicrómetro. {	79	72	80	84	86	88	85	82	82
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
{ Fuerza elástica.....	9.38	9.17	9.51	9.28	9.07	8.37	8.15	8.89	8.95
Estado atmosférico	N.	D.	Np.	N.	Np.	D.	N.	N.
SEPTIEMBRE 7 DE 1871.									
Barómetro reducido a 0°	765.84	765.02	765.34	764.41	763.92	764.37	764.32
Termómetro centígrado.....	14.4	15.0	14.4	10.4	10.2	11.0	12.40
Psicrómetro. {	69	65	83	79	81	82	77
	mm.	mm.	mm.	mm.	mm.	mm.	mm.
{ Fuerza elástica.....	8.34	8.34	9.43	7.84	7.57	8.09	8.18
Estado atmosférico.....	N.	D.	D.	D.	D.	D.
SEPTIEMBRE 17 DE 1871.									
Barómetro reducido a 0°	764.35	763.24	763.27	763.51	762.63	762.47	762.87	763.77	763.26
Termómetro centígrado.....	15.5	15.9	13.5	12.7	11.5	11.1	12.0	13.4	13.20
Psicrómetro. {	66	71	88	86	95	93	85	83	83
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
{ Fuerza elástica.....	8.73	9.40	10.20	9.25	9.49	9.10	8.92	9.43	9.31
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	N.	Np.
SEPTIEMBRE 27 DE 1871.									
Barómetro reducido a 0°	765.28	765.12	764.96	764.55	765.05	764.72	765.07	765.37	765.01
Termómetro centígrado.....	14.1	14.3	13.3	13.1	12.1	11.7	11.4	14.2	13.02
Psicrómetro. {	73	69	77	77	85	89	75	65	75
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
{ Fuerza elástica.....	8.64	8.28	8.76	8.52	8.86	8.14	7.55	7.86	8.33
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	D.	D.
OCTUBRE 7 DE 1871.									
Barómetro reducido a 0°	763.74	762.40	762.31	762.34	761.81	761.36	763.95	762.34	762.59
Termómetro centígrado.....	16.9	17.6	15.5	13.4	12.2	11.3	12.0	13.4	14.10
Psicrómetro. {	77	80	82	93	95	97	95	90	89
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
{ Fuerza elástica.....	11.13	11.82	10.82	10.65	10.03	10.03	9.31	10.26	10.58
Estado atmosférico.....	D.	D.	D.	D.	D.	N.	N.	N.

Instrumentos.	OCTUBRE 17 DE 1871.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°	mm. 760.72	mm. 760.83	mm. 761.01	mm. 761.22	mm. 761.35	mm. 761.20	mm. 761.81	mm. 761.86	mm. 761.82	
Termómetro centígrado.....	o 16.4	o 17.1	o 15.1	o 14.4	o 13.3	o 12.3	o 12.1	o 14.7	o 14.42	
Psicrómetro. {	Humedad relat...	79	77	80	86	93	95	97	82	86
	Fuerza elástica...	mm. 10.87	mm. 11.29	mm. 10.28	mm. 10.57	mm. 10.45	mm. 10.09	mm. 10.09	mm. 10.26	mm. 10.86
Estado atmosférico	D.	Np.	D.	D.	D.	N.	N.	Np.	
OCTUBRE 27 DE 1871.										
Barómetro reducido a 0°	mm. 761.70	mm. 759.50	mm. 758.43	mm. 759.34	mm. 759.91	mm. 759.81	mm. 759.92	mm. 760.92	mm. 759.94	
Termómetro centígrado.....	o 17.1	o 18.8	o 16.8	o 14.2	o 12.4	o 12.2	o 13.0	o 15.30	o 14.98	
Psicrómetro. {	Humedad relat...	72	67	83	89	90	87	81	80	81
	Fuerza elástica...	mm. 10.29	mm. 10.95	mm. 11.89	mm. 10.57	mm. 9.67	mm. 9.31	mm. 8.90	mm. 10.47	mm. 10.26
Estado atmosférico	D.	D.	D.	D.	D.	D.	D.	N.	
NOVIEMBRE 6 DE 1871.										
Barómetro reducido a 0°	mm. 761.79	mm. 760.55	mm. 760.38	mm. 760.50	mm. 760.64	mm. 761.71	mm. 761.81	mm. 763.51	mm. 761.36	
Termómetro centígrado.....	o 16.7	o 17.5	o 15.1	o 15.6.	o 15.2	o 14.8	o 14.6	o 15.1	o 15.58	
Psicrómetro. {	Humedad relat...	79	80	84	82	84	89	91	89	85
	Fuerza elástica...	mm. 11.25	mm. 11.80	mm. 10.80	mm. 10.76	mm. 10.87	mm. 10.99	mm. 11.11	mm. 11.24	mm. 11.10
Estado atmosférico	N.	Np.	N.	N.	N.	N.	N.	N.	
NOVIEMBRE 16 DE 1871.										
Barómetro reducido a 0°	mm. 761.40	mm. 760.74	mm. 760.46	mm. 760.51	mm. 760.55	mm. 760.75	mm. 761.00	mm. 760.55	mm. 761.75	
Termómetro centígrado.....	o 15.9	o 16.1	o 15.8	o 14.9	o 14.6	o 14.1	o 13.9	o 14.9	o 14.78	
Psicrómetro. {	Humedad relat...	85	83	85	80	76	80	80	89	82
	Fuerza elástica...	mm. 11.46	mm. 11.20	mm. 11.24	mm. 10.14	mm. 9.40	mm. 9.45	mm. 9.44	mm. 11.06	mm. 10.42
Estado atmosférico	N.	N.	Np.	D.	D.	D.	D.	N.	
NOVIEMBRE 26 DE 1871.										
Barómetro reducido a 0°	mm. 763.76	mm. 763.38	mm. 763.06	mm. 764.08	mm. 763.71	mm. 763.93	mm. 762.83	mm. 762.46	mm. 763.29	
Termómetro centígrado.....	o 16.1	o 16.2	o 16.3	o 14.9	o 14.2	o 13.5	o 13.8	o 15.1	o 15.01	
Psicrómetro. {	Humedad relat...	83	76	75	80	89	93	84	95	84
	Fuerza elástica...	mm. 11.20	mm. 10.40	mm. 10.34	mm. 10.01	mm. 10.70	mm. 10.59	mm. 9.89	mm. 12.62	mm. 10.72
Estado atmosférico	N.	N.	Np.	N.	N.	N.	D.	D.	

Instrumentos.	DICIEMBRE 6 DE 1871.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°	mm. 761.49	mm. 760.14	mm. 759.96	mm. 760.87	mm. 760.88	mm. 760.68	mm. 761.69	mm. 761.59	mm. 760.78	
Termómetro centígrado	0	0	0	0	0	0	0	0	0	
	18.0	20.2	17.6	16.1	15.3	15.2	15.9	16.8	16.89	
Psicrómetro. {	Humedad relat...	82	68	78	87	91	86	89	85	89
	Fuerza elástica...	mm. 12.60	mm. 11.96	mm. 11.54	mm. 11.74	mm. 11.64	mm. 11.60	mm. 11.80	mm. 12.03	mm. 11.79
Estado atmosférico	Np.	N.	N.	D.	D.	N.	N.	N.	
DICIEMBRE 16 DE 1871.										
Barómetro reducido a 0°	mm. 762.30	mm. 761.53	mm. 760.32	mm. 761.55	mm. 761.85	mm. 762.69	mm. 763.43	mm. 764.63	mm. 762.29	
Termómetro centígrado	0	0	0	0	0	0	0	0	0	
	18.3	20.1	18.2	16.7	14.9	12.4	13.4	16.3	16.35	
Psicrómetro. {	Humedad relat...	78	70	88	81	89	86	86	85	83
	Fuerza elástica...	mm. 12.27	mm. 12.16	mm. 13.46	mm. 11.53	mm. 11.06	mm. 9.07	mm. 9.53	mm. 12.17	mm. 11.41
Estado atmosférico	Np.	Np.	D.	D.	D.	Np.	N.	N.	
DICIEMBRE 26 DE 1871.										
Barómetro reducido a 0°	mm. 761.47	mm. 760.52	mm. 760.77	mm. 761.17	mm. 761.09	mm. 761.11	mm. 761.59	mm. 761.67	mm. 761.17	
Termómetro centígrado	0	0	0	0	0	0	0	0	0	
	18.9	20.3	18.1	16.3	15.2	14.3	14.3	17.2	16.89	
Psicrómetro. {	Humedad relat...	80	72	82	87	89	86	82	77	82
	Fuerza elástica...	mm. 12.90	mm. 12.71	mm. 12.54	mm. 12.05	mm. 11.31	mm. 10.50	mm. 10.33	mm. 11.23	mm. 11.70
Estado atmosférico	N.	Np.	Np.	Np.	D.	Np.	N.	D.	