

OBSERVACIONES METEOROLÓGICAS

1871.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Máx.	Mín.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	57.10	54.56	46.82	52.83	6.5	7.2	7.2	7.0	9.4	...	2.2	2.4	2.0
2	47.29	47.08	47.01	47.18	8.0	8.0	5.0	5.3	10.0	0.6	1.8	1.4	2.4
3	45.26	45.00	46.15	45.47	6.0	4.2	5.0	5.1	6.7	0.6	2.4	3.0	2.2
4	43.40	42.52	42.27	42.66	8.8	6.2	4.2	6.4	9.4	2.8	2.8	2.0	2.4
5	55.91	52.90	55.93	41.88	10.0	9.4	5.5	8.3	10.0	2.8	3.2	1.8	2.2
6	39.79	42.71	53.69	45.40	6.2	3.5	12.5	7.4	11.1	2.8	3.4	2.2	2.8
7	37.94	44.22	50.07	44.08	11.0	7.2	5.4	7.9	12.2	3.8	1.4	4.0	2.0
8	48.35	49.62	54.89	50.95	8.5	6.8	7.0	7.4	8.9	2.2	2.4	1.6	2.4
9	55.90	58.49	55.80	50.06	10.2	8.4	3.5	7.4	10.0	3.3	3.8	1.8	1.8
10	54.64	51.15	56.19	47.31	3.5	3.4	6.5	4.5	5.0	-0.6	1.6	1.6	3.4
11	71.45	86.90	56.13	64.23	5.4	0.1	3.4	5.0	5.6	-2.2	1.8	2.0	2.0
12	57.23	50.88	49.93	52.52	5.5	4.0	4.0	4.5	3.3	1.7	2.0	1.6	1.4
13	46.80	45.12	44.49	45.47	5.6	4.6	4.8	5.0	5.0	3.9	1.6	1.0	1.4
14	43.94	44.10	47.41	44.95	9.0	5.0	3.4	5.3	8.3	3.3	1.8	2.0	2.0
15	46.95	47.15	48.68	47.59	8.4	5.0	6.0	6.5	7.2	2.2	2.2	2.0	0.6
16	50.06	56.23	61.59	55.94	7.5	3.0	6.8	5.3	7.8	0.0	1.6	0.5	1.6
17	73.93	68.78	76.60	71.44	8.0	3.5	5.0	5.5	4.4	1.7	1.8	3.6	2.2
18	61.30	71.32	57.36	63.83	5.0	5.2	6.6	5.6	6.1	4.4	1.6	2.8	2.4
19	52.47	45.94	44.92	47.78	8.0	4.0	5.0	5.7	7.8	3.3	3.0	3.2	1.4
20	46.95	47.56	52.62	49.08	5.4	4.0	4.5	4.6	6.1	1.7	1.4	1.2	1.4
21	54.39	55.41	50.03	53.28	5.0	0.3	5.2	3.7	5.0	-0.6	3.2	2.2	1.0
22	51.02	52.22	50.64	51.56	7.0	5.0	5.8	5.9	7.8	3.3	1.4	2.2	2.2
23	46.02	42.01	53.40	42.81	6.5	6.0	5.0	5.8	6.1	3.9	2.2	1.2	2.0
24	39.72	40.94	39.67	40.11	7.5	3.0	5.5	5.3	8.3	1.7	1.4	1.6	2.2
25	39.85	39.57	43.61	41.01	6.8	3.2	4.2	4.7	7.2	1.7	3.2	2.0	1.8
26	45.18	45.51	46.15	45.61	7.0	4.5	5.0	5.5	7.2	2.2	2.6	2.2	2.0
27	46.94	46.77	52.49	48.40	8.0	6.8	5.0	6.6	7.8	1.1	3.2	2.0	2.8
28	53.65	52.49	47.40	51.17	4.8	1.0	5.5	3.8	5.6	-3.3	2.8	2.0	1.2
29	47.36	47.29	48.82	47.82	4.0	1.0	4.0	3.0	4.0	-0.6	2.0	1.6	2.8
30	47.78	46.08	42.59	45.48	7.0	6.0	4.5	5.8	7.2	2.8	2.6	2.2	2.4
31	41.07	40.12	41.07	40.75	4.8	4.0	5.2	4.7	5.6	1.7	2.4	2.2	2.2

JUNIO

1	41.08	41.27	40.32	40.89	7.0	2.0	3.8	4.3	-1.1	2.2	2.6	1.6
2	40.11	39.22	32.76	37.37	5.8	4.0	3.5	4.4	8.3	1.1	2.4	2.0	1.8
3	31.68	34.80	42.22	36.23	5.2	-2.8	-3.0	3.7	5.0	2.8	1.8	2.0	1.8
4	45.64	45.06	44.83	44.48	5.0	-3.0	0.8	2.9	7.2	3.3	1.4	1.8	1.8
5	42.59	41.56	41.20	41.78	4.5	-1.2	4.5	3.4	6.1	-0.6	0.8	2.6	3.0
6	41.07	39.61	54.10	44.85	5.0	4.0	2.0	3.7	5.0	-0.6	3.2	2.6	6.0
7	53.97	51.93	50.08	51.99	4.4	1.2	4.0	3.2	4.4	-0.6	3.0	3.4	2.4
8	52.11	54.34	56.70	54.38	4.0	1.2	4.2	1.8	6.1	-2.2	4.2	2.8	2.8
9	55.60	53.97	53.01	54.19	3.8	2.0	1.8	2.5	3.9	-1.1	2.6	2.0	6.2
10	49.57	45.01	60.57	51.72	4.5	-3.0	2.8	3.4	1.1	2.2	2.0	5.0
11	46.17	49.06	50.27	48.80	5.4	2.8	4.5	4.2	5.6	1.1	2.2	2.0	2.2
12	47.59	41.00	48.67	44.09	7.0	5.2	3.6	5.3	6.7	2.2	2.4	1.2	1.6
13	48.68	49.83	37.78	45.43	-3.0	2.0	4.4	3.1	3.3	-1.1	1.0	4.2	2.8
14	37.44	28.60	38.74	38.26	-5.0	8.5	2.0	3.5	6.7	1.1	2.8	3.8	2.4
15	42.16	43.81	39.07	41.88	2.0	3.0	4.0	3.0	3.9	1.1	1.6	2.4	1.8
16	43.81	44.25	41.14	43.07	2.8	3.5	7.0	4.4	7.7	1.7	0.8	1.6	2.2
17	40.87	45.88	43.91	43.55	8.0	7.4	7.0	7.5	-5.6	1.6	2.4	1.2
18	40.83	44.61	47.74	44.41	9.8	5.2	3.0	6.0	10.7	1.7	1.6	1.2	1.2
19	46.68	50.40	47.93	49.00	3.8	0.8	1.0	1.9	3.9	0.0	1.4	1.4	1.4
20	48.31	48.00	46.75	47.69	2.2	0.2	2.5	1.6	3.3	-3.9	2.6	2.0	1.6
21	44.01	45.58	54.37	47.97	2.4	0.2	2.6	1.7	2.8	-4.4	3.0	2.0	2.4
22	55.87	56.84	53.54	55.35	0.2	1.0	3.5	1.6	3.8	-4.4	2.0	0.2	2.6
23	53.76	58.91	59.69	57.45	5.8	4.2	5.0	5.0	6.1	1.1	3.0	2.4	2.8
24	58.84	55.72	47.02	63.86	6.4	4.8	8.0	6.4	7.2	3.9	1.4	1.4	1.2
25	45.83	45.00	42.09	44.31	7.5	5.0	4.0	5.5	8.3	2.8	1.4	1.2	1.2
26	42.02	42.16	41.28	41.82	5.8	2.0	1.5	3.1	5.8	2.2	1.2	1.6	2.0
27	41.14	47.27	54.37	47.59	3.2	0.2	1.3	1.7	3.9	-3.3	2.4	1.8	1.8
28	54.92	53.73	47.30	51.93	1.0	1.2	3.8	2.9	2.8	-2.2	3.0	1.0	2.0
29	47.74	46.08	52.17	48.66	7.6	6.0	7.8	6.9	7.2	3.3	3.0	1.8	1.4
30	53.11	53.55	48.13	51.84	7.6	6.6	8.0	7.1	7.8	5.0	3.6	1.4	1.6

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSP.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
66	65	71	67	4.53	4.82	5.34	4.90	E ₁	N ₂	NO ₁	N.	N.	N.
74	76	62	71	5.56	4.63	3.87	4.69	SE ₁	O ₁	C	Np.	Np.	Np.
62	52	65	60	4.11	3.16	3.99	3.76	C	C	—	—	—	—
61	71	60	64	4.86	5.34	3.59	4.60	SO ₁	O ₂	SO ₁	Np.	Ll.	—
57	76	65	66	4.92	6.41	3.99	5.11	NO ₁	O ₁	O ₂	Np.	Np.	—
47	63	64	58	3.24	3.63	6.21	4.36	SO ₂	O ₂	NO ₂	Np.	Np.	Np.
81	42	67	63	7.53	3.06	4.43	5.01	O ₂	SO ₂	NO ₁	—	D.	Ll.
66	75	63	68	5.31	5.46	4.57	5.11	NE ₁	S ₁	N ₁	—	N.	N.
50	75	09	65	4.36	6.12	3.87	4.78	NO ₁	C	SO ₁	—	N.	Ll.
72	72	67	64	4.07	3.83	3.00	3.63	O ₁	SO ₁	—	Ll.	Ll.	D.
70	59	65	65	4.47	2.28	3.59	3.45	S ₁	C	NO ₁	Np.	Ll.	D.
67	72	73	71	4.85	4.15	4.43	4.31	SO ₁	SO ₂	C ₂	Np.	Np.	—
74	83	76	78	4.81	5.03	4.63	4.82	NO ₂	C ₂	NO ₂	—	N.	—
75	67	65	69	5.92	4.19	3.65	4.59	NO ₁	O ₁	—	Np.	Np.	—
82	67	80	80	6.22	4.43	5.32	5.49	SO ₂	O ₁	O ₂	—	Np.	Np.
77	90	74	80	5.68	4.45	4.81	4.98	O ₁	S ₂	C ₂	—	D.	Np.
74	46	65	62	5.46	2.07	3.96	3.84	—	N ₁	NO ₁	—	Np.	Ll.
73	58	63	65	4.67	4.02	4.41	4.37	SO ₂	E ₂	—	Ll.	N.	N.
57	50	77	61	4.30	3.28	4.79	4.12	N ₁	N ₁	O ₁	—	N.	Np.
77	80	76	78	4.85	4.59	4.43	4.62	SO ₁	NE ₂	SO ₁	Np.	N.	N.
48	61	83	64	2.88	2.78	5.25	3.64	SO ₂	S ₁	S ₂	D.	N.	D.
78	65	65	69	5.58	4.23	4.23	4.68	SO ₁	SO ₁	O ₂	—	N.	N.
68	81	66	71	4.45	5.29	4.07	4.60	NO ₂	N ₂	SO ₁	—	N.	Np.
78	71	65	71	5.58	3.83	3.99	4.47	SO ₁	S ₂	NO ₁	D.	D.	Np.
51	66	69	62	3.47	3.65	4.03	3.72	O ₁	SO ₂	O ₁	Np.	N.	N.
61	64	57	61	4.37	3.95	3.71	4.01	N ₁	SO ₁	NO ₁	—	Np.	Np.
53	70	52	58	4.02	9.90	2.94	5.62	N ₂	C	O ₂	—	N.	D.
54	67	77	66	9.27	3.51	3.33	3.37	C ₂	NO ₂	NO ₂	Np.	D.	Np.
65	73	52	63	3.65	3.50	3.00	3.38	O ₁	C ₂	O ₁	—	N.	N.
59	65	60	61	3.91	4.31	3.67	3.96	O ₂	N ₂	NO ₂	—	Np.	—
60	64	65	63	3.67	3.87	4.07	3.87	NO ₂	N ₁	NO ₁	—	N.	—

DE 1871.

66	61	72	66	4.61	2.90	4.15	3.89	NO ₁	NO ₂	O ₂	D.	Np.	N.
62	66	69	66	4.03	3.75	3.87	3.88	—	O ₂	SO ₁	N.	—	—
70	63	63	67	3.47	3.35	3.71	3.84	SO ₁	O ₁	N ₁	—	—	—
76	61	66	68	4.79	3.35	3.01	3.72	NO ₂	NO ₂	NO ₁	—	N.	D.
85	58	51	63	4.46	2.76	3.06	3.43	N ₁	O ₁	N ₂	—	D.	N.
48	55	51	54	2.94	3.24	2.90	3.03	N ₂	NO ₁	SO ₂	—	Np.	Np.
42	41	59	47	2.52	1.98	3.29	2.60	O ₁	O ₁	O ₁	Np.	Np.	D.
35	50	58	44	2.29	2.47	1.92	2.23	SO ₂	SO ₁	—	—	D.	Np.
55	62	46	59	3.12	3.17	2.58	2.96	NO ₁	O ₂	—	—	N.	N.
62	64	21	49	3.53	3.41	1.27	2.74	—	NO ₁	SO ₁	—	—	—
65	64	63	64	4.23	3.41	3.63	3.70	O ₃	N ₁	O ₂	—	—	—
64	79	72	72	4.49	4.41	4.07	4.32	NO ₁	N ₂	NO ₂	—	—	—
82	35	52	56	4.35	1.46	3.18	3.00	O ₂	O ₁	O ₂	D.	D.	—
54	42	55	50	3.35	2.02	2.81	2.73	O ₂	O ₂	O ₁	Np.	N.	—
71	58	69	66	3.65	3.23	3.95	3.61	O ₂	SO ₂	O ₂	Ll.	N.	—
85	72	66	74	4.24	4.07	3.61	4.31	O ₁	O ₂	N ₁	N.	N.	—
77	65	81	74	5.78	4.74	5.70	5.41	NNO ₂	NO ₁	C ₂	Ll.	Ll.	Np.
...	81	79	80	5.29	4.23	4.76	NO ₂	O ₄	NO ₂	—	D.	N.
75	75	73	74	4.27	3.53	3.47	3.76	NO ₃	O ₁	C ₁	N.	N.	N.
58	63	66	62	2.71	2.91	2.37	2.66	O ₁	SO ₁	NO ₁	D.	D.	D.
47	61	50	55	2.36	2.67	1.71	2.25	NO ₁	N ₁	SO ₁	—	—	—
61	96	55	71	2.61	3.85	3.12	3.19	O ₁	O ₁	O ₂	—	—	—
52	58	54	55	3.43	3.29	3.27	3.35	—	SO ₂	SO ₂	Np.	Np.	—
77	76	82	78	5.17	4.79	6.22	5.39	—	O ₂	O ₃	D.	Np.	Np.
79	80	79	79	5.80	4.97	4.53	5.11	SO ₂	S ₂	SO ₁	Np.	N.	—
80	71	62	71	5.13	3.50	3.17	3.96	SO ₂	S ₁	O ₁	—	Np.	—
58	64	63	62	3.17	2.63	2.31	2.74	SE ₁	S ₂	SO ₂	—	N.	—
45	79	64	63	2.09	3.14	3.65	2.96	SO ₂	SO ₁	O ₁	Np.	N.	—
55	71	78	68	3.82	4.69	5.34	4.62	NNO ₁	S ₂	SO ₂	—	N.	D.
47	75	77	66	3.48	5.22	5.78	4.83	SO ₂	SO ₂	—	Np.	Np.	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termóm.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Máx.	Mín.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.									
1	700+	700+	700+	700+	0	0	0	0	0	0	0	0	0
2	48.29	48.42	49.88	48.86	8.2	7.0	6.0	7.1	8.6	2.8	1.3	1.6	2.2
3	50.12	49.69	48.14	47.65	8.8	8.0	11.5	9.4	10.6	4.4	1.2	1.4	1.4
4	43.08	46.57	52.74	47.46	9.0	5.2	4.0	6.1	12.2	2.2	1.6	1.8	2.8
5	53.63	53.57	50.09	52.48	5.2	2.0	3.4	3.5	5.6	1.1	3.4	2.8	2.4
6	49.69	49.83	48.31	49.28	5.4	0.2	0.2	1.9	6.1	-2.2	3.4	2.2	1.8
7	51.56	58.36	63.53	57.82	0.0	-2.8	-3.5	-2.1	2.2	-6.1	2.8	1.6	1.8
8	62.93	62.12	59.02	61.36	0.4	-5.4	-5.8	-3.6	-0.5	-7.2	3.2	1.8	1.4
9	56.91	56.02	54.64	55.86	0.2	-5.5	-2.5	-2.7	0.3	-6.7	3.2	1.8	0.8
10	53.08	52.91	51.46	52.47	-1.0	-4.0	-6.5	-3.8	1.7	-8.9	2.6	2.0	1.8
11	50.32	50.51	50.45	50.43	-1.0	-6.8	-1.8	-3.2	-0.9	-9.4	1.8	1.8	2.4
12	49.22	44.84	30.04	41.37	2.0	1.0	-0.2	0.9	7.2	-3.3	1.2	3.4	1.6
13	26.04	34.93	47.81	36.26	4.0	3.0	0.5	2.5	7.2	-1.7	1.2	3.4	2.2
14	50.29	50.61	49.02	49.97	1.8	0.2	2.8	1.6	2.9	-0.6	2.8	1.8	1.6
15	46.35	42.79	43.95	44.26	3.5	3.0	-0.6	2.0	3.9	-1.1	4.6	1.6	1.8
16	46.35	48.14	49.22	47.90	-1.0	-3.0	2.0	-0.7	1.7	-3.9	2.4	1.4	3.0
17	50.41	50.86	46.62	49.29	3.0	-1.0	3.0	-1.7	5.6	-2.8	4.0	0.6	2.0
18	50.29	53.42	51.90	51.87	0.8	-4.5	2.8	-0.3	3.9	0.7	2.4	2.2	3.0
19	48.89	50.72	59.52	53.04	3.0	1.6	-1.0	1.2	4.4	-3.9	4.0	3.2	3.0
20	60.84	61.92	58.34	60.37	-0.2	1.0	4.0	1.6	4.3	-1.7	3.0	2.0	1.8
21	54.69	49.52	46.22	50.14	6.0	4.0	4.5	4.8	6.2	0.0	3.4	2.2	2.0
22	36.69	34.40	35.18	35.42	6.4	6.0	4.8	5.7	6.7	1.1	2.8	2.6	2.8
23	41.07	51.43	61.86	51.45	5.6	2.0	-0.5	2.4	6.0	-5.6	4.2	1.6	0.6
24	64.26	66.23	67.00	65.83	1.4	-2.0	4.8	1.4	5.0	-6.1	2.2	2.2	3.8
25	64.53	56.91	69.54	63.66	4.2	3.0	4.2	3.8	5.6	-1.1	3.3	3.0	3.6
26	61.30	84.33	56.23	67.29	6.6	6.4	7.0	6.7	8.3	5.0	1.4	1.6	2.4
27	53.49	51.15	52.16	52.27	8.4	3.0	7.0	6.1	10.6	2.2	2.6	1.4	1.4
28	48.61	56.37	59.05	54.68	7.0	4.0	5.0	5.3	8.3	0.6	1.2	1.8	1.4
29	57.31	53.89	47.68	52.96	4.0	2.0	5.0	3.7	5.6	1.1	3.0	1.4	1.4
30	46.22	47.36	46.28	46.62	3.4	5.2	3.4	4.0	5.0	-0.6	1.0	1.0	2.2
31	48.89	43.87	36.39	43.05	1.2	3.8	3.0	2.7	6.1	0.6	2.4	2.2	1.9
31	44.82	49.08	56.84	50.25	2.0	-0.8	5.0	2.1	5.8	-1.7	2.8	2.5	2.2

AGOSTO

1	48.82	44.94	52.83	48.86	3.5	4.0	5.3	4.3	5.9	-0.6	1.8	1.8	2.8
2	51.36	49.44	47.11	49.30	4.2	4.5	4.0	4.2	4.4	0.6	2.5	1.8	4.8
3	47.23	46.35	41.47	45.02	3.8	1.0	1.6	2.1	-0.6	3.6	2.0	3.0
4	59.30	51.36	41.47	44.04	3.2	4.0	2.0	3.1	3.9	-1.1	2.6	1.8	2.8
5	45.13	46.55	54.24	48.64	2.0	-0.4	4.0	1.9	3.9	-2.2	3.0	2.4	1.2
6	54.47	53.93	36.39	48.26	3.8	1.2	0.0	1.7	4.4	-1.1	3.0	0.6	1.0
7	58.71	45.27	38.86	47.61	3.0	0.0	2.4	1.8	4.4	-5.6	0.4	0.6	0.8
8	45.27	41.67	40.22	42.39	1.0	-3.0	-3.8	-1.9	3.9	-7.8	2.6	2.4	1.2
9	36.52	40.27	40.01	38.93	0.0	-4.0	1.0	-1.0	1.1	-5.0	3.6	1.8	3.2
10	39.83	39.34	44.28	41.37	1.0	0.2	0.0	0.4	0.6	-3.9	3.0	1.8	1.8
11	46.55	45.21	57.85	49.87	1.8	1.6	5.8	3.1	5.9	-4.4	2.5	3.0	2.2
12	59.09	61.92	64.83	61.96	2.0	-4.0	4.2	0.7	6.7	-3.9	3.2	2.0	3.2
13	64.39	61.92	59.88	62.06	3.0	-1.0	1.4	1.1	4.4	-10.6	3.4	3.2	2.4
14	55.31	51.91	45.54	50.94	0.4	-6.4	0.0	-2.0	0.6	-7.2	2.0	1.6	0.6
15	43.41	44.01	44.51	43.98	1.5	1.0	3.4	2.0	2.8	-4.4	2.0	1.0	1.8
16	46.15	46.55	40.14	44.28	4.0	-3.0	0.0	0.3	5.6	-5.6	2.0	2.0	1.0
17	36.39	33.98	31.64	34.00	1.0	-5.0	5.0	0.3	5.0	-7.2	1.0	1.4	1.0
18	29.40	33.79	37.73	33.64	4.0	6.2	1.4	3.9	6.4	-2.8	1.2	1.4	1.8
19	41.34	44.01	47.49	44.28	2.5	2.0	8.4	4.3	8.7	-3.3	1.0	0.2	1.8
20	48.76	48.95	47.68	48.46	5.0	7.0	6.0	6.0	7.8	0.6	1.6	1.2	1.2
21	50.53	51.49	50.23	50.75	4.0	0.4	2.0	2.1	6.7	-3.9	2.2	1.0	2.0
22	49.71	51.55	61.55	54.28	3.0	4.0	6.0	4.3	7.2	-1.1	1.8	2.2	2.4
23	61.24	58.76	54.47	58.16	7.0	4.0	3.0	4.7	8.3	0.6	1.4	2.0	1.8
24	49.58	45.51	40.14	45.07	2.8	2.4	6.0	3.7	8.3	1.1	1.6	1.6	1.2
25	40.17	39.54	36.94	38.89	7.0	3.0	2.0	4.0	7.8	-0.6	2.8	1.6	0.2
26	33.46	34.53	35.11	34.37	4.4	2.5	7.4	4.8	7.6	0.6	1.0	0.4	1.8
27	36.77	38.60	46.35	40.57	7.0	2.0	7.5	5.5	7.8	0.6	1.8	1.4	2.6
28	51.91	58.91	67.51	59.46	6.8	3.2	9.2	6.4	9.3	-1.1	3.4	1.8	3.2
29	68.14	70.00	71.67	69.94	6.0	3.5	12.0	7.2	12.3	-0.6	1.4	1.6	2.0
30	71.67	69.31	69.34	70.11	10.0	10.0	10.4	10.1	10.9	-1.7	1.8	1.0	2.2
31	68.08	68.08	56.42	64.20	8.0	7.0	5.0	6.7	9.4	1.1	2.0	1.7	1.2

DE 1871.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSF.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
82	75	66	74	6.12	5.22	4.21	5.18	SO ₂	SO ₂	S ₁	D.	D.	Np.
83	80	82	82	6.48	6.06	7.73	6.76	O ₁	N ₂	NO ₂	Np.	Np.	Np.
77	70	52	66	6.14	4.39	3.00	4.51	O ₁	NO ₂	O ₁	Np.	Np.	Np.
46	100	63	70	2.80	5.10	3.21	3.70	NO ₁	NO ₁	O ₂	Np.	Np.	Np.
47	57	66	57	2.92	2.39	2.89	2.73	O ₂	O ₁	O ₁	Np.	Np.	D.
46	65	59	57	1.97	2.30	2.00	2.09	SO ₂	S ₁	S ₁	D.	Np.	D.
40	54	63	52	1.66	1.57	1.73	1.65	NO ₁	O ₁	O ₁	D.	Np.	Np.
40	53	82	58	1.66	1.44	2.91	2.00	O ₁	—	NO ₁	—	—	Np.
52	52	49	51	2.30	1.68	1.25	1.74	SO ₁	—	O ₁	—	—	Np.
63	50	50	54	2.39	1.25	1.93	1.86	O ₁	NO ₁	N ₁	Np.	Np.	D.
36	54	70	53	1.70	2.46	3.12	2.43	NO ₁	—	O ₁	—	—	Np.
80	47	58	62	4.59	2.46	2.68	3.25	O ₁	S ₂	—	—	—	Np.
51	66	73	63	2.48	3.07	3.67	3.07	—	O ₁	—	—	—	Np.
25	71	65	54	1.28	3.77	2.72	2.59	NO ₂	NO ₂	NO ₂	—	—	Np.
52	67	47	55	2.23	2.21	2.44	2.29	O ₂	O ₁	NO ₂	Np.	D.	Np.
37	88	65	63	1.81	3.52	3.29	2.87	O ₂	O ₂	O ₂	—	—	D.
56	45	47	49	2.52	1.36	2.44	2.11	SO ₂	SO ₂	O ₁	D.	—	Np.
37	47	40	41	1.81	2.33	1.62	1.92	SO ₁	O ₁	O ₁	D.	—	Np.
43	32	69	48	1.82	1.55	3.95	2.44	SO ₂	O ₂	—	Np.	—	Np.
47	65	67	59	3.08	3.63	4.03	3.58	NO ₂	N ₁	N ₂	—	—	Np.
57	59	58	58	3.86	3.83	3.94	3.88	NO ₂	O ₁	SO ₂	D.	—	Np.
34	72	88	65	2.17	3.61	3.58	3.12	S ₂	O ₂	NO ₁	Np.	—	Np.
60	53	43	52	2.82	1.98	2.12	2.31	NO ₁	O ₁	—	Np.	—	Np.
49	49	45	48	2.51	2.67	2.17	2.45	—	N ₁	N ₁	Np.	—	Np.
78	75	65	73	5.42	5.22	4.66	5.10	O ₂	NO ₂	—	Np.	—	Np.
64	75	79	73	4.98	4.05	5.62	4.88	N ₁	N ₂	NO ₁	Np.	D.	Np.
32	69	77	76	5.74	3.95	4.69	4.79	O ₁	SO ₁	O ₁	D.	—	Np.
50	74	77	67	2.94	3.79	4.77	3.83	N ₁	N ₁	NO ₁	Np.	—	Np.
82	83	80	82	4.45	5.09	4.43	4.65	—	O ₁	N ₂	Np.	—	Np.
58	61	66	62	2.69	3.35	3.50	3.18	SO ₁	—	O ₁	D.	—	Np.
51	52	65	56	2.54	2.21	3.99	2.91	NO ₂	N ₁	N ₂	—	—	Np.

DE 1871.

69	69	51	63	3.87	3.95	2.48	3.43	NO ₁	N ₁	NO ₁	Np.	—	Np.
59	69	24	51	3.45	4.19	1.49	3.04	—	NO ₁	O ₁	Np.	—	Np.
39	62	51	51	2.22	2.93	2.48	2.54	NO ₂	NO ₂	NO ₁	Np.	—	Np.
53	69	47	56	2.94	3.95	2.38	3.09	NO ₁	NO ₁	O ₁	Np.	—	Np.
48	54	79	60	2.46	2.20	4.47	3.04	O ₂	SO ₂	O ₂	Np.	D.	Np.
45	88	80	71	2.70	3.52	3.43	3.22	O ₁	O ₁	O ₁	—	—	Np.
93	70	85	83	5.02	3.12	4.36	4.17	SO ₁	SO ₁	SO ₁	—	—	Np.
54	49	70	58	2.46	1.70	2.17	2.11	—	SO ₂	NO ₁	Np.	D.	Np.
33	58	46	46	1.30	1.75	2.03	1.69	NO ₁	O ₁	E ₂	—	—	Np.
46	67	69	61	2.20	3.15	2.94	2.76	E ₂	E ₂	O ₁	—	—	Np.
57	54	63	58	2.64	2.34	3.79	2.92	O ₂	O ₁	NO ₁	—	—	Np.
47	52	47	49	2.27	1.63	2.15	2.02	SE ₁	SO ₁	—	—	D.	Np.
44	40	56	47	2.17	1.71	2.45	2.11	NO ₁	NO ₁	C ₂	D.	—	Np.
71	57	89	72	3.18	1.46	3.76	2.80	N ₂	—	NO ₁	Np.	—	Np.
64	65	67	65	2.97	3.23	3.71	3.30	NO ₁	—	O ₂	—	—	Np.
65	78	81	75	3.65	2.74	3.49	3.29	O ₁	O ₁	NO ₂	D.	—	Np.
80	66	82	76	3.69	1.97	4.43	3.36	NO ₁	—	—	Np.	—	Np.
80	73	67	73	4.59	3.22	3.33	3.71	O ₁	S ₁	O ₁	—	—	Np.
82	67	70	73	4.35	3.39	4.55	4.10	SO ₂	SO ₁	—	Np.	—	Np.
73	81	80	78	4.67	5.38	5.29	5.11	O ₂	—	—	—	D.	Np.
63	80	64	69	3.63	3.48	3.17	3.43	S ₂	—	NO ₁	—	—	Np.
67	63	65	65	3.59	3.71	4.98	4.09	NO ₁	O ₁	O ₁	—	—	Np.
78	66	67	70	5.50	3.75	3.53	4.26	O ₁	—	S ₁	—	—	Np.
71	71	60	74	3.71	3.71	5.21	4.21	NO ₁	NO ₁	O ₂	—	—	Np.
56	71	96	74	3.79	3.89	4.82	4.17	NO ₂	O ₁	NO ₂	—	—	Np.
82	93	73	83	4.47	4.70	5.02	4.73	N ₂	N ₂	O ₁	—	—	Np.
73	74	62	70	5.18	3.71	4.54	4.48	NO ₂	—	SO ₁	Np.	—	Np.
49	67	65	60	3.44	3.59	4.34	3.79	O ₂	S ₂	—	D.	—	Np.
77	72	71	72	5.17	4.07	5.44	4.89	O ₂	N ₁	N ₁	Np.	—	Np.
71	83	69	74	4.69	5.17	5.32	5.06	N ₁	N ₁	NO ₁	D.	—	Np.
71	74	80	75	5.34	5.40	4.97	5.24	NO ₁	NO ₁	N ₁	—	—	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.			
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Máx.	Mín.	Hif. de los termóm.			
											2½ h.	9 h.	21 h.	
mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o	o	
1	700+	700+	700+	700+	0	0	0	0	0	8.3	1.7	1.4	1.4	0
2	52.08	56.80	47.49	51.94	7.0	3.5	5.0	5.2	8.3	1.7	1.4	1.4	1.4	0.4
3	43.81	43.84	36.07	41.25	9.0	5.5	4.0	6.2	10.5	1.1	2.0	0.8	0.8	1.6
4	61.08	59.76	40.52	47.12	-0.4	-2.0	4.0	0.5	4.4	1.7	0.6	0.8	0.8	1.6
5	40.37	40.56	49.58	43.50	4.8	3.2	5.0	4.3	6.7	-2.2	0.6	1.4	1.4	2.2
6	36.13	55.55	46.55	46.08	4.0	0.4	6.6	3.7	6.7	-1.1	1.6	1.4	1.4	1.4
7	41.74	37.33	31.83	36.98	9.5	5.0	9.2	7.9	10.6	1.7	2.2	0.8	0.8	3.2
8	33.26	36.07	41.41	36.91	6.0	1.2	5.2	4.1	8.3	-0.6	1.8	1.2	1.4	1.4
9	43.74	46.49	51.70	47.31	3.8	-0.5	5.0	2.8	5.6	-2.8	1.0	0.2	2.0	2.0
10	54.84	55.16	57.58	55.79	5.4	3.2	8.4	5.7	3.9	1.7	2.4	1.2	3.0	3.0
11	58.57	54.84	59.52	57.64	8.2	7.0	9.4	8.2	10.0	3.3	2.8	1.8	2.4	2.4
12	54.88	61.36	62.00	59.41	8.5	5.2	14.0	9.2	13.3	0.6	2.2	1.4	4.0	4.0
13	60.90	61.63	58.07	60.20	10.2	4.0	11.8	8.7	13.3	2.2	3.2	1.4	4.0	4.0
14	56.83	53.36	54.39	54.86	11.0	7.8	6.8	8.5	12.2	2.2	3.8	2.4	1.6	1.6
15	53.15	52.85	51.40	52.47	12.4	5.5	7.4	8.4	12.8	0.6	3.0	0.6	1.0	1.0
16	51.58	51.65	44.50	49.18	7.6	3.8	11.2	7.5	10.0	-0.6	1.0	1.0	3.4	3.4
17	45.11	43.90	52.28	47.10	7.0	5.0	11.5	7.8	11.1	-2.2	2.2	0.8	4.8	4.8
18	50.83	48.35	45.88	48.35	8.2	6.0	11.5	8.6	11.7	3.3	2.4	1.0	2.0	2.0
19	48.08	48.35	45.94	47.46	10.0	7.8	7.2	8.3	11.1	4.4	1.8	1.3	1.0	1.0
20	44.53	43.01	40.68	42.72	12.2	9.0	10.4	10.5	12.2	5.0	4.0	1.2	1.4	1.4
21	43.14	55.28	62.21	58.54	7.8	1.2	9.8	6.3	10.0	-1.1	2.4	1.0	3.0	3.0
22	61.17	57.36	46.89	55.14	7.5	5.8	15.0	9.4	13.9	2.2	3.0	2.0	4.8	4.8
23	44.46	48.21	56.17	49.61	9.0	6.0	9.2	8.1	15.0	-1.7	1.0	0.8	4.2	4.2
24	58.36	62.62	63.99	61.66	9.5	3.2	7.6	6.8	11.7	-1.7	1.4	1.0	2.8	2.8
25	63.82	64.65	58.76	62.41	-11.2	4.0	8.0	7.7	11.1	1.7	4.0	1.2	1.6	1.6
26	59.70	60.09	64.79	61.53	7.0	4.4	8.5	6.6	10.0	-0.6	1.2	1.2	2.4	2.4
27	66.11	67.76	65.81	66.56	7.4	2.0	10.5	6.6	10.0	1.1	0.6	1.6	3.0	3.0
28	65.44	61.26	57.34	61.35	13.5	10.2	9.0	10.9	15.0	6.7	4.0	1.4	2.0	2.0
29	55.25	56.76	57.36	56.46	11.8	8.0	10.6	10.1	11.1	0.6	4.0	1.6	3.4	3.4
30	54.85	52.65	48.35	51.95	13.8	6.2	10.2	10.1	13.9	-1.7	4.2	0.8	2.2	2.2
31	42.94	41.48	44.92	43.11	12.4	8.0	7.5	9.3	13.3	1.1	3.0	2.4	3.0	3.0

OCUBRE

1	48.08	48.29	41.05	45.81	9.0	6.0	16.0	10.3	16.4	4.4	3.6	3.0	5.6	5.6
2	42.17	47.08	46.88	45.21	9.8	3.5	4.2	5.8	11.1	1.7	2.6	0.4	0.4	0.4
3	43.21	46.90	51.02	47.04	7.2	6.0	8.8	7.3	11.1	-0.6	0.6	2.0	2.2	2.2
4	53.36	57.68	57.99	56.34	7.5	3.0	15.0	8.5	12.2	-2.8	1.8	1.4	6.2	6.2
5	51.98	57.04	55.28	54.77	10.4	3.0	7.8	7.1	12.8	-0.6	4.6	1.8	1.8	1.8
6	53.63	39.15	47.46	46.73	12.8	5.0	9.4	9.1	12.8	2.8	2.6	1.6	4.4	4.4
7	43.13	40.81	39.85	41.26	13.0	7.0	10.0	10.0	13.2	2.2	4.0	2.6	4.4	4.4
8	40.81	44.41	39.34	41.52	7.2	2.4	5.5	5.0	9.4	1.1	2.6	0.8	0.6	0.6
9	43.54	51.09	50.21	48.21	7.4	3.0	9.0	6.5	10.6	1.7	3.6	0.8	2.4	2.4
10	49.03	49.85	46.77	48.56	12.5	8.0	9.8	10.1	13.3	5.6	3.2	1.8	2.6	2.6
11	43.24	39.25	34.31	38.93	14.4	11.2	13.6	13.1	16.1	7.2	3.2	3.4	4.0	4.0
12	36.90	44.79	44.55	42.08	11.8	3.0	9.2	8.0	15.6	-1.7	4.8	2.0	2.4	2.4
13	45.81	47.46	49.37	47.55	7.8	1.4	7.5	5.6	9.4	-1.7	0.4	1.8	3.4	3.4
14	49.75	53.76	51.98	51.83	4.4	4.0	5.5	4.6	9.4	-3.3	1.6	1.4	3.0	3.0
15	55.15	57.82	58.84	57.27	5.4	2.4	7.2	5.0	7.2	1.1	1.8	1.2	2.8	2.8
16	58.99	72.36	62.12	64.43	8.2	1.4	6.4	5.3	8.9	-0.6	3.2	0.8	2.8	2.8
17	62.43	62.76	62.03	62.41	6.0	3.8	8.8	6.2	9.4	1.7	2.2	1.2	3.0	3.0
18	60.01	59.50	54.50	58.00	7.0	4.8	6.2	6.0	7.8	3.3	1.8	0.8	0.4	0.4
19	53.22	53.36	54.23	53.60	8.4	5.8	9.0	7.7	11.7	2.8	1.2	2.2	3.2	3.2
20	54.85	52.20	51.96	53.00	9.5	4.8	8.6	7.6	11.1	4.4	1.0	1.4	2.8	2.8
21	54.60	55.69	54.43	54.91	12.2	7.8	8.8	9.6	13.9	5.0	4.0	2.8	1.6	1.6
22	53.02	51.69	49.67	51.46	12.2	6.6	13.0	10.6	10.6	5.0	3.4	1.0	1.4	1.4
23	51.60	51.39	49.07	51.89	13.2	7.2	14.2	11.5	11.1	6.1	3.8	1.2	3.8	3.8
24	47.61	48.76	49.58	48.65	16.5	9.5	17.2	14.4	18.9	7.8	5.2	1.8	2.2	2.2
25	50.01	49.51	46.23	48.58	16.5	8.6	9.8	11.6	18.9	5.6	4.0	2.0	0.4	0.4
26	44.07	41.43	39.63	41.73	9.0	7.2	16.0	10.7	15.0	6.1	1.0	2.8	5.0	5.0
27	38.87	34.43	27.92	33.74	11.8	10.0	13.0	11.6	13.3	3.3	0.6	3.6	2.8	2.8
28	27.21	30.47	36.48	31.25	16.8	8.0	11.0	11.0	17.8	4.4	4.8	2.0	4.0	4.0
29	39.19	37.86	31.46	36.17	12.0	5.2	12.0	9.7	12.8	4.4	2.4	1.4	5.0	5.0
30	31.39	32.22	30.32	31.31	9.8	3.2	11.6	8.0	20.0	-1.1	3.0	1.2	3.2	3.2
31	30.20	34.45	42.12	35.59	12.5	6.8	8.2	9.2	13.9	4.4	5.0	1.6	2.4	2.4

DE 1871.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSP.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
80	75	93	83	6.16	4.11	5.61	5.29	O ₂	NO ₁	NO ₂	D.	N.	N.
72	...	72	72	5.90	4.31	5.10	NO ₁	N ₂	O ₃	Np.	—	Np.
88	83	72	81	3.64	3.06	4.23	3.64	O ₁	O ₂	O ₁	Np.	—	Np.
89	73	65	76	5.18	4.11	3.99	4.43	O ₂	—	SO ₂	Np.	Np.	D.
72	73	78	74	4.31	3.22	5.42	4.32	SO ₁	O ₁	NO ₂	Np.	Np.	D.
70	87	55	71	5.68	5.29	4.50	5.16	NO ₂	NO ₁	NO ₂	Np.	Np.	D.
71	92	77	80	4.77	4.12	4.85	4.58	—	NO ₂	O ₃	Np.	Np.	Np.
82	96	57	78	4.43	3.85	3.39	3.89	O ₂	—	SO ₁	Np.	Np.	Np.
62	79	58	66	3.87	4.23	4.62	4.24	O ₁	SO ₁	O ₂	Np.	Np.	D.
60	73	66	66	4.54	5.10	5.90	5.19	—	O ₁	O ₂	Np.	Np.	Np.
69	77	52	63	5.32	4.85	5.09	5.09	NO ₁	—	O ₁	Np.	Np.	D.
57	75	50	61	5.02	4.27	4.60	4.63	—	SO ₁	NO ₁	Np.	Np.	D.
50	65	73	63	4.66	4.74	5.22	4.87	NO ₂	NO ₃	O ₁	Np.	Np.	Np.
63	89	85	79	6.21	4.90	5.94	5.68	O ₁	O ₃	O ₁	Np.	Np.	D.
85	82	58	75	6.04	4.35	5.45	5.23	E ₁	E ₁	—	Np.	Np.	Np.
67	87	32	62	4.78	5.29	3.16	4.41	NO ₂	NO ₂	—	Np.	Np.	Np.
66	84	68	78	5.20	5.00	6.65	5.78	O ₂	O ₁	NO ₁	Np.	Np.	D.
76	73	85	73	6.51	5.26	6.04	5.94	—	O ₂	NO ₂	Np.	Np.	D.
95	83	81	86	9.28	6.68	7.29	7.75	NO ₂	O ₃	NO ₃	Np.	Np.	D.
65	80	57	67	4.82	3.97	4.46	4.42	NO ₃	SO ₂	O ₁	Np.	Np.	D.
56	69	48	58	4.06	4.49	5.68	4.74	NO ₁	NO ₁	NO ₂	Np.	Np.	Np.
85	87	44	72	6.40	5.70	3.75	5.28	O ₃	O ₁	SO ₂	Np.	Np.	Np.
81	82	60	74	6.85	4.43	4.50	5.26	SO ₂	SO ₁	SO ₁	Np.	Np.	Np.
48	80	75	68	4.54	4.59	5.38	4.84	NO ₁	SO ₁	O ₁	Np.	Np.	D.
81	80	67	76	5.70	4.83	5.56	5.36	SE ₁	SE ₁	S ₂	Np.	Np.	D.
91	71	62	75	6.47	3.71	5.79	3.32	O ₁	—	N ₁	Np.	Np.	Np.
98	81	71	83	10.34	7.17	5.74	7.75	—	O ₁	—	Np.	Np.	Np.
50	77	55	61	4.70	5.78	4.79	5.06	N ₁	NO ₁	O ₁	Np.	Np.	Np.
60	87	70	69	5.07	5.70	5.98	5.58	O ₁	O ₁	NO ₁	Np.	Np.	Np.
69	66	56	64	6.05	5.30	4.06	5.14	NO ₁	O ₂	—	Np.	Np.	Np.

DE 1871.

51	54	40	48	4.10	3.51	5.13	4.25	O ₃	N ₂	NO ₃	Np.	N.	N.
65	93	67	84	5.44	4.94	5.38	5.25	NO ₃	NO ₁	NO ₃	Np.	N.	N.
91	67	87	75	6.57	4.43	4.94	5.31	SO ₁	O ₂	O ₂	Np.	N.	Gr.
74	74	65	61	5.56	3.77	4.52	4.62	NO ₂	O ₂	O ₁	D.	D.	D.
40	67	73	60	3.59	3.59	5.26	4.15	—	O ₁	NO ₁	Np.	N.	Np.
68	74	80	74	6.57	4.81	6.56	5.98	NO ₁	O ₂	NO ₂	Np.	N.	Np.
52	61	44	52	5.29	4.37	4.20	4.62	—	—	O ₃	Np.	N.	Np.
61	35	90	79	4.37	4.46	5.90	4.91	O ₃	NO ₂	NO ₂	Np.	N.	Np.
49	85	66	67	3.54	4.36	5.40	4.43	NO ₁	O ₁	—	Np.	N.	Np.
61	74	64	66	6.21	5.56	5.18	5.65	NO ₂	—	N ₂	Np.	N.	Np.
61	56	54	57	6.21	5.36	5.97	5.85	NO ₂	NO ₁	NO ₂	Np.	N.	Np.
42	61	67	57	4.06	3.17	5.86	4.36	O ₂	—	O ₃	Np.	N.	Np.
94	65	55	71	6.95	3.23	4.70	4.96	—	NO ₂	NO ₁	Np.	N.	Np.
72	75	54	67	4.31	4.35	3.83	4.16	O ₂	NO ₂	S ₂	Np.	N.	Np.
70	78	58	69	4.55	4.07	4.10	4.24	S ₂	SO ₁	O ₁	Np.	N.	Np.
55	84	58	66	4.42	4.06	4.02	4.17	SO ₁	O ₃	O ₁	Np.	N.	Np.
66	79	55	77	4.37	4.53	4.60	4.51	SE ₁	NO ₁	SE ₁	Np.	N.	Np.
73	87	95	84	5.10	5.21	6.10	5.47	S ₂	S ₂	E ₁	Np.	N.	Np.
85	65	57	68	6.33	4.23	4.72	5.11	SE ₁	SE ₁	SE ₁	Np.	N.	Np.
86	76	61	74	7.29	4.55	4.86	5.57	SE ₁	SE ₁	NNO ₁	Np.	N.	Np.
52	60	77	63	5.09	4.74	6.04	5.29	SO ₁	O ₂	NO ₁	Np.	N.	Np.
58	84	83	75	5.85	5.82	8.80	6.82	NO ₂	O ₁	O ₃	Np.	N.	Np.
56	82	58	65	5.85	5.92	6.99	6.25	NO ₁	—	NO ₂	Np.	N.	Np.
45	75	77	66	5.92	6.32	10.73	7.66	NO ₂	O ₂	NO ₂	Np.	N.	Np.
58	71	94	74	7.65	5.74	7.65	7.01	SO ₂	OSO ₁	SO ₁	Np.	N.	Np.
97	88	48	73	7.90	6.25	6.15	6.77	SSO ₁	O ₁	O ₂	Np.	N.	Np.
92	54	67	71	8.61	5.04	6.89	6.85	S ₁	NO ₁	N ₃	Np.	N.	Np.
50	71	50	67	6.51	5.34	5.00	5.62	NO ₃	O ₂	O ₃	Np.	N.	Np.
70	77	41	63	6.33	4.85	4.20	5.29	—	—	NO ₂	Np.	N.	Np.
61	79	60	67	5.30	4.30	5.67	5.00	NO ₃	NO ₃	SE ₂	Np.	N.	Np.
43	75	66	61	4.40	5.22	5.10	4.93	S ₂	O ₂	SE ₁	Np.	N.	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termóm.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Máx.	Mín.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°	°	°	°	°	°
1	700+	700+	700+	700+	8.2	7.6	5.6	7.1	13.9	0	4.4	2.4	0.8
2	42.12	44.78	48.21	45.04	12.0	13.0	8.0	11.0	19.4	2.2	4.6	4.8	1.2
3	55.90	56.37	57.18	56.48	12.0	16.0	9.8	12.7	15.0	3.3	2.2	4.4	2.2
4	50.62	46.23	49.13	48.66	12.2	12.2	5.0	11.2	17.8	6.7	7.0	1.8	1.2
5	45.91	43.01	57.59	48.84	16.5	12.2	5.0	11.2	17.8	6.7	7.0	1.8	1.2
6	48.79	47.05	42.94	46.25	9.4	10.0	5.0	8.1	18.9	3.3	3.6	5.0	1.0
7	45.02	44.15	43.30	44.49	10.0	18.0	10.2	12.7	11.7	3.9	3.8	5.8	1.2
8	37.78	36.33	40.84	38.32	9.6	12.0	6.0	9.2	20.0	7.2	2.6	4.4	0.8
9	48.90	49.53	49.42	49.28	9.0	11.8	7.0	9.3	14.4	2.2	4.2	2.2	2.0
10	48.08	50.55	51.92	50.12	13.2	12.2	9.0	11.5	14.4	6.1	4.8	4.8	3.6
11	49.92	47.74	45.71	47.79	10.8	16.2	12.0	13.0	14.4	5.0	3.2	4.4	3.2
12	39.07	39.51	42.74	40.87	10.8	14.0	6.8	10.5	15.6	7.8	1.4	6.0	1.8
13	47.44	46.85	47.04	47.11	10.5	12.2	10.0	10.9	19.4	3.9	3.6	5.2	1.7
14	46.12	47.31	51.24	48.39	12.0	12.2	7.0	10.4	15.9	5.6	1.2	3.6	1.0
15	52.88	52.30	52.94	52.71	10.5	11.8	9.6	10.6	24.4	2.2	2.4	2.0	1.0
16	55.35	51.15	52.94	53.15	13.2	11.0	10.0	11.4	22.2	6.1	1.8	1.2	0.6
17	54.27	55.72	57.11	55.70	14.5	12.0	8.0	11.5	24.4	7.2	2.8	1.2	1.2
18	58.37	56.77	52.82	53.99	17.0	14.8	10.2	14.0	25.0	6.7	4.2	3.0	3.2
19	50.41	57.11	52.88	53.47	10.0	15.5	7.6	10.4	17.8	6.7	2.0	4.4	1.4
20	49.53	53.04	54.08	52.22	12.8	13.0	8.0	11.3	17.2	5.6	3.0	3.8	1.2
21	53.44	50.94	48.48	50.95	15.0	18.0	13.5	15.5	15.6	5.6	3.0	1.8	2.2
22	45.15	44.18	45.21	44.85	13.2	14.0	10.2	12.5	18.0	8.3	1.6	0.6	2.0
23	44.83	45.00	44.70	44.18	16.8	16.5	7.0	13.4	23.3	3.9	6.2	5.0	1.0
24	44.46	46.15	47.74	46.12	14.4	13.6	6.8	11.6	18.9	5.0	3.2	4.6	1.2
25	47.87	44.31	38.68	45.62	16.8	13.6	8.2	12.9	17.8	5.0	4.4	2.8	1.0
26	58.72	32.60	35.33	42.22	11.4	13.2	5.0	9.9	18.9	5.0	3.2	3.4	1.2
27	36.80	33.49	39.53	38.27	8.2	9.8	5.6	7.9	18.3	1.1	2.8	2.6	0.8
28	39.34	37.86	42.70	39.97	10.0	9.6	3.2	7.5	17.8	3.9	2.2	2.6	0.2
29	46.18	45.34	44.91	45.48	10.0	12.4	9.4	10.6	23.3	1.1	4.4	4.0	1.0
30	48.70	49.20	50.22	48.87	12.6	15.2	9.8	12.5	28.3	6.7	4.2	4.4	1.6
31	45.78	42.77	43.34	44.96	14.8	20.2	6.8	15.9	15.6	7.8	2.8	5.4	1.4

DICIEMBRE

1	48.48	51.09	48.95	49.51	17.0	10.4	15.6	14.3	18.9	7.2	6.2	4.6	4.2
2	46.84	46.79	45.90	46.51	10.2	9.6	10.7	15.6	15.6	7.2	1.4	2.2	1.2
3	49.32	50.15	51.27	46.91	15.2	9.2	9.6	11.3	15.6	7.8	5.6	1.2	0.2
4	36.58	35.82	35.83	36.08	18.0	12.2	15.0	13.4	27.8	5.0	0.6	2.6	4.6
5	39.12	41.35	32.71	44.39	11.0	9.0	9.8	9.8	22.2	2.2	3.6	2.2	2.2
6	55.35	56.49	55.69	55.84	10.0	7.6	10.0	9.2	13.3	6.1	2.6	1.0	2.0
7	54.65	54.71	50.97	53.44	14.0	11.0	16.6	13.9	30.0	5.6	3.4	1.4	4.6
8	47.47	45.02	38.31	43.60	14.0	9.0	13.8	12.3	28.3	3.9	2.6	1.4	5.8
9	34.94	34.31	33.75	34.33	12.8	6.8	7.6	9.1	14.4	4.4	3.6	1.6	0.8
10	33.74	38.27	40.55	37.52	10.4	5.8	10.6	8.8	21.7	3.3	1.3	0.4	3.0
11	42.83	45.55	44.02	44.15	11.0	3.8	11.6	8.8	15.0	2.8	3.2	0.6	2.0
12	46.23	43.01	53.02	47.44	10.4	7.0	11.3	9.7	13.3	6.7	0.4	1.2	2.6
13	53.89	52.75	46.03	50.89	15.0	9.8	15.6	13.5	17.8	8.3	3.8	1.4	3.6
14	45.21	46.34	49.85	47.13	10.4	8.8	10.3	10.0	17.2	3.9	1.0	1.8	0.4
15	45.85	44.26	45.75	45.29	9.4	7.4	9.2	8.7	20.6	3.3	0.4	0.4	8.4
16	46.55	43.34	43.73	46.21	10.0	2.0	7.0	6.8	20.0	0.0	0.8	1.0	2.6
17	49.48	49.30	49.05	49.28	10.0	5.8	6.0	7.3	11.7	4.4	2.2	1.0	0.8
18	48.23	38.52	45.65	43.49	11.0	7.0	11.0	9.7	18.9	3.3	1.5	1.6	2.0
19	44.21	44.60	43.08	43.96	10.4	7.5	9.8	9.2	13.1	6.1	1.8	0.2	0.4
20	41.95	42.37	43.45	42.60	9.6	8.0	12.6	10.1	14.4	7.2	0.6	1.2	1.0
21	45.72	49.02	54.81	49.85	11.8	6.0	9.8	9.2	21.7	3.9	1.6	1.2	1.6
22	55.43	56.62	52.94	55.01	11.0	7.6	9.8	9.5	29.4	1.7	1.4	1.6	1.0
23	49.01	46.09	41.99	45.70	11.0	7.6	9.8	9.5	11.7	3.9	0.8	1.6	0.6
24	38.20	54.71	43.25	45.39	12.0	10.0	13.0	11.7	15.6	5.6	2.8	0.6	2.4
25	45.21	45.32	50.28	46.94	12.0	10.3	10.2	11.0	15.6	4.4	0.4	1.8	1.4
26	54.47	54.95	57.32	54.91	16.0	13.2	16.4	15.2	26.1	6.7	2.0	0.6	3.6
27	56.33	55.95	56.97	56.43	17.8	13.2	16.0	15.7	16.1	10.0	3.2	2.2	3.4
28	57.34	58.28	55.35	56.99	19.4	12.2	12.0	14.5	20.6	10.0	2.6	1.8	2.2
29	48.62	51.22	45.21	48.35	14.0	10.8	15.0	13.3	15.5	6.7	4.2	2.4	3.6
30	44.32	44.01	43.41	44.58	15.6	12.0	13.0	13.5	18.7	6.7	1.8	1.2	2.6
31	45.42	44.36	45.9	44.57	16.3	10.0	11.0	12.6	18.3	6.1	4.6	2.4	0.6

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSF.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
66	88	97	84	5.10	6.62	6.80	6.01	SE1	SE1	O ₀	N.	N.	N.
46	47	82	58	4.93	5.18	6.22	5.43	O ₂	O ₂	NO ₁	Np.	Np.	—
73	55	70	66	7.61	7.41	5.88	6.97	O ₂	O ₂	O ₁	—	Np.	—
37	76	80	64	6.12	7.29	5.21	6.21	NO ₂	O ₂	O ₁	—	Np.	—
53	61	88	67	5.55	5.60	5.41	5.52	—	O ₁	NO ₁	N.	N.	—
50	44	84	59	4.86	6.42	7.53	6.10	NO ₂	O ₁	—	—	—	Ll.
65	46	87	68	5.44	4.56	5.70	5.27	O ₂	O ₂	O ₁	Np.	—	Np.
43	72	70	63	4.48	6.69	5.22	5.46	O ₂	O ₂	O ₁	—	—	N.
45	45	52	47	4.91	4.71	4.83	4.67	NO ₂	O ₂	—	—	Np.	—
58	53	60	57	5.28	6.63	5.87	5.93	NO ₂	NO ₂	NO ₁	N.	N.	—
81	35	75	63	7.41	4.29	5.02	5.57	NO ₂	OSO ₂	OSO ₁	—	Np.	—
54	60	76	63	5.04	5.57	6.23	5.61	NO ₂	NO ₂	E ₂	Np.	N.	Np.
85	57	85	76	8.63	5.85	5.93	6.82	NO ₂	O ₂	NO ₁	Ll.	Np.	—
81	75	86	81	7.00	7.37	6.99	7.12	S ₁	S ₁	SO ₀	Np.	N.	—
68	84	89	80	7.47	8.33	8.09	7.96	SE1	S ₁	—	Np.	N.	N.
57	84	88	75	6.64	8.33	6.68	7.22	S ₁	S ₀	SE1	Np.	Np.	—
55	66	58	60	7.11	7.47	5.38	6.65	NO ₁	SE1	NO ₂	N.	—	—
73	43	79	67	6.39	5.25	5.20	5.61	NO ₂	O ₄	O ₁	—	—	—
63	56	82	67	6.21	5.85	6.22	6.09	NO ₂	O ₂	—	—	—	—
67	81	74	74	7.98	11.60	7.34	9.14	O ₂	O ₂	NO ₀	Np.	N.	—
81	93	75	82	8.93	9.71	6.29	8.32	S ₁	SO ₁	NO ₁	Np.	N.	—
38	47	85	57	5.32	5.68	5.94	5.65	NO ₂	O ₂	—	Np.	—	Np.
63	46	81	63	6.64	5.13	5.46	5.74	—	O ₂	O ₁	—	Np.	—
55	67	86	69	7.55	7.25	6.39	7.23	O ₂	NO ₂	NO ₁	—	—	Ll.
60	59	80	66	5.57	6.35	4.91	5.60	NO ₂	NO ₂	O ₁	N.	N.	N.
60	65	87	71	4.74	5.64	5.29	5.22	O ₂	O ₂	O ₂	N.	Np.	Np.
70	65	96	77	6.08	5.54	5.18	5.60	O ₂	SO ₂	S ₄	Np.	N.	N.
44	52	86	61	4.30	5.29	6.99	5.53	S ₂	SO ₁	NO ₁	N.	N.	—
50	52	78	60	5.87	6.40	6.53	6.10	O ₁	NO ₂	—	Np.	—	—
68	50	78	65	7.83	8.02	5.34	7.06	NO ₁	NNO ₂	—	N.	—	Np.

DE 1871.

40	42	53	46	5.30	5.88	6.63	5.27	O ₂	O ₁	NO ₁	D.	N.	N.
81	73	83	79	7.07	7.25	9.37	7.06	O ₁	—	NO ₂	Ll.	D.	—
42	84	97	74	5.32	7.09	8.35	6.92	O ₂	N ₁	S ₁	Np.	Ll.	—
98	69	50	72	10.34	7.13	6.04	7.84	SE1	NO ₂	ONO ₂	N.	N.	Np.
56	70	70	65	5.23	5.68	5.78	5.56	SO ₂	SO ₂	NO ₂	—	Np.	N.
66	85	74	75	5.74	6.40	6.71	6.28	O ₁	NO ₁	NO ₁	—	N.	—
62	81	53	65	7.23	7.41	7.15	7.23	NO ₂	O ₁	NO ₂	—	—	—
70	81	57	69	7.47	6.75	6.40	6.87	NO ₂	N ₂	O ₂	—	—	Np.
57	75	38	73	6.09	5.30	6.52	5.97	O ₂	NO ₂	NO ₁	Np.	—	N.
76	93	62	77	6.61	5.73	5.69	6.03	O ₂	—	O ₂	—	—	—
59	89	74	74	5.33	4.94	7.05	5.79	SO ₂	O ₂	NO ₁	N.	—	—
95	84	68	82	8.23	5.82	6.69	6.91	SE1	O ₁	—	—	—	—
58	81	60	66	6.99	6.97	7.23	7.06	NO ₂	NO ₂	NO ₄	Np.	—	Np.
86	75	95	85	7.37	5.82	8.80	7.50	O ₂	O ₂	NO ₂	—	—	Np.
94	94	55	81	7.55	7.05	4.70	6.43	N ₁	ONO ₂	O ₂	—	—	Np.
89	82	62	78	7.99	4.29	4.54	5.61	O ₂	O ₁	S ₂	—	Np.	N.
72	84	87	81	6.47	5.50	5.70	5.39	O ₂	O ₂	O ₂	N.	N.	—
81	77	74	77	7.67	5.50	6.31	6.66	NO ₁	S ₁	SE1	D.	—	—
76	97	94	89	6.41	7.57	7.88	7.22	NE1	E ₁	—	N.	—	—
97	83	87	89	8.35	6.43	9.19	8.01	SE1	SSO ₁	SO ₂	—	—	—
86	81	68	73	8.63	5.46	6.73	6.96	OSO ₂	SO ₂	SO ₂	—	—	—
82	77	86	82	7.53	5.68	6.99	5.73	S ₂	—	E ₁	—	—	—
89	77	92	86	8.33	5.50	7.46	7.10	SO ₁	N ₀	SE1	—	—	—
65	92	72	76	6.23	7.86	7.43	7.19	S ₁	O ₁	E ₁	Np.	—	—
95	76	81	84	9.31	7.05	7.41	7.92	NO ₁	N ₁	O ₁	—	—	Np.
76	93	62	77	9.69	9.95	8.42	9.35	NE1	SO ₁	SO ₂	N.	—	—
68	74	64	69	9.65	7.72	8.26	8.55	O ₂	—	SO ₂	—	—	N.
75	77	73	75	11.79	7.61	7.01	8.80	SO ₂	O ₂	NO ₁	D.	—	—
52	69	60	60	5.61	6.15	7.11	6.29	O ₂	SO ₁	—	N.	—	—
80	85	69	73	10.23	8.82	7.25	8.60	—	O ₁	NO ₂	—	—	—
53	63	92	71	6.33	5.76	8.45	7.03	NO ₂	NO ₁	NO ₂	Np.	Np.	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TÉRMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dir. de los term.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Max.	Min.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	700+	700+	700+	700+	18.2	8.4	12.2	12.93	26.1	5.0	1.0	0.4	2.8
2	44.87	44.51	42.67	44.02	8.4	5.2	9.0	7.53	16.7	2.2	0.2	0.2	0.6
3	45.84	50.28	47.06	47.73	8.4	8.0	16.4	7.63	23.9	7.2	0.5	0.8	1.2
4	45.42	45.34	44.07	44.94	8.5	8.0	16.4	7.63	23.9	7.2	0.5	0.8	1.2
5	42.54	40.14	43.01	41.90	14.0	9.0	10.5	11.17	21.1	5.0	0.8	0.8	1.5
6	43.09	44.51	36.83	41.51	7.5	10.2	11.7	5.5	0.8
7	35.01	35.51	40.21	36.91	14.0	7.0	20.6	6.1	0.5	0.5
8	42.61	45.28	45.73	44.54	11.5	21.1	6.7	0.5
9	42.03	36.65	33.07	37.25	14.5	9.0	7.0	10.17	17.2	3.9	1.5	0.2	0.5
10	36.65	45.55	39.83	40.53	11.4	25.0	3.9	1.6
11	40.21	43.50	48.08	43.95	14.0	7.0	9.6	10.20	14.4	3.9	0.5	0.2	1.4
12	38.61	32.88	50.49	47.53	13.5	8.0	16.0	12.50	16.1	5.6	0.5	1.0	1.6
13	52.68	52.75	48.49	51.31	14.5	11.0	16.4	13.97	22.2	10.6	0.7	0.0	3.2
14	48.16	47.85	42.61	46.21	20.5	10.4	14.0	14.97	25.5	6.7	1.5	0.6	1.8
15	40.88	42.67	41.02	41.52	15.5	6.0	13.8	11.77	21.1	4.4	2.9	0.5	2.8
16	41.84	42.94	47.87	44.22	11.5	11.0	11.0	11.17	19.4	3.3	0.7	1.0	2.4
17	47.87	47.18	43.63	46.23	12.8	6.8	6.8	8.80	13.3	5.0	3.8	1.0	1.2
18	45.47	50.62	51.56	49.23	10.2	5.0	16.1	3.9	1.7	0.3
19	50.41	44.53	45.06	46.67	11.0	10.8	11.0	10.67	16.7	1.7	1.5	1.6	1.0
20	46.28	48.15	54.27	49.57	7.0	10.0	21.1	1.1	1.6	0.0
21	55.62	52.88	38.87	49.12	10.0	11.0	14.0	11.67	14.4	3.3	0.2	1.0	1.6
22	45.24	38.37	56.20	46.77	12.0	14.0	9.6	11.87	15.6	5.0	0.5	1.6	0.6
23	50.55	56.36	50.35	52.42	13.0	14.0	13.3	6.1	0.2	0.5
24	47.74	46.73	50.35	48.27	14.5	16.0	13.3	2.2	0.5	1.5
25	48.12	50.28	47.44	48.61	14.5	7.2	6.0	9.23	13.3	4.4	0.5	1.8	1.2
26	48.15	48.21	37.86	44.74	9.0	11.0	11.2	10.40	12.8	5.6	0.2	1.2	1.6
27	37.67	45.21	43.01	41.96	14.0	13.0	9.4	12.13	15.0	6.1	0.5	0.5	1.0
28	48.14	45.67	45.42	46.41	12.0	12.4	15.6	6.7	0.0	1.8
29	46.68	46.10	38.55	43.77	11.2	9.8	16.0	12.33	17.8	8.9	2.6	2.6	1.4
30	39.25	41.08	42.31	40.88	15.0	14.0	9.8	13.27	17.8	5.6	0.8	0.0	2.4
31	44.53	46.04	46.99	45.85	11.5	6.0	15.4	10.97	16.7	4.4	0.5	0.8	2.0
31	45.78	44.97	46.85	45.87	11.4	7.6	15.4	11.47	25.0	5.6	1.6	2.4	1.6

FEBRERO

1	45.28	46.85	38.95	43.69	16.0	9.0	11.4	12.33	21.1	3.9	2.4	2.0	2.0
2	36.84	33.80	32.24	34.15	11.4	7.0	6.6	8.33	16.1	1.7	0.4	1.8	1.8
3	23.48	20.06	37.17	26.90	9.8	7.6	6.6	8.00	12.8	5.5	2.4	2.4	1.4
4	42.94	46.83	47.27	45.68	9.8	8.0	8.2	8.67	11.1	2.2	2.6	3.4	1.8
5	52.94	52.13	55.48	53.52	9.8	7.0	14.4	10.40	20.0	6.7	1.4	1.0	3.6
6	57.68	58.70	55.49	57.29	15.0	9.0	14.2	12.73	17.8	7.8	1.3	0.4	0.2
7	54.74	53.93	49.57	52.45	13.0	14.0	22.0	18.00	23.3	10.0	1.8	3.4	0.6
8	47.00	48.03	45.23	46.77	20.8	9.4	10.6	13.60	5.0	0.8	1.2	1.4
9	41.73	45.08	45.73	44.18	14.0	6.0	12.0	10.00	24.4	3.9	1.6	0.4	1.2
10	46.28	47.87	44.19	46.11	11.4	6.4	13.0	10.27	22.8	6.1	0.4	1.2	2.2
11	35.01	32.47	31.35	32.94	12.0	9.6	7.6	9.73	14.4	3.9	2.2	2.4	2.4
12	55.47	39.73	40.23	38.48	9.0	5.0	7.4	7.13	10.6	3.3	1.4	1.2	2.0
13	40.91	42.94	43.96	42.60	11.8	6.0	12.2	10.00	16.7	3.3	2.4	0.8	1.8
14	42.67	44.44	48.15	45.09	15.0	6.4	10.6	10.67	15.6	5.0	1.8	1.8	2.2
15	51.61	53.84	51.19	52.21	11.4	7.0	7.6	8.67	13.3	5.0	2.2	1.6	2.8
16	48.15	46.79	48.89	47.94	10.6	8.0	12.0	10.20	12.2	7.2	2.2	2.6	2.4
17	50.35	52.31	54.54	52.57	11.6	7.3	12.4	10.60	12.2	2.8	3.4	2.6	2.6
18	52.75	53.90	53.98	53.54	11.0	7.4	10.3	9.75	13.9	2.8	3.6	2.8	2.2
19	54.40	55.80	56.01	55.40	12.0	6.6	10.0	9.53	12.2	4.4	1.8	1.8	0.8
20	53.39	56.63	56.78	55.60	10.0	6.0	12.0	9.33	15.0	3.9	1.0	1.2	2.6
21	56.74	60.28	68.30	60.11	11.0	7.0	12.0	10.00	13.9	2.8	2.4	2.8	1.6
22	61.50	60.63	61.85	61.35	11.0	6.4	10.4	9.27	13.9	2.8	3.2	2.6	1.8
23	60.69	58.09	51.30	56.69	9.8	8.0	10.2	9.53	11.7	6.7	3.4	2.8	1.6
24	50.47	49.26	48.52	49.55	14.0	9.8	13.0	12.27	15.6	8.3	3.3	2.0	2.6
25	50.08	52.43	49.26	50.61	13.8	10.0	12.2	12.00	15.5	10.0	3.2	0.2	2.4
26	54.50	60.19	59.32	57.94	12.8	5.9	15.0	10.67	18.3	0.6	2.8	1.2	2.4
27	56.36	55.16	50.55	54.06	16.4	12.6	15.0	14.67	17.8	11.7	4.0	2.8	2.8
28	48.23	46.70	48.76	47.90	21.0	12.0	12.4	15.13	22.2	6.1	3.2	1.8	2.8
29	30.15	49.29	49.73	48.71	14.0	6.0	13.4	11.13	16.7	5.9	4.6	1.8	3.0

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSF.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
90	94	68	84	13.99	7.78	7.25	8.67	O ₂	O ₁	O ₂	Np.	Ll.	N.
97	97	92	95	8.00	6.41	7.86	7.42	SO ₂	—	NO ₂	Np.	D.	—
94	89	87	90	7.19	7.11	12.13	8.81	NO ₂	NO ₁	N ₂	—	N.	—
91	89	81	87	10.68	7.04	6.97	8.33	—	O ₁	O ₁	—	—	Np.
...	92	89	7.19	8.33	...	S ₂	—	N ₁	G.	—	N.
94	92	11.21	6.95	N ₂	—	O ₁	Np.	—	D.
...	...	95	9.49	...	O ₂	O ₂	SO ₁	D.	Np.	Np.
83	97	94	91	10.25	8.30	6.95	8.50	SO ₂	SO ₁	O ₂	D.	N.	N.
...	...	80	8.03	...	SO ₁	—	O ₂	—	—	Np.
94	97	81	91	11.21	7.28	7.39	8.63	SO ₂	—	O ₁	Np.	D.	N.
95	86	83	83	10.86	6.89	11.26	9.67	SO ₁	O ₁	NO ₁	Np.	—	—
93	100	67	87	11.30	9.79	9.36	10.15	O ₂	—	NO ₁	Np.	—	Np.
85	93	80	86	15.43	8.69	9.49	11.20	NO ₂	NO ₁	NO ₂	D.	—	N.
69	96	69	84	9.12	6.48	8.10	7.90	O ₂	O ₁	—	Np.	Np.	—
92	87	71	83	9.22	9.19	9.93	8.45	O ₁	—	O ₂	—	N.	Np.
57	85	83	75	6.28	6.34	6.12	6.25	O ₂	—	SE ₂	Np.	N.	N.
78	87	7.29	5.70	S ₂	S ₁	S ₂	N.	D.	Np.
81	80	86	82	7.97	7.73	8.56	8.09	S ₂	NO ₁	NO ₁	—	N.	N.
...	77	100	5.78	9.17	...	NO ₁	S ₂	S ₁	—	—	Np.
97	86	82	88	8.93	8.56	9.77	9.09	S ₁	NO ₁	NO ₁	D.	D.	N.
94	82	92	89	9.84	9.77	8.21	9.27	O ₂	—	SO ₂	—	—	N.
...	98	94	10.90	11.21	...	O ₂	O ₁	O ₁	—	N.	—
94	...	84	...	11.60	...	11.40	...	O ₂	SO ₁	O ₁	Np.	—	—
94	74	82	83	11.60	5.66	6.14	7.80	SO ₁	O ₂	N ₁	—	—	—
97	85	80	87	8.30	8.33	7.97	8.20	N ₂	N ₁	O ₂	Ll.	G.	—
94	94	86	91	11.21	10.50	7.62	9.78	O ₂	—	NO ₁	Np.	—	—
100	...	79	...	10.46	...	8.44	...	NO ₁	SO ₂	SO ₂	N.	—	D.
69	66	85	73	6.75	6.08	11.54	8.11	O ₂	O ₁	O ₂	Np.	N.	Np.
91	100	69	87	11.58	11.91	6.25	9.91	SO ₂	SO ₁	O ₂	D.	D.	—
94	88	79	87	9.49	6.15	10.27	8.64	O ₂	—	—	Np.	N.	—
80	66	82	76	8.09	5.20	10.83	8.04	—	—	O ₂	N.	—	N.

75	73	75	74	10.61	6.29	7.51	8.17	O ₂	O ₁	O ₂	Np.	N.	N.
95	74	74	81	9.55	5.56	5.38	6.83	—	—	O ₁	Np.	—	—
69	66	79	71	6.25	5.20	5.80	5.75	N ₂	O ₁	O ₂	—	—	—
66	54	75	65	6.03	4.34	6.12	5.50	O ₂	O ₂	—	—	—	—
81	85	61	76	7.41	6.40	7.49	7.10	—	NO ₁	—	—	—	Np.
80	95	98	91	10.23	8.13	11.79	10.05	S ₁	O ₁	O ₂	Np.	—	N.
82	66	94	80	12.62	7.50	18.61	12.91	O ₂	O ₂	—	—	—	D.
32	84	82	86	16.90	7.41	7.85	10.72	—	—	NO ₁	—	D.	N.
32	94	86	87	9.77	6.56	8.95	8.43	—	—	SO ₂	N.	Np.	Np.
95	82	75	84	9.53	5.92	8.34	7.94	—	—	O ₂	Np.	N.	N.
74	69	66	70	7.72	6.15	5.90	6.36	N ₂	NO ₂	O ₁	Np.	—	N. ill.
81	81	64	75	6.97	5.30	4.90	5.72	O ₂	O ₂	NO ₁	Np.	—	N.
71	88	78	79	7.37	6.15	8.32	7.28	O ₂	O ₁	NO ₂	Np.	—	N.
80	74	72	75	10.23	5.30	6.93	7.49	NO ₁	NO ₁	O ₂	—	—	Np.
73	77	61	70	7.37	5.78	4.78	5.98	SO ₂	O ₁	N ₂	—	—	Np.
72	64	72	69	6.93	5.18	7.48	6.53	—	NO ₁	SE ₁	N.	N. ill.	—
59	64	70	64	6.09	5.08	7.47	6.21	S ₁	O ₁	S ₁	Np.	—	—
56	61	73	63	5.53	4.70	7.01	5.75	SE ₁	SE ₁	NO ₁	Np.	—	—
78	74	89	80	8.20	5.33	8.21	7.26	NO ₁	S ₁	O ₂	Np.	—	—
86	82	69	79	7.97	5.74	7.25	6.99	O ₁	SE ₁	O ₁	Np.	—	—
71	60	80	70	6.89	4.50	8.44	6.61	SE ₁	SE ₁	SE ₁	—	—	Np.
61	62	77	67	5.99	5.46	7.25	5.90	S ₁	O ₂	—	Np.	N.	—
57	61	80	66	5.16	4.96	7.37	5.35	S ₂	E ₁	NO ₁	Np.	—	—
58	74	70	67	6.99	6.71	7.33	7.18	NO ₂	O ₁	NO ₂	Np.	—	—
65	89	72	75	7.62	8.21	7.60	7.81	O ₂	—	NO ₁	N.	—	—
68	81	75	75	7.47	5.30	9.43	7.40	O ₂	—	NO ₂	Np.	D.	—
60	68	70	66	8.31	7.35	8.90	8.19	O ₂	NO ₂	O ₂	—	N.	—
72	78	57	69	13.22	8.20	6.04	3.15	O ₁	O ₁	—	—	—	Np.
51	73	66	63	6.24	5.10	7.59	6.24	—	—	NO ₂	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Máx.	Mín.	Dif. de los termóm.		
											2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	700+	700+	700+	700+	12.4	10.0	11.8	11.40	18.3	0	0	0	0
2	42.54	39.95	35.14	39.21	13.6	6.2	8.2	9.53	16.7	7.2	3.0	2.2	2.6
3	34.18	33.07	38.01	35.75	12.4	8.0	10.0	10.13	13.9	4.4	3.6	1.6	1.8
4	58.81	56.15	27.72	34.23	12.4	9.4	13.2	9.67	16.2	6.1	3.2	2.6	1.8
5	25.57	28.99	35.33	29.96	9.4	6.4	13.2	9.67	16.2	2.2	1.4	2.2	3.8
6	33.68	23.36	40.40	32.55	9.4	4.8	12.0	8.73	16.7	4.4	2.4	1.6	2.2
7	41.97	42.80	43.45	42.74	13.2	7.2	9.4	9.98	17.8	2.2	3.4	2.4	2.2
8	45.34	48.01	49.37	47.57	9.6	4.4	9.0	7.67	13.9	1.1	2.8	1.2	2.2
9	49.85	51.76	55.14	53.25	9.6	4.6	7.6	7.27	11.7	3.9	2.2	1.2	2.4
10	52.57	54.74	55.96	54.42	10.4	3.2	9.8	7.89	12.8	-1.1	2.4	1.2	2.6
11	54.67	51.81	41.92	49.47	9.0	6.0	12.0	9.00	12.8	-1.1	2.2	1.8	2.4
12	41.35	38.01	41.87	40.41	7.8	5.2	9.8	7.60	13.3	3.3	3.8	1.8	2.2
13	42.17	38.70	40.99	40.62	11.0	6.4	11.2	9.53	13.9	4.4	2.0	1.2	2.8
14	43.94	49.12	53.37	48.98	12.2	4.8	10.0	9.00	13.9	1.1	2.4	1.8	3.0
15	54.04	52.11	47.18	51.11	12.8	8.8	13.2	11.60	14.4	6.7	2.6	2.4	2.0
16	46.12	42.33	42.03	43.49	19.4	13.0	11.4	14.60	21.1	6.7	4.2	2.6	1.0
17	43.05	47.37	57.47	49.30	10.6	7.0	8.2	8.60	17.8	3.9	0.8	1.4	1.8
18	59.38	62.18	62.68	61.41	6.8	1.6	8.0	5.47	10.6	2.4	2.8	3.8
19	63.00	62.24	62.67	62.64	7.6	4.2	12.4	8.07	15.0	3.9	2.6	0.8	3.6
20	62.14	61.82	60.00	61.32	10.2	7.0	9.6	8.93	15.0	5.5	1.4	2.2	1.6
21	58.76	56.22	48.32	54.43	14.8	10.4	10.8	12.90	17.2	3.9	1.2	1.8	2.4
22	49.33	46.09	50.06	48.49	10.6	7.6	8.0	8.72	14.4	5.0	3.8	1.4	2.2
23	53.15	54.94	58.49	55.53	7.8	4.2	8.4	6.80	10.0	3.9	2.6	1.4	3.0
24	60.90	64.58	68.85	64.78	9.0	1.0	9.8	6.60	11.1	3.8	0.8	4.4
25	67.73	65.20	59.31	64.08	8.4	4.6	10.8	7.93	11.1	3.3	2.0	0.8	1.6
26	57.39	56.98	53.58	57.65	16.0	12.0	13.0	14.67	17.8	10.5	4.2	2.0	4.0
27	59.13	61.17	62.03	60.78	13.4	7.8	7.2	9.47	18.9	4.4	1.8	1.8	1.4
28	60.55	61.70	64.44	62.23	9.8	6.0	9.2	8.33	12.2	3.9	1.8	1.8	1.0
29	63.69	62.71	60.76	62.39	10.4	8.8	8.6	9.27	11.7	6.7	3.2	0.6	1.2
30	59.61	56.92	54.88	57.14	7.8	3.6	7.2	6.20	10.0	3.3	0.6	1.2	0.4
31	55.35	59.28	59.88	58.17	14.2	6.4	10.0	10.20	15.0	0.6	2.6	1.2	2.2
31	58.87	53.02	57.47	56.45	11.2	8.6	7.8	9.20	11.7	2.2	2.8	2.8	2.0

ABRIL

1	56.37	57.13	56.34	56.61	10.8	6.8	6.2	7.93	12.2	5.0	3.3	1.2	1.4
2	53.84	50.75	43.84	51.14	10.8	9.6	6.6	9.00	11.7	7.8	2.0	2.2	4.4
3	52.88	54.21	45.55	50.88	12.2	7.0	9.0	9.40	13.9	4.4	0.6	2.0
4	43.76	45.21	45.68	44.38	15.8	8.2	6.6	10.20	13.3	4.4	4.2	1.2	3.2
5	48.06	52.11	61.41	53.86	8.4	6.4	7.2	7.33	10.5	5.6	1.6	1.8	2.6
6	63.92	65.20	64.54	64.55	10.6	4.6	8.2	7.80	12.2	1.7	2.4	0.8	2.2
7	63.22	62.75	57.82	61.30	9.2	2.2	5.8	5.78	12.8	0.0	0.8	0.6	1.0
8	53.02	47.37	38.87	46.59	17.4	11.0	12.2	13.53	17.8	7.2	7.0	3.2	1.4
9	41.98	44.38	41.19	42.22	12.4	5.0	5.3	7.73	14.4	3.9	4.8	1.4	1.8
10	35.27	32.03	35.66	34.32	12.2	7.4	6.8	8.80	13.3	3.9	2.6	1.0	1.8
11	38.01	40.05	53.43	43.90	6.2	0.8	4.6	3.87	10.0	0.6	2.2	-1.6	1.8
12	40.55	33.24	34.15	35.98	12.2	10.6	6.4	9.73	12.8	2.2	3.0	2.0	1.6
13	35.47	34.90	24.57	31.65	6.4	3.2	6.0	5.20	9.4	2.8	1.4	1.0	2.2
14	26.34	28.94	31.61	28.96	6.0	3.4	3.6	4.33	11.1	1.7	1.0	0.6	2.6
15	30.66	34.02	42.84	35.84	7.6	3.8	2.8	4.73	9.4	1.1	3.2	1.0	2.0
16	45.88	48.62	47.84	47.45	6.8	2.0	4.4	4.40	7.8	1.7	2.4	0.2	2.9
17	46.51	45.31	47.14	46.49	8.4	6.0	5.2	6.53	10.5	5.0	3.0	0.8	0.6
18	47.13	49.31	52.61	49.68	9.6	4.0	3.6	5.73	11.1	2.2	1.8	1.0	0.6
19	52.28	51.58	49.18	51.01	7.6	5.4	4.6	5.87	8.3	4.4	1.2	1.2	1.2
20	49.66	49.56	52.02	50.41	9.0	3.8	5.8	6.20	9.4	2.8	1.6	0.6	0.6
21	53.73	57.54	64.54	58.60	10.0	6.0	5.2	7.07	12.2	2.2	1.6	0.4	2.0
22	64.03	62.41	60.46	62.30	9.0	7.4	9.2	8.53	11.7	6.7	1.8	1.4	2.0
23	59.72	60.04	68.65	62.80	13.2	10.4	5.4	10.33	16.1	3.3	3.8	1.0	2.4
24	63.94	65.28	61.11	65.11	8.2	4.6	6.4	6.40	10.5	3.9	2.4	0.6	1.4
25	61.44	59.92	54.04	58.47	10.6	9.8	9.6	10.00	13.3	8.3	1.6	0.8	1.8
26	50.34	44.85	47.08	47.42	11.2	7.2	2.8	7.07	12.8	2.2	2.2	2.0	1.4
27	54.39	60.36	64.42	59.72	4.6	2.4	4.6	3.87	6.1	1.1	2.2	1.0	1.6
28	64.40	64.11	62.94	63.82	6.6	4.6	5.4	5.53	9.4	3.9	1.8	1.0	1.2
29	60.84	57.31	57.60	58.75	9.8	6.6	8.2	8.20	11.1	2.4	0.8	1.0
30	53.09	59.61	57.28	53.33	11.6	9.2	3.2	9.67	12.2	6.7	1.2	1.0	2.2

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSF.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
65	72	69	69	7.01	6.59	7.15	6.91	O ₁	O ₁	N ₁	Np.	N.	N.
60	76	75	70	6.99	5.42	6.12	6.18	NO ₂	—	O ₃	Np.	—	Np.
63	64	76	68	6.76	5.18	7.05	6.53	O ₂	NO ₂	O ₁	—	—	Np.
81	67	57	63	7.17	4.86	6.52	6.18	E ₁	O ₂	NO ₁	—	D.	Np.
69	74	74	72	6.05	4.31	7.72	6.19	NO ₂	NO ₂	—	—	N.	—
62	66	71	66	6.99	5.02	6.27	6.09	—	NO ₂	O ₂	Np.	—	—
64	80	71	72	5.71	5.05	6.07	5.61	O ₂	O ₁	O ₁	—	Np.	N.
71	80	66	72	6.37	5.13	5.20	5.57	—	—	—	N.	—	—
70	80	66	72	6.57	4.59	6.03	5.73	SO ₁	SE ₁	SE ₁	Np.	—	D.
71	73	72	72	6.07	5.10	7.48	6.22	E ₁	NE ₁	O ₂	D.	—	Np.
48	72	71	64	3.82	4.77	6.47	5.02	NO ₂	NO ₂	O ₂	N.	Li.	Np.
75	82	66	74	7.37	5.92	6.57	6.62	NO ₁	N ₂	NO ₂	—	—	—
72	71	63	69	7.60	4.61	6.11	6.11	O ₂	O ₁	—	Np.	D.	—
70	68	77	72	7.71	5.76	8.72	7.40	NO ₂	N ₂	OSO ₁	Np.	N.	N.
61	70	86	72	10.30	7.82	8.80	8.98	NO ₂	NO ₁	N ₁	Np.	—	—
90	80	75	82	8.56	5.96	6.12	6.88	S ₂	S ₂	S ₂	Np.	—	Np.
65	55	48	56	4.82	2.71	3.90	3.81	S ₂	SO ₂	SE ₁	Np.	D.	Np.
64	87	59	70	4.98	5.37	6.28	5.54	E ₁	E ₂	O ₂	—	N.	Np.
82	70	79	77	7.61	5.48	7.05	6.71	S ₁	S ₂	NO ₂	D.	D.	Np.
87	77	70	78	10.86	7.25	6.81	8.31	O ₂	NO ₁	O ₂	—	N.	Np.
54	80	70	68	5.11	6.26	5.58	5.65	O ₃	O ₃	O ₄	Np.	D.	D.
64	77	60	67	5.08	4.77	4.94	4.93	—	O ₂	SO ₂	—	Np.	Np.
50	85	45	60	4.56	4.18	4.10	4.21	O ₂	SO ₁	SO ₁	—	D.	D.
72	87	80	80	6.00	5.54	7.73	6.42	SE ₂	N ₄	O ₁	D.	N.	N.
58	76	59	61	7.77	7.96	8.03	7.92	O ₁	O ₃	O ₂	N.	N.	D.
80	75	30	73	9.09	5.92	6.06	7.02	SE ₁	E ₃	SO ₂	Np.	—	G.
76	73	86	73	6.93	5.10	7.52	6.52	—	—	—	Np.	—	N.
72	92	83	82	6.88	7.76	6.97	6.97	E ₁	—	NE ₃	—	N.	N.
91	80	94	88	7.23	4.75	7.15	6.38	E ₃	—	N ₁	Np.	—	—
72	82	72	75	8.60	5.92	6.59	7.04	O ₁	N ₁	—	—	D.	—
66	63	72	67	6.57	5.22	5.70	5.33	N ₁	N ₂	NO ₁	—	N.	—

54	83	80	72	5.21	6.12	6.26	5.86	NO ₁	NO ₁	N ₁	Np.	Np.	N.
75	71	47	64	7.29	6.37	4.66	6.11	N ₂	NO ₂	O ₄	Np.	N.	Np.
49	91	75	72	5.25	6.84	7.37	6.49	SO ₁	O ₂	O ₃	—	—	Np.
57	83	59	66	7.65	6.77	5.58	6.66	NO ₂	N ₁	N ₂	Np.	—	Np.
77	74	66	72	6.44	5.26	6.03	5.91	O ₂	SO ₂	O ₂	N.	D.	—
70	87	72	76	6.69	5.53	6.81	6.34	NO ₂	O ₁	O ₁	—	—	—
89	89	85	88	7.74	4.82	6.34	6.30	E ₁	E ₁	NN ₁	Np.	Np.	N.
35	61	84	60	5.18	5.97	9.75	6.97	NO ₁	N ₂	N ₃	Np.	N.	—
46	73	75	66	4.91	5.09	5.86	5.29	NO ₂	NO ₁	NO ₂	Np.	Np.	—
70	85	76	77	7.37	6.60	6.52	6.76	N ₂	N ₁	—	N.	—	—
67	70	74	70	4.78	2.41	5.33	4.13	NO ₁	O ₁	O ₁	—	D.	—
65	75	77	72	6.89	7.11	6.24	6.75	NO ₂	NO ₁	N ₁	N.	N.	—
79	83	70	77	5.70	4.79	5.68	5.39	N ₂	NO ₂	NO ₃	Np.	—	Np.
85	89	61	78	5.94	5.26	4.37	5.19	NO ₃	NO ₁	—	—	—	Np.
56	83	68	69	4.34	5.03	4.43	4.60	NO ₄	NO ₃	O ₂	Np.	N.	Np.
65	96	70	77	4.82	5.14	6.06	5.01	SO ₂	O ₂	NO ₃	Np.	N.	Np.
72	88	91	84	6.00	6.15	6.27	6.14	NO ₂	NO ₂	N ₁	Np.	N.	Np.
76	83	90	83	6.81	5.09	5.57	5.82	NO ₂	NO ₁	N ₂	N.	—	Np.
83	81	81	82	6.48	5.46	5.62	5.85	N ₃	—	S ₁	—	—	—
73	90	91	86	6.73	5.41	6.57	6.24	SO ₁	SO ₁	NO ₁	Np.	—	Np.
78	94	71	81	7.29	6.59	5.44	6.44	NO ₂	NO ₁	O ₁	—	—	—
76	80	75	77	6.51	6.16	7.49	6.72	—	NO ₂	SO ₂	—	N.	Np.
60	86	66	71	7.77	8.21	5.30	7.09	SE ₁	SO ₁	NO ₁	Np.	Np.	Np.
67	90	80	79	5.50	5.74	6.36	5.87	O ₁	N ₁	O ₁	Np.	N.	Np.
80	89	73	82	7.61	8.09	7.85	7.85	—	NO ₂	N ₂	Np.	—	Np.
73	71	93	79	7.25	5.44	5.38	6.02	NO ₂	O ₃	SO ₂	N.	D.	—
65	82	76	74	4.15	4.51	5.38	4.68	S ₂	SE ₂	O ₂	Np.	Np.	Np.
73	84	82	80	5.34	5.33	6.02	5.56	O ₂	O ₂	N ₁	N.	N.	N.
69	88	86	81	6.25	6.45	7.52	6.74	N ₂	N ₂	O ₂	Np.	—	—
85	86	73	81	8.68	7.52	6.81	7.67	NO ₂	SO ₁	NO ₁	N.	—	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Máx.	Mín.	Dif de los termóm.		
											2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.									
1	700+	700+	700+	700+	0	0	0	0	0	0	0	0	0
2	54.10	47.44	41.06	47.53	9.8	6.2	9.4	8.47	12.2	5.0	2.6	1.2	2.2
3	40.34	37.94	35.04	37.77	10.6	7.6	7.0	8.40	12.8	2.2	2.0	2.4	3.0
4	34.51	34.28	46.15	38.23	6.6	4.0	4.0	4.87	8.3	1.1	2.8	1.4	1.6
5	46.82	47.33	52.53	48.89	7.8	5.2	5.2	6.07	10.6	3.3	2.0	2.0	0.4
6	50.75	49.31	45.88	48.65	7.2	4.2	7.8	6.40	8.3	5.0	0.8	0.4	1.0
7	43.73	39.72	41.16	42.54	6.6	5.0	6.6	6.13	7.8	4.4	1.2	0.2	1.2
8	46.25	47.01	44.56	45.94	9.2	5.8	3.4	6.13	11.1	2.2	2.0	0.8	1.2
9	46.50	47.71	49.65	47.87	7.0	4.6	3.6	5.07	8.9	-1.7	2.0	0.8	1.8
10	49.50	49.44	53.89	50.94	6.2	2.8	4.2	4.40	7.2	0.0	2.8	1.0	1.4
11	53.51	57.06	54.10	55.56	7.4	-0.8	2.2	2.93	7.8	-3.3	1.4	0.2	1.8
12	52.06	54.57	59.48	55.37	5.0	1.0	2.4	2.80	7.2	-0.6	1.0	0.2	1.2
13	58.85	58.15	55.05	57.53	5.8	-0.8	2.4	2.47	8.3	-1.1	1.6	0.4	0.6
14	53.83	51.22	51.30	52.12	3.6	6.4	2.0	3.2	6.7	-2.2	1.2	0.2	0.8
15	52.16	55.03	59.60	55.60	6.4	2.0	3.2	3.87	6.7	-2.2	1.2	0.2	0.8
16	58.84	57.23	55.03	57.03	4.0	2.8	4.0	3.00	6.7	1.1	0.6	1.6	0.4
17	57.94	63.08	67.16	62.73	5.0	2.8	3.4	3.73	6.7	-1.1	0.6	0.8	0.6
18	67.40	66.43	66.24	66.71	4.2	2.8	7.4	4.80	8.3	2.8	1.0	1.8	1.0
19	65.54	64.78	58.81	63.04	9.2	7.6	10.4	9.07	10.6	3.3	1.0	1.2	1.6
20	56.62	55.69	49.51	53.87	11.8	8.6	6.0	8.80	12.8	6.1	2.0	0.6	1.6
21	47.07	46.77	53.80	49.21	4.8	2.8	2.4	3.33	6.7	0.6	1.2	0.8	1.6
22	55.28	57.39	54.99	55.89	3.8	2.0	1.6	2.47	5.0	0.0	1.2	0.6	0.2
23	41.69	50.66	49.53	50.63	3.4	-0.2	2.4	1.87	4.4	-1.1	0.8	0.6	1.2
24	54.95	40.49	35.61	40.35	5.2	5.8	7.6	6.20	9.4	2.2	0.8	1.4	1.0
25	39.59	47.78	51.15	46.17	6.4	4.6	4.6	5.20	10.0	2.2	1.0	2.4	0.6
26	50.45	50.28	46.44	49.06	8.8	4.8	5.4	6.33	10.6	3.9	2.6	1.2	1.2
27	40.05	36.67	43.03	39.92	3.8	6.0	4.2	5.33	8.3	3.3	1.2	1.0	0.8
28	41.95	44.25	46.69	44.23	2.6	0.0	1.0	1.20	6.1	-0.6	0.8	1.0	0.3
29	45.20	44.70	51.62	47.17	3.6	2.8	0.4	2.27	5.5	-1.1	1.2	0.6	1.2
30	45.98	52.89	48.34	49.74	1.6	-2.6	0.2	-0.27	1.1	-3.9	1.4	0.4	1.0
31	49.22	53.01	55.57	52.60	3.0	0.8	-4.2	-0.13	3.9	-4.4	0.6	2.6	1.6
31	56.18	56.32	57.49	56.66	0.8	-2.6	-1.2	-1.00	1.1	-4.4	1.8	1.2	1.2

JUNIO

1	57.72	60.08	60.60	59.47	3.6	-3.2	-1.8	-0.47	4.4	-5.0	2.0	0.8	0.8
2	59.24	58.81	58.05	58.70	2.4	-3.6	0.2	-0.53	3.3	-3.9	0.6	1.6	1.4
3	58.22	58.73	60.42	59.12	-1.0	-2.6	-1.4	-1.67	0.0	-7.2	1.0	1.2	1.2
4	59.75	58.48	52.52	56.92	2.4	0.2	-2.2	0.13	4.4	-2.8	0.8	1.4	1.2
5	45.53	40.32	44.57	43.47	1.4	0.4	1.8	1.20	3.3	-1.7	1.2	2.4	1.2
6	45.51	46.78	51.36	47.88	2.8	2.6	3.0	2.80	5.0	2.2	1.4	1.6	1.0
7	52.30	50.66	50.16	51.04	3.6	0.4	2.4	1.33	4.4	0.8	1.6	0.6
8	47.80	46.15	45.51	46.49	3.0	2.8	2.8	2.37	3.9	1.1	0.2	1.0	1.6
9	45.64	45.64	46.28	45.85	3.8	2.2	0.8	2.27	4.4	1.1	1.2	1.0	1.6
10	44.88	42.34	37.90	41.71	4.2	2.2	0.8	2.40	5.6	1.1	0.6	1.0	2.0
11	34.22	33.53	30.36	32.70	2.8	2.2	0.8	1.93	4.4	0.0	1.8	1.4	2.2
12	27.94	28.44	38.99	31.79	3.6	-0.8	2.2	1.67	3.9	1.0	1.2	1.0
13	40.12	39.87	29.14	36.35	2.8	2.6	3.8	3.07	5.0	1.1	1.4	1.2	1.4
14	27.04	28.95	34.80	30.27	4.4	2.2	0.8	2.47	5.5	-1.1	0.6	1.0	1.8
15	36.13	36.77	40.07	37.66	2.8	0.8	-0.4	1.07	3.9	-2.8	1.6	2.2	1.4
16	41.92	43.24	42.18	42.45	1.8	-2.2	-1.2	-0.53	4.4	-3.9	1.6	0.8	0.8
17	41.98	41.72	41.90	41.87	2.0	-0.2	-0.6	0.40	2.8	-0.6	0.8	0.8	1.2
18	42.54	44.12	48.14	44.93	1.4	-3.8	-1.4	-1.27	3.3	1.2	0.2	0.8
19	49.20	54.16	54.16	52.51	2.4	-1.4	1.2	0.73	3.3	-2.2	0.8	1.0	1.4
20	51.86	54.59	56.30	54.25	5.6	4.0	4.8	4.80	6.1	1.7	1.4	1.0	1.2
21	53.63	56.99	56.30	55.64	6.0	5.0	6.0	5.67	7.2	3.3	1.2	0.8	1.0
22	54.25	51.85	48.61	51.57	7.4	4.2	4.0	5.20	8.3	3.5	1.6	0.8	1.0
23	51.09	51.80	52.36	51.75	4.8	2.4	2.2	3.13	6.1	1.7	2.4	1.4	1.0
24	54.08	58.77	64.63	59.16	2.8	1.2	3.8	2.60	3.9	0.6	1.2	0.8	0.8
25	64.67	61.30	64.15	63.37	5.0	3.0	9.0	5.67	0.8	1.2	1.6
26	65.97	66.91	66.97	66.62	10.0	10.0	8.6	9.53	11.1	7.8	1.6	1.4	1.2
27	65.76	63.43	57.78	62.32	11.2	3.8	9.2	5.07	12.8	-0.6	1.6	0.8	2.2
28	56.30	56.23	56.30	56.28	3.4	5.4	5.2	4.67	12.8	3.3	1.2	2.2	1.4
29	58.70	60.57	60.76	60.01	4.8	-0.8	1.4	1.80	6.7	-1.7	1.2	1.0	1.2
30	58.29	57.78	58.60	58.22	1.6	0.8	2.4	1.60	3.9	-1.7	0.6	0.8	0.6

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSF.			
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.	
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio							
66	82	71	73	6.06	5.32	6.27	6.04	NO ₂	N ₂	NO ₂	N.	N.	N.	
75	86	57	66	7.13	5.20	4.30	5.54	O ₂	O ₁	—	—	Np.	N.	
60	77	73	70	4.34	4.69	4.51	4.51	NO ₂	NO ₁	N ₂	Np.	N.	N.	
70	69	94	78	5.48	4.57	6.21	5.39	—	N ₁	—	—	—	—	—
83	93	86	89	6.72	5.78	6.79	6.43	N ₁	NO ₁	NO ₁	N.	—	—	—
82	97	83	87	6.02	6.33	6.08	6.14	SE ₁	S ₁	N ₁	—	—	—	—
73	88	80	80	6.39	6.05	4.67	5.70	NO ₁	NO ₁	NO ₁	—	—	—	—
71	87	70	76	5.24	5.54	4.15	5.01	O ₂	SO ₂	O ₁	Np.	—	—	—
59	83	77	73	4.18	4.63	4.77	4.53	SO ₁	NO ₁	—	D.	—	—	—
80	96	68	81	6.16	4.16	3.65	4.66	O ₁	O ₁	NO ₁	Np.	D.	Np.	Np.
84	96	79	86	5.50	4.76	4.31	4.86	N ₃	NO ₁	O ₁	N.	D.	D.	D.
75	92	89	85	5.22	4.00	4.86	4.39	SO ₁	SO ₁	O ₁	D.	D.	D.	D.
90	96	89	92	5.33	5.10	4.94	5.12	SO ₁	O ₁	N ₁	N.	N.	N.	N.
82	96	86	88	5.92	5.18	4.99	5.36	NO ₁	NO ₁	O ₁	Np.	N.	Np.	Np.
90	72	93	85	5.49	4.07	5.70	5.09	E ₁	—	N ₂	N.	—	—	—
90	86	90	89	5.90	4.83	5.25	5.53	SE ₁	SE ₁	N ₂	—	—	—	—
85	69	85	79	5.17	3.87	6.60	5.18	N ₁	O ₁	N ₁	—	—	—	—
86	83	80	83	7.52	6.48	7.49	7.16	N ₁	N ₁	—	—	—	—	—
76	92	76	81	7.84	7.66	5.30	6.93	N ₁	NO ₁	E ₁	—	—	—	—
81	86	72	80	5.22	4.83	3.93	4.66	SE ₂	SO ₂	O ₁	N. ill.	—	—	—
80	89	96	88	4.31	4.74	4.98	4.84	O ₁	O ₁	N ₁	Np.	N.	N.	D.
87	89	79	85	4.05	4.01	4.31	4.12	N ₁	N ₁	N ₂	N.	N.	N.	N.
87	78	36	84	5.78	5.42	6.49	5.96	N ₁	N ₂	NO ₁	—	—	—	—
85	62	90	79	6.14	3.95	5.74	5.23	O ₁	N ₁	O ₁	—	—	—	—
65	81	81	76	5.54	5.22	5.46	5.41	N ₁	NO ₁	N ₁	Np.	—	—	—
82	85	87	85	5.66	5.94	5.37	5.66	—	NO ₂	NO ₁	Ll.	D.	D.	D.
86	81	85	84	4.75	3.74	4.18	4.22	—	O ₂	O ₁	N.	Np.	Np.	Np.
80	89	73	82	4.75	5.02	3.71	4.49	NO ₂	N ₃	O ₁	D.	D.	D.	D.
74	92	81	82	3.83	3.45	3.80	3.69	O ₁	O ₁	—	Np.	—	—	—
89	56	63	69	5.10	2.64	2.11	3.28	S ₂	SO ₁	NO ₁	Np.	N.	N.	N.
67	74	76	82	3.33	2.82	3.21	3.13	NO ₁	SO ₁	S ₁	—	—	—	—

DE 1872.

67	82	84	78	3.99	2.97	3.75	3.57	NO ₁	SE ₁	NO ₁	D.	D.	D.
89	64	76	76	4.90	2.26	3.46	3.54	—	NO ₁	—	N.	N.	N.
81	75	70	77	3.74	2.80	3.14	3.26	O ₁	—	—	—	—	—
86	71	75	78	4.70	3.46	2.92	3.69	N ₁	NO ₂	O ₂	—	—	—
78	42	79	66	3.95	2.01	4.07	3.34	O ₁	NO ₁	NO ₁	—	—	Np.
75	72	83	77	4.27	3.99	4.71	4.32	N ₁	NO ₂	O ₂	—	—	—
86	70	89	82	4.91	3.86	4.90	4.89	NO ₁	N ₁	N ₁	—	—	N.
96	52	72	83	5.50	4.67	4.07	4.75	O ₁	N ₂	SO ₂	Ll.	—	N. g.
84	82	70	77	4.83	4.43	3.48	4.25	E ₁	E ₁	N ₁	N.	—	N. ni.
90	82	64	79	5.57	4.46	3.17	3.39	NO ₁	NO ₁	O ₁	N. ni.	—	N.
69	75	62	60	3.87	4.01	2.97	3.62	N ₁	N ₁	N ₁	—	—	—
83	77	82	81	4.95	3.33	3.43	4.24	SE ₁	NO ₁	O ₁	N.	—	Np.
75	79	76	77	4.27	4.39	4.55	4.40	—	N ₂	NO ₂	—	—	—
90	82	67	80	5.65	4.43	3.33	4.47	—	NO ₁	NO ₁	Np.	Np.	Np.
73	62	70	63	4.07	2.95	3.16	3.39	O ₁	—	—	—	—	N.
73	83	84	79	3.71	3.24	3.54	3.50	—	—	—	—	—	D.
85	85	77	82	4.62	3.85	3.33	3.95	—	O ₁	O ₁	Np.	N.	N.
79	95	84	86	4.27	3.28	3.43	3.68	—	—	NO ₁	—	—	—
85	80	74	80	4.70	3.32	3.71	3.91	O ₁	O ₁	N ₁	—	—	—
78	83	81	81	5.34	5.09	5.21	5.21	O ₂	NO ₂	NO ₂	N.	—	—
81	87	85	84	5.70	5.70	5.94	5.73	C ₃	NO ₁	NO ₁	Np.	—	—
77	87	83	82	5.98	5.37	5.09	5.48	N ₁	N ₁	N ₁	—	—	—
62	82	82	75	4.03	4.51	4.43	4.32	O ₁	NO ₁	NO ₁	—	—	D.
80	85	87	84	4.83	4.24	5.21	4.76	O ₂	O ₁	O ₁	N.	—	Np.
87	79	78	81	5.70	4.55	6.73	5.58	N ₁	NO ₁	SE ₁	Np.	—	—
79	82	83	81	7.29	7.53	6.97	7.26	SO ₁	NO ₂	N ₁	Np.	D.	D.
80	87	60	76	7.37	5.21	3.70	5.32	N ₁	NO ₁	O ₁	—	—	—
80	65	73	74	4.67	4.45	5.17	4.76	O ₁	O ₁	NO ₁	N.	—	—
81	80	78	80	5.21	3.46	3.95	4.21	S ₂	SO ₂	N ₁	—	—	—
89	55	89	88	4.58	4.12	4.30	4.53	N	NO ₁	SO ₁	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Máx.	Mín.	Dif de los termóm.		
											2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	61.51	63.61	64.46	63.19	1.4	-1.8	-0.8	-0.40	3.9	-2.2	0.8	0.2	1.0
2	64.68	64.51	60.12	63.10	3.8	-1.4	2.4	1.60	4.4	-1.1	1.8	1.0	1.2
3	58.91	60.56	59.47	59.68	5.4	2.8	3.8	4.20	6.1	1.7	1.4	1.2	0.8
4	56.37	59.55	48.68	54.87	4.6	3.8	5.0	4.17	4.6	3.9	1.2	1.4	1.0
5	47.97	54.91	36.91	53.26	6.6	-0.8	-2.4	1.43	7.8	-3.9	1.0	1.0	0.6
6	56.44	54.16	47.80	52.80	0.8	-1.4	0.4	-0.07	1.1	-2.2	0.8	1.4	0.4
7	45.64	44.89	48.12	48.26	2.2	1.8	3.4	2.47	4.4	0.6	1.0	2.6	0.8
8	51.98	54.52	53.83	53.44	5.6	2.6	5.2	4.47	0.6	2.0	1.0	1.4
9	57.10	52.44	60.89	51.81	9.0	5.4	7.2	7.20	10.0	5.6	1.2	1.2	1.4
10	52.10	64.62	56.16	62.63	3.4	-0.8	-0.8	0.60	8.9	-1.7	1.4	1.6	1.0
11	62.80	59.61	55.43	59.28	-0.6	0.2	0.4	0.00	-2.2	0.8	1.4	1.0
12	52.44	46.78	43.61	47.61	1.4	2.2	5.2	2.93	6.1	0.6	2.4	0.8	1.0
13	43.34	44.29	50.09	42.24	9.6	5.8	4.6	6.67	10.0	5.0	1.6	1.0	0.8
14	45.94	43.40	41.07	43.47	4.8	4.4	3.8	4.33	5.6	2.8	1.2	1.4	1.0
15	44.29	44.75	47.99	45.68	4.2	5.2	1.4	3.60	5.6	1.7	0.6	0.4	0.6
16	46.15	44.88	44.74	45.26	4.0	3.4	1.4	2.93	4.4	1.7	1.0	0.6	0.4
17	39.29	36.00	38.74	38.01	3.8	2.0	2.4	2.73	3.9	1.1	1.0	0.8	0.4
18	40.24	42.41	44.83	42.48	6.4	1.2	5.6	4.40	7.8	1.1	1.4	0.8	2.0
19	47.17	45.96	53.89	49.01	4.6	3.0	3.0	3.53	6.7	1.1	0.8	0.8	0.6
20	54.78	55.55	48.06	52.73	4.8	0.4	0.6	1.93	5.0	-1.7	0.6	1.6	1.2
21	45.47	44.46	38.66	42.86	0.4	-1.4	2.4	0.47	5.0	-1.1	0.2	1.4	1.0
22	39.42	39.17	42.93	40.51	3.4	2.0	1.0	2.13	3.9	0.6	1.8	0.8	2.2
23	43.74	43.87	36.00	41.20	3.4	2.4	4.4	3.40	5.0	1.1	1.0	1.0	1.2
24	41.00	34.98	30.08	35.35	3.6	2.4	2.0	2.67	5.6	1.7	0.8	0.8	0.6
25	28.97	29.59	41.54	33.87	2.6	0.8	0.8	1.40	3.9	-1.7	1.0	2.0	2.6
26	49.16	54.75	56.70	53.54	2.0	1.0	0.6	1.20	3.3	0.0	1.0	0.8	1.6
27	54.03	47.86	41.00	47.46	2.8	2.4	5.0	3.40	5.6	1.1	1.2	1.2	0.8
28	42.38	44.05	33.46	39.96	5.0	3.2	2.8	3.67	6.7	3.3	1.2	1.0	1.6
29	39.66	42.79	48.95	43.47	2.6	1.2	4.0	2.60	3.9	1.1	1.2	1.0	1.2
30	47.74	46.15	41.95	45.28	3.8	3.4	7.4	4.87	7.2	2.2	1.4	1.2	1.0
31	41.32	45.58	40.58	42.49	4.4	3.8	0.2	2.80	9.4	-0.6	1.2	1.4	1.0

AGOSTO

1	41.34	45.35	45.91	44.20	0.4	0.6	2.2	1.07	8.9	-1.1	0.8	1.4	0.8
2	45.08	44.25	58.09	49.14	2.4	1.2	5.8	3.13	3.9	-0.6	0.8	0.4	1.4
3	55.85	55.10	62.53	57.83	3.2	2.8	3.0	3.00	5.0	1.4	1.4	0.8
4	61.30	59.41	47.49	56.07	6.2	1.2	0.4	2.60	6.7	-1.1	1.2	1.0	0.8
5	42.57	43.61	26.98	37.72	4.8	3.2	4.2	4.07	5.5	0.6	1.2	0.8	1.0
6	29.89	30.79	21.91	27.53	7.4	4.2	4.8	5.47	8.3	1.2	1.4	1.4
7	26.48	38.03	42.37	35.46	2.8	-1.8	-2.2	-0.40	5.5	-3.3	1.4	0.8	1.2
8	42.17	44.08	47.32	44.52	-0.2	-1.8	-1.8	-1.27	-5.0	1.0	1.0	1.0
9	51.43	45.64	49.92	49.00	3.6	-0.8	2.4	1.73	3.9	-3.3	1.2	2.0	2.0
10	50.16	51.99	54.16	52.10	2.6	-1.8	2.2	1.00	3.9	1.4	1.0	1.2
11	52.71	50.79	42.42	43.64	1.8	1.2	1.8	1.60	5.6	-1.7	1.0	0.8	0.6
12	44.50	47.38	48.78	46.89	1.8	-0.8	1.0	0.67	3.9	-3.9	1.0	2.0	1.0
13	46.90	46.35	47.12	46.79	3.0	0.8	1.2	1.67	3.9	-2.8	1.0	2.0	1.0
14	47.80	50.93	53.35	50.69	3.4	-1.6	-0.8	0.33	4.4	-5.0	2.0	0.8	0.4
15	54.14	56.14	56.78	55.69	4.0	-2.4	1.6	1.07	5.6	-3.9	1.0	0.8	0.8
16	55.85	55.26	50.09	53.73	3.0	0.8	2.2	2.00	5.0	0.6	0.6	2.2	1.0
17	45.20	42.56	39.25	42.35	3.8	3.2	3.2	3.40	4.4	-0.6	1.2	0.8	0.8
18	35.87	33.99	33.59	34.47	4.4	2.6	3.2	3.40	5.1	1.1	1.2	1.2	1.2
19	53.76	39.36	46.41	48.18	4.2	1.0	2.2	2.47	6.1	0.0	1.4	0.8	1.0
20	53.59	31.12	54.16	39.62	3.2	-0.4	3.0	1.93	-3.3	1.2	0.8	1.2
21	41.28	44.44	48.82	44.82	4.2	3.8	7.4	5.13	1.7	1.8	1.2	2.2
22	48.42	46.98	40.01	45.14	6.8	-0.2	3.0	3.20	8.3	-0.6	1.2	1.0	0.6
23	38.60	56.43	39.69	44.91	3.4	0.4	2.2	2.00	4.4	-2.2	0.6	1.6	0.8
24	41.14	43.68	49.97	44.93	3.6	1.8	5.2	3.53	6.7	0.0	0.8	1.0	1.2
25	51.72	55.41	56.70	54.61	5.2	-1.6	5.0	2.87	6.1	-2.2	2.0	0.6	2.6
26	56.80	57.89	59.18	57.96	7.0	1.8	5.2	4.67	7.8	-2.8	1.0	0.4	0.6
27	58.84	58.33	52.74	56.64	5.2	2.2	3.8	3.73	7.2	2.2	1.2	0.8	1.0
28	56.23	53.89	44.38	51.50	4.2	-1.2	3.0	2.00	5.0	0.5	1.0	0.6
29	41.14	40.56	47.92	43.21	4.8	3.8	4.0	4.20	5.6	2.2	1.2	1.9	0.4
30	47.15	47.80	41.41	45.45	4.2	-1.4	2.8	1.87	5.0	-1.7	0.8	0.8	1.2
31	46.31	58.78	53.89	44.33	5.2	1.8	6.4	4.47	0.6	1.2	1.4	0.8

PSICRÓMETRO.								VIENTOS.			ESTADO ATMÓS.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
85	96	80	87	4.84	1.85	3.49	3.23	S ₂	S ₁	O ₁	D.	D.	D.
70	80	79	76	4.23	3.31	4.31	3.95	O ₂	O ₂	N ₁	N _{p.}	N.	N.
78	80	87	82	5.26	4.43	5.21	4.97	NO ₁	NO ₁	N ₂	N.	N.	N.
80	76	84	80	5.13	4.63	5.50	5.09	N ₁	O ₁	NO ₁	N.	N.	N.
85	80	87	84	6.20	3.49	3.35	4.35	O ₁	O ₁	O ₁	N.	N.	N.
85	72	92	83	4.12	2.99	4.36	4.16	O ₁	O ₁	O ₁	N.	N.	N.
82	57	87	75	4.43	2.39	5.05	4.12	O ₁	O ₁	O ₁	N.	N.	N.
70	83	78	77	4.74	1.55	5.18	4.82	O ₁	O ₁	N ₂	N.	D.	N.
84	81	80	82	7.19	5.46	6.06	6.24	O ₁	S ₂	NO ₁	N.	N.	N.
76	69	80	75	4.47	3.00	3.49	3.65	SO ₂	S ₂	O ₁	N.	N.	N.
85	74	81	80	3.73	3.45	3.86	3.63	NO ₁	NO ₂	N ₂	N.	N.	N.
61	85	84	77	2.98	4.62	5.53	4.39	NO ₁	NO ₁	N ₁	N.	N.	N.
79	85	87	84	7.05	5.36	5.54	6.13	NO ₁	NO ₁	N ₁	N.	N.	N.
81	80	83	81	5.22	4.97	5.01	5.07	S ₁	O ₁	O ₁	N.	N.	N.
90	94	89	91	5.58	6.21	4.52	5.44	O ₁	O ₁	O ₁	N.	N.	N.
88	90	89	87	5.09	5.25	4.52	4.95	O ₁	O ₁	O ₁	N.	N.	N.
83	85	93	87	5.01	4.54	5.06	4.87	O ₁	O ₁	O ₁	N.	N.	N.
79	85	70	78	5.70	4.24	4.74	4.89	O ₁	O ₁	NO ₁	N.	N.	N.
87	86	89	87	5.54	4.91	5.10	5.18	NO ₁	O ₁	O ₁	N.	N.	N.
80	70	78	79	5.82	5.36	3.77	4.32	NO ₁	NO ₁	NO ₁	N.	N.	N.
96	72	82	83	4.54	2.99	4.51	4.01	O ₁	O ₁	NO ₁	N.	N.	N.
79	85	62	72	4.07	4.54	3.02	3.88	NO ₁	NO ₂	O ₁	N.	N.	N.
83	82	75	80	4.87	4.51	2.79	4.12	O ₂	N ₂	NO ₂	N.	N.	N.
87	86	89	87	5.13	4.67	4.74	4.85	O ₁	NO ₂	O ₂	N.	N.	N.
83	65	56	63	4.55	3.17	2.64	3.45	O ₁	O ₂	SO ₂	N.	N.	N.
82	35	70	79	4.35	5.18	3.42	3.98	S ₂	S ₂	O ₂	N.	N.	N.
83	79	87	83	4.63	4.31	5.70	4.38	N ₁	N ₂	O ₂	N.	N.	N.
81	33	72	70	5.30	4.07	4.07	4.73	NO ₃	NO ₂	NO ₂	N.	N.	N.
79	81	80	80	4.39	4.79	4.89	4.45	O ₁	O ₂	O ₁	N.	N.	N.
76	80	75	80	4.63	4.67	6.60	5.36	O ₁	N ₂	N ₂	N.	N.	N.
80	76	81	79	5.05	4.63	3.30	4.49	N ₁	NO ₁	NO ₁	N.	N.	N.

DE 1872.

85	74	55	81	4.03	3.58	4.62	4.08	NO ₁	O ₁	O ₁	N.	N.	N.
86	93	78	86	4.67	4.64	4.42	4.24	NO ₂	SO ₂	NO ₂	N.	N.	N.
76	75	83	79	4.39	4.27	4.91	4.53	O ₃	O ₃	N ₂	N.	N.	N.
82	81	81	81	5.82	4.07	3.86	4.91	NO ₁	NO ₁	N ₂	N.	N.	N.
81	86	87	85	5.22	4.99	5.37	5.19	O ₃	NO ₂	N ₂	N.	N.	N.
83	77	77	79	6.33	4.77	5.01	5.39	O ₃	NO ₃	NO ₂	N.	N.	N.
75	83	75	78	4.27	3.96	2.91	3.51	O ₂	NO ₂	O ₁	N.	N.	N.
81	70	79	80	3.63	5.29	3.20	3.36	NO ₂	C	C	N.	N.	N.
80	61	65	69	4.75	2.57	3.53	3.65	C	C	C	N.	N.	N.
75	79	79	73	4.19	3.20	4.23	3.37	O ₂	NO ₂	N ₂	N.	N.	N.
82	85	89	85	4.29	4.24	4.66	4.40	NO ₁	O ₁	N ₂	N.	N.	N.
82	80	56	73	4.29	3.49	2.70	3.50	O ₂	O ₂	N ₂	N.	N.	N.
83	65	81	76	4.71	3.17	4.07	3.98	O ₂	O ₁	C	N.	N.	N.
66	84	93	73	3.91	3.42	4.78	4.04	O ₁	O ₁	O ₁	N.	N.	N.
83	83	55	84	5.09	3.13	4.40	4.22	C	C	C	N.	N.	N.
89	62	82	73	5.10	2.96	4.45	4.16	C	C	SO ₂	N.	N.	N.
30	86	86	84	4.81	4.99	4.39	4.33	S ₂	N ₂	SO ₂	N.	N.	N.
80	79	80	80	5.05	4.39	4.59	4.68	NO ₁	O ₂	C	N.	N.	N.
77	85	82	81	4.77	4.18	4.45	4.46	O ₂	SO ₁	NO ₂	N.	N.	N.
80	85	80	82	4.59	3.79	4.51	4.26	O ₂	NO ₁	O ₂	N.	N.	N.
70	80	69	73	4.39	4.81	5.32	4.34	NO ₂	O ₂	C	N.	N.	N.
86	81	89	84	6.08	3.83	5.10	4.35	NO ₂	O ₂	N ₂	N.	N.	N.
90	70	85	82	5.25	3.36	4.63	4.41	C	C	C	N.	N.	N.
87	82	81	83	5.13	4.29	5.33	4.93	C	C	O ₁	N.	N.	N.
84	88	60	77	5.58	3.58	3.91	4.36	O ₁	O ₁	O ₁	N.	N.	N.
60	74	87	74	4.50	3.89	5.78	4.72	N ₁	NO ₁	O ₁	N.	N.	N.
81	85	83	83	5.38	4.62	5.01	5.00	C	N ₂	N ₂	N.	N.	N.
96	80	89	86	5.53	3.37	5.10	4.63	N ₁	C	NE ₂	N.	N.	N.
81	83	93	86	5.22	5.01	5.70	5.31	O ₁	O ₁	NO ₂	N.	N.	N.
37	84	30	84	5.37	3.48	4.45	4.43	O ₁	O ₁	C	N.	N.	N.
81	74	88	81	5.33	3.39	6.32	5.30	O ₁	NO ₃	O ₂	N.	N.	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Máx.	Mín.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.									
1	48.55	41.14	40.58	43.42	0	3.8	0	3.6	0	7.2	0	0	0
2	41.07	44.38	41.54	42.26	3.0	-1.8	2.4	1.20	6.7	-0.6	1.0	1.0	0
3	39.93	40.20	41.81	40.65	2.2	2.2	0.8	1.75	3.9	0.0	0.8	1.0	0
4	33.63	51.09	30.79	46.17	6.8	4.4	5.8	5.63	7.2	-1.7	1.8	2.2	1
5	30.85	26.85	30.31	32.34	3.2	1.2	4.2	2.87	8.9	0.0	3.0	0.8	0
6	41.00	44.25	46.22	44.12	3.0	1.8	4.8	3.20	4.4	0.0	1.4	1.2	1
7	47.78	49.12	44.33	47.24	4.4	1.4	2.0	2.60	5.6	-0.6	1.0	1.2	0
8	41.74	44.38	47.89	44.66	1.6	-0.4	4.4	1.80	3.3	-2.2	0.8	0.8	0
9	47.51	48.44	48.00	47.99	3.2	-1.2	3.4	1.87	5.0	-2.2	1.8	0.6	0
10	51.43	56.70	59.58	55.90	2.8	-2.6	4.2	1.47	6.1	-5.0	2.4	0.8	0
11	58.34	57.19	54.67	56.73	2.4	-0.4	2.6	1.53	5.6	-3.9	1.0	1.0	1
12	52.30	50.85	52.50	51.88	4.6	1.6	1.8	2.67	6.7	0.0	1.0	1.0	1
13	47.23	46.08	43.54	45.62	4.8	2.6	6.2	4.53	6.7	2.2	1.0	1.2	1
14	48.72	46.70	48.76	46.39	7.8	3.6	4.4	5.27	10.6	1.1	1.2	0.8	0
15	46.31	44.29	40.11	43.57	9.0	6.2	8.4	7.93	11.1	-3.3	3.4	0.8	1
16	46.76	49.24	48.44	48.15	6.0	0.2	2.4	2.87	10.0	0.0	0.8	0.8	2
17	43.54	42.97	48.68	45.06	8.6	2.2	7.2	6.00	10.0	1.7	1.0	1.0	1
18	51.02	50.96	46.99	48.66	7.8	3.6	7.0	6.13	9.4	2.2	1.2	1.2	2
19	40.11	38.45	49.32	42.69	9.6	2.4	5.4	5.80	11.7	0.6	2.8	0.6	1
20	52.72	55.40	55.65	54.59	6.6	2.6	8.2	5.80	8.9	2.2	2.8	1.2	1
21	55.21	56.03	54.90	55.38	7.2	2.8	8.6	6.20	11.7	-0.6	1.6	0.8	1
22	49.17	45.04	50.38	48.20	9.4	6.0	4.8	6.40	12.8	1.7	1.0	1.2	2
23	52.24	53.55	46.08	50.62	7.6	2.2	4.8	4.37	9.4	2.2	2.2	1.0	1
24	42.70	41.50	40.87	41.69	5.8	4.2	9.8	6.60	12.2	2.3	1.0	0.8	2
25	39.12	58.36	43.48	45.32	8.2	4.6	7.2	6.67	13.3	3.3	0.8	1.4	2
26	38.78	39.60	38.84	39.07	6.0	3.0	8.0	5.67	9.4	3.3	2.6	0.4	1
27	50.55	33.42	53.53	39.10	13.8	9.2	5.4	9.47	13.0	3.3	3.2	1.2	1
28	33.33	33.40	28.38	35.04	4.2	3.8	11.4	6.47	12.8	3.3	0.8	1.0	3
29	29.00	28.18	30.92	29.37	7.0	2.8	4.6	4.80	13.3	0.6	1.2	1.0	1
30	32.49	60.36	46.15	46.67	3.8	1.2	6.0	3.67	7.8	0.0	1.0	1.0	2

OCTUBRE

1	42.38	38.27	31.68	37.44	8.2	3.0	9.8	8.67	0.0	2.4	2.4	2.2
2	30.90	38.14	41.95	37.42	11.0	4.8	7.2	7.67	13.9	1.7	2.2	1.2	2.2
3	44.41	43.94	51.46	47.27	7.4	3.8	7.8	6.33	10.6	3.3	2.2	1.2	0.6
4	54.51	44.50	52.10	50.39	7.4	4.8	7.8	6.87	10.0	0.0	1.2	1.4	2.0
5	48.76	47.70	48.21	46.56	7.2	6.2	16.2	9.87	17.2	2.8	1.2	0.6	4.0
6	44.38	45.23	42.06	43.91	12.8	9.0	9.4	11.07	17.8	5.6	3.0	1.0	1.0
7	38.64	33.07	33.26	33.66	10.8	5.2	6.8	7.60	11.7	2.2	1.4	0.8	1.2
8	34.14	34.94	46.09	39.06	6.4	3.4	7.0	5.60	9.4	2.2	1.0	1.2	2.2
9	39.79	49.87	55.21	48.29	8.4	2.8	6.2	5.80	-1.1	2.8	0.8	0.8
10	36.40	57.36	58.27	57.36	7.0	2.6	5.8	5.13	8.3	-0.6	0.8	0.8	1.0
11	38.49	59.13	58.57	58.73	5.8	4.8	6.2	5.60	6.7	4.4	1.2	1.2	0.8
12	56.90	56.46	54.40	55.95	7.4	5.2	6.0	6.20	7.8	5.0	1.2	0.8	0.8
13	51.73	51.02	52.22	51.65	6.6	4.8	11.4	7.60	4.4	0.4	1.2	2.2
14	52.71	51.76	45.88	50.12	8.0	6.2	5.4	6.58	11.1	4.4	0.8	1.4	1.1
15	46.14	46.62	47.58	45.78	9.2	5.6	11.4	8.73	12.2	1.1	1.6	0.8	3.8
16	47.38	46.93	43.78	46.03	10.2	5.6	10.6	8.80	11.1	0.6	2.2	1.2	2.6
17	40.42	36.35	37.30	38.02	11.2	7.4	7.2	8.60	12.8	3.3	2.2	1.2	0.6
18	53.62	46.43	45.81	48.59	9.8	6.2	11.8	8.95	3.9	2.8	1.0	4.4
19	49.67	53.29	47.70	50.22	9.8	4.6	14.4	9.60	17.2	3.3	2.8	1.0	4.4
20	47.10	48.84	43.97	48.30	11.2	4.8	10.8	8.93	16.1	3.9	2.8	1.4	3.4
21	49.08	50.62	43.78	47.81	10.8	6.4	6.6	7.93	15.5	3.3	4.0	0.8	3.8
22	37.17	37.43	42.00	38.87	11.6	7.8	9.8	9.73	11.7	2.8	0.8	1.2	2.2
23	45.62	49.11	39.79	44.84	8.8	3.8	7.6	6.73	10.0	2.8	2.0	0.8	0.8
24	32.98	35.61	35.04	34.88	14.0	3.2	8.8	8.67	1.1	3.2	0.4	2.0
25	33.33	34.53	48.86	39.07	6.4	4.0	9.8	6.73	10.6	2.8	0.8	0.6	3.0
26	36.66	56.71	62.16	57.51	10.2	7.4	13.8	10.40	11.7	2.2	2.4	1.2	3.6
27	60.49	58.09	51.12	56.57	13.6	8.8	13.4	11.93	14.4	6.7	3.8	1.0	2.0
28	47.55	45.96	43.99	45.63	16.2	8.6	9.6	11.47	18.8	5.0	3.4	0.8	1.8
29	43.94	39.58	34.09	39.20	12.6	7.6	14.2	11.47	2.8	3.2	1.2	3.6
30	31.28	30.58	31.93	31.26	9.8	4.8	9.8	8.13	13.5	2.2	3.0	1.2	3.3
31	31.80	38.90	37.25	37.91	8.8	4.6	7.8	7.97	13.5	2.8	1.2	1.0	2.4

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSP.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
84	82	80	82	5.04	4.25	4.75	4.68	NO ₂	O ₂	NO ₂	N ₂	N ₂	N ₂
86	79	85	83	4.91	3.18	4.70	4.26	O ₂	O ₁	NO ₂	N ₂	N ₂	N ₂
85	75	92	84	4.60	4.01	4.38	4.33	NO ₂	NO ₁	NO ₁	N ₂	N ₂	N ₂
74	65	82	74	5.46	3.07	5.62	5.05	NO ₂	N ₂	O ₂	N ₂	N ₂	N ₂
50	85	87	74	2.86	4.24	5.37	4.16	NO ₁	NO ₂	O ₂	N ₂	N ₂	N ₂
75	79	81	78	4.35	4.07	5.21	4.54	NO ₃	O ₂	O ₂	N ₂	N ₂	N ₂
83	73	96	86	5.25	3.95	5.14	4.78	O ₂	NO ₂	O ₂	N ₂	N ₂	N ₂
85	35	90	87	4.36	3.78	5.65	4.60	S ₂	S ₂	O ₁	N ₂	N ₂	N ₂
69	87	90	82	4.05	3.38	5.26	4.22	SO ₁	O ₁	SO ₂	N ₂	N ₂	N ₂
59	83	90	77	3.29	3.12	5.57	3.99	S ₂	SO ₁	NO ₂	N ₂	N ₂	N ₂
81	81	79	80	4.13	3.67	4.33	4.06	N ₂	NO ₁	O ₁	N ₂	N ₂	N ₂
83	82	81	82	5.93	4.23	4.25	4.61	—	—	NO ₁	N ₂	N ₂	N ₂
84	79	32	82	5.41	4.39	5.82	5.21	—	—	F ₁	N ₂	N ₂	N ₂
83	87	90	87	6.58	4.15	5.65	5.46	NO ₁	O ₁	NO ₁	N ₂	N ₂	N ₂
56	88	83	76	4.90	6.23	6.37	6.01	N ₂	NO ₁	—	N ₂	N ₂	N ₂
88	85	65	79	6.15	3.88	3.53	4.52	O ₂	SO ₂	NO ₂	N ₂	N ₂	N ₂
86	82	85	84	7.19	4.43	6.50	6.04	NO ₂	O ₁	NO ₂	N ₂	N ₂	N ₂
83	80	69	77	6.58	4.75	5.10	5.48	O ₂	NO ₁	NO ₂	N ₂	N ₂	N ₂
64	89	81	78	5.72	4.90	5.46	5.59	NO ₂	N ₂	SO ₂	N ₂	N ₂	N ₂
59	79	75	71	4.34	4.39	6.12	4.95	O ₂	NO ₁	O ₂	N ₂	N ₂	N ₂
77	86	83	82	5.89	4.83	6.97	5.48	—	—	N ₂	N ₂	N ₂	N ₂
86	83	69	76	7.62	6.15	3.85	5.87	NO ₁	N ₂	N ₂	N ₂	N ₂	N ₂
69	82	81	77	5.42	4.43	5.21	5.02	O ₁	NO ₁	NO ₂	N ₂	N ₂	N ₂
85	87	74	82	5.82	5.27	6.69	5.93	N ₁	N ₁	NO ₁	N ₂	N ₂	N ₂
89	77	66	77	7.21	4.93	4.98	5.71	—	—	—	N ₂	N ₂	N ₂
61	93	86	80	4.29	5.36	6.39	5.49	SO ₂	O ₂	—	N ₂	N ₂	N ₂
65	84	81	77	7.59	7.17	5.46	6.74	NO ₂	N ₂	NO ₁	N ₂	N ₂	N ₂
87	83	55	75	5.37	5.03	5.51	5.30	N ₁	N ₂	—	N ₂	N ₂	N ₂
83	83	71	79	6.22	4.67	4.55	5.15	NO ₂	N ₂	NO ₂	N ₂	N ₂	N ₂
83	81	70	78	5.03	4.07	4.90	4.67	N ₂	N ₂	NO ₂	N ₂	N ₂	N ₂

65	71	70	69	4.98	5.84	5.98	5.43	N ₂	NO ₂	O ₂	N ₂	N ₂	N ₂
71	80	63	71	6.57	4.75	4.57	5.30	NO ₂	NO ₂	NO ₂	N ₂	N ₂	N ₂
67	79	91	79	5.10	4.47	6.94	5.50	SO ₂	O ₂	O ₁	N ₂	N ₂	N ₂
32	76	67	75	5.92	4.68	5.02	5.19	NO ₁	NO ₁	N ₁	N ₂	N ₂	N ₂
81	90	57	76	5.70	6.06	6.75	6.17	—	N ₁	NO ₂	N ₂	N ₂	N ₂
66	81	86	78	7.47	6.80	7.19	7.15	NO ₂	NO ₁	SO ₂	N ₂	N ₂	N ₂
81	87	81	83	7.53	5.37	5.70	6.20	SO ₂	NO ₁	NO ₂	N ₂	N ₂	N ₂
84	79	67	77	5.58	4.39	4.96	4.93	O ₂	NO ₂	O ₂	N ₂	N ₂	N ₂
60	85	87	77	4.58	4.54	5.78	5.97	O ₂	SO ₁	S ₁	N ₂	N ₂	N ₂
88	85	83	85	6.25	4.36	5.41	5.34	S ₂	SE	NO ₁	N ₂	N ₂	N ₂
80	80	87	82	5.21	4.89	5.78	5.27	N ₁	N ₂	N ₂	N ₂	N ₂	N ₂
82	87	87	85	5.92	5.57	5.70	5.66	NO ₁	—	NE	N ₂	N ₂	N ₂
94	80	72	82	6.49	4.75	6.81	6.02	E ₁	C	C	N ₂	N ₂	N ₂
88	77	80	82	6.62	5.17	5.05	5.61	C	—	—	N ₂	N ₂	N ₂
77	87	52	72	5.98	5.53	5.12	5.54	N ₁	—	O ₁	N ₂	N ₂	N ₂
65	80	65	70	5.64	5.21	5.88	5.58	NO ₁	—	NE	N ₂	N ₂	N ₂
71	82	91	81	6.57	5.92	6.47	6.32	NE	N ₂	SO ₂	N ₂	N ₂	N ₂
63	83	46	64	5.32	5.17	4.56	5.02	O ₂	O ₁	SO ₁	N ₂	N ₂	N ₂
58	83	52	64	5.08	5.09	5.92	5.34	O ₂	—	O ₂	N ₂	N ₂	N ₂
64	76	56	65	6.01	4.63	5.16	5.27	O ₂	NO ₂	O ₂	N ₂	N ₂	N ₂
48	87	87	74	4.44	5.35	5.94	5.41	SO ₃	NO ₁	NE	N ₂	N ₂	N ₂
89	82	70	80	8.57	6.12	5.78	6.82	N ₂	NO ₂	SO ₂	N ₂	N ₂	N ₂
71	86	88	82	5.74	4.83	6.52	5.70	SO ₃	O ₁	N ₂	N ₂	N ₂	N ₂
63	93	71	78	7.12	5.06	5.74	5.97	NO ₃	O ₂	O ₁	N ₂	N ₂	N ₂
37	89	59	76	5.86	5.10	5.14	5.37	—	SO ₂	SO ₁	N ₂	N ₂	N ₂
67	82	59	69	5.96	5.92	6.88	6.25	S ₂	—	N ₁	N ₂	N ₂	N ₂
56	85	76	72	6.21	6.80	8.44	7.13	O ₁	NO ₁	C	N ₂	N ₂	N ₂
63	89	76	76	8.30	7.01	6.41	7.24	—	—	O ₁	N ₂	N ₂	N ₂
66	82	57	66	5.77	4.92	6.21	5.97	—	N ₂	NO ₂	N ₂	N ₂	N ₂
59	79	56	63	5.04	4.47	4.36	4.62	N ₂	NO ₃	SO ₂	N ₂	N ₂	N ₂
83	83	65	77	6.68	4.95	4.32	5.43	SO ₂	SO ₂	SO ₂	N ₂	N ₂	N ₂

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Máx.	Mín.	Dif de los termós.		
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	2½ h	9 h	21 h.
1	43.78	50.89	51.08	48.58	7.2	4.2	13.2	8.20	2.2	2.0	1.0	3.4
2	46.28	46.85	34.44	42.52	13.6	8.6	14.2	12.13	18.9	6.1	4.0	1.2	4.0
3	34.31	35.20	38.14	35.88	11.8	7.2	9.8	9.60	20.0	2.2	2.3	1.0	3.0
4	40.55	42.70	47.33	45.53	4.8	6.4	10.6	7.27	13.3	1.1	1.2	1.6	2.8
5	49.05	50.69	51.14	50.29	10.6	5.4	9.6	8.55	11.7	3.9	2.0	1.2	2.0
6	50.49	52.31	53.15	51.98	9.8	5.0	11.4	8.73	23.3	2.8	1.4	0.8	3.4
7	52.43	55.42	55.69	54.51	12.6	6.8	13.8	12.07	17.2	1.7	3.8	1.0	5.2
8	50.22	45.71	43.02	46.98	12.8	10.2	13.2	12.07	25.0	5.0	3.0	2.0	4.4
9	44.70	38.74	40.61	41.35	14.6	7.6	9.8	10.67	17.8	4.4	2.8	0.6	1.6
10	42.94	46.00	48.80	45.91	8.6	3.8	13.2	8.55	23.9	1.1	2.8	0.8	5.0
11	45.42	39.58	27.10	37.37	12.2	6.4	8.6	9.07	13.9	4.4	4.6	1.4	2.0
12	51.49	24.79	31.10	34.79	8.6	6.4	9.6	8.27	19.4	0.6	1.0	0.8	3.0
13	33.81	38.37	40.74	37.64	11.4	3.6	11.6	8.53	13.9	0.6	2.2	0.8	4.0
14	42.17	45.11	44.46	43.91	12.4	4.4	10.8	9.20	26.7	0.6	4.0	0.2	3.0
15	45.28	46.93	54.05	48.75	13.0	8.2	8.4	9.87	23.9	2.8	5.0	1.4	2.2
16	54.55	56.52	53.80	54.89	9.0	7.2	9.2	8.47	12.2	6.1	2.0	1.4	2.2
17	53.02	49.72	49.22	50.65	13.2	9.2	13.2	11.87	19.4	6.1	2.8	1.8	4.4
18	46.33	43.18	42.31	43.94	14.6	10.6	11.2	12.13	17.2	5.6	4.4	2.2	3.8
19	45.84	43.52	42.33	45.60	10.8	5.2	12.4	9.47	22.2	4.4	2.4	0.8	2.8
20	44.26	44.78	46.87	45.30	12.4	7.8	11.6	10.60	17.2	3.9	4.8	2.4	3.4
21	48.63	58.77	43.01	50.14	10.6	5.6	10.4	8.87	20.0	3.5	3.4	0.6	2.8
22	54.49	58.80	61.35	58.21	9.8	5.2	10.6	8.53	21.7	2.8	3.0	1.2	4.2
23	59.03	56.04	44.10	53.06	14.2	6.4	8.2	9.60	14.4	3.9	4.3	1.8	0.4
24	39.95	39.38	45.48	41.60	17.2	6.8	12.2	12.67	22.2	5.0	5.0	2.0	4.0
25	45.92	47.04	46.87	46.61	12.4	6.6	10.8	9.93	21.7	3.9	4.4	0.4	3.0
26	46.09	46.17	52.85	48.37	9.4	4.8	9.2	7.80	21.7	2.8	1.4	1.2	3.6
27	54.21	55.81	51.83	53.95	11.6	4.8	10.8	9.07	14.4	1.1	3.2	0.6	1.8
28	48.84	47.74	48.09	48.22	9.2	4.8	8.8	7.60	11.7	4.4	2.2	1.6	1.6
29	48.01	52.06	52.38	50.32	12.0	7.2	10.2	9.30	23.9	2.8	3.2	0.2	2.6
30	47.86	51.69	51.01	50.19	5.8	7.8	4.6	6.07	11.1	2.2	1.0	2.0	0.6

DICIEMBRE

1	50.75	53.29	56.69	53.58	8.0	8.3	8.8	8.47	21.1	2.2	0.6	3.8	1.6
2	32.73	53.02	49.47	45.07	9.0	6.6	12.2	9.27	19.4	6.1	1.2	0.8	2.4
3	48.74	45.90	40.14	44.93	17.6	13.6	13.6	14.93	23.9	9.4	4.2	1.4	4.0
4	40.77	41.99	34.38	39.05	12.8	3.8	6.6	9.40	16.7	6.1	5.4	3.5	0.8
5	28.22	27.72	28.68	28.21	8.0	3.6	9.2	6.93	17.2	3.3	0.8	1.2	1.8
6	28.23	32.60	38.07	32.98	12.8	6.4	8.6	9.27	15.0	5.0	3.4	1.2	2.8
7	50.23	40.34	43.97	46.33	13.4	7.4	12.4	11.07	16.7	5.6	5.0	0.6	4.2
8	50.23	48.01	43.53	47.28	10.8	7.2	11.4	9.80	23.3	7.2	4.0	1.4	1.6
9	44.57	46.03	43.84	44.81	10.8	5.0	10.4	8.73	13.9	3.5	3.6	0.8	2.2
10	37.67	39.13	39.41	38.74	13.0	4.6	8.2	8.60	15.0	4.4	4.0	0.4	1.8
11	42.11	46.17	51.05	46.44	12.2	5.6	13.2	10.33	22.8	3.9	3.8	1.4	5.0
12	51.41	51.86	52.39	51.89	10.2	8.4	11.4	10.00	13.9	6.1	2.4	1.4	1.0
13	52.11	50.53	45.91	49.52	11.8	3.6	8.4	9.93	18.3	7.8	1.4	0.2	0.6
14	46.09	46.37	44.28	45.58	7.8	6.6	9.8	8.07	12.8	6.1	1.2	0.6	1.2
15	44.13	46.48	46.09	45.57	3.4	6.0	12.4	8.93	27.2	3.9	0.2	0.2	3.4
16	44.76	46.09	47.13	45.99	9.8	5.8	8.8	8.13	15.6	3.3	1.4	1.4	1.2
17	46.79	49.14	52.18	49.37	10.6	5.2	8.4	8.07	13.9	2.8	2.8	0.4	2.6
18	54.42	57.53	59.10	57.02	7.6	5.4	9.8	7.60	28.9	1.7	1.2	0.2	2.2
19	59.02	58.77	54.96	57.53	9.8	5.2	14.0	9.67	22.2	2.8	2.2	0.2	4.2
20	51.10	49.84	49.53	50.16	11.0	7.8	11.2	10.00	16.7	6.1	2.2	1.0	3.0
21	49.14	44.33	41.55	45.02	9.8	7.8	8.4	8.67	13.9	5.0	1.8	1.4	1.2
22	44.10	47.04	52.25	47.80	9.4	5.8	12.2	9.13	26.1	3.3	1.2	1.0	4.0
23	54.08	54.52	47.95	52.18	10.4	6.8	14.2	10.47	16.7	5.6	2.0	0.6	2.4
24	47.68	47.04	42.94	45.89	12.0	6.2	15.4	11.20	21.1	4.4	4.2	1.0	5.0
25	40.08	38.61	55.62	44.77	13.8	6.8	10.8	10.47	30.6	0.6	2.0	1.2	2.2
26	47.87	37.32	55.56	47.03	9.2	4.0	8.2	7.13	26.6	0.0	0.6	0.2	1.8
27	55.56	38.56	39.32	44.48	8.2	6.0	7.6	7.27	27.2	2.2	2.2	0.6	1.6
28	38.94	39.76	40.34	39.63	8.4	5.0	11.8	8.40	26.7	3.3	2.6	0.8	4.6
29	42.02	42.29	42.75	42.86	10.8	5.0	12.6	9.47	21.7	1.7	2.0	1.0	4.4
30	42.03	42.77	42.57	42.39	14.0	8.2	15.8	12.67	17.2	6.1	4.8	1.8	4.6
31	41.46	41.65	42.88	42.00	16.4	8.6	13.4	12.30	27.3	3.3	5.4	2.2	4.4

PSICRÓMETRO.								VIENTOS.			ESTADO AÍMOSF.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
70	88	59	71	4.98	4.78	6.45	5.41	SO ₂	SO ₂	NO ₂	N.p.	N.	N.
54	83	55	64	5.97	6.48	6.28	6.24	O ₁	NO ₂	NO ₂	N.p.	N.	N.p.
84	85	59	69	6.21	6.04	5.04	5.76	SO ₂	O ₁	O ₁	N.p.	N.	N.p.
80	74	63	72	4.75	5.05	5.72	5.17	O ₃	SO ₂	O ₂	N.p.	N.	N.p.
73	80	72	75	6.62	5.13	6.00	5.94	SO ₂	SO ₂	O ₁	N.p.	N.	N.p.
81	87	58	75	6.65	5.29	5.55	5.83	N ₂	SE ₁	O ₁	N.p.	N.	N.p.
54	84	47	62	5.61	5.82	6.02	6.02	SO ₂	SO ₁	O ₂	N.	N.p.	N.
63	73	43	61	6.57	6.39	5.25	6.07	N ₂	N ₂	N.	N.	N.p.	N.
68	71	78	72	7.95	6.64	6.33	7.14	NO ₂	CO ₁	N.	N.	N.p.	N.
60	85	48	63	4.74	4.78	4.59	4.70	O ₂	CO ₁	N.	N.	N.p.	N.
44	77	71	64	4.44	5.17	5.74	5.12	SO ₂	N ₂	NO ₂	N.p.	N.	N.p.
85	87	59	77	6.70	5.94	5.14	5.93	NO ₁	C	O ₁	N.p.	N.	N.p.
71	85	50	69	6.27	4.78	4.90	5.32	SO ₂	O ₁	NO ₂	N.p.	N.	N.p.
46	97	62	68	4.76	5.65	5.89	5.43	O ₂	O ₁	N ₂	N.	N.p.	N.p.
43	79	69	64	4.69	6.10	5.32	5.37	N ₂	SO ₂	NO ₂	N.	N.p.	N.p.
70	78	69	72	5.78	5.58	5.62	5.66	NO ₂	SO ₂	CO ₂	N.	N.p.	N.p.
67	75	50	64	7.13	6.02	5.61	6.25	SO ₂	NO ₂	CO ₂	N.	N.p.	N.p.
52	71	52	58	6.04	6.27	5.02	5.78	O ₂	O ₂	CO ₂	N.	N.p.	N.p.
69	97	65	77	6.25	5.73	6.59	6.22	SO ₂	CO ₁	C	N.p.	N.	N.p.
45	65	58	56	4.81	4.82	5.55	5.06	O ₁	O ₁	O ₁	N.	N.p.	N.p.
56	90	63	70	5.16	5.65	5.72	5.51	O ₂	SO ₁	SO ₂	N.	N.p.	N.p.
59	80	48	62	5.14	4.97	4.58	4.90	SO ₂	SO ₂	SO ₂	N.p.	N.p.	N.p.
47	71	94	71	6.87	4.77	7.16	5.77	SO ₂	S ₁	SO ₁	N.p.	N.p.	N.p.
50	69	52	57	6.91	4.81	5.19	5.64	NO ₂	O ₁	O ₁	N.	N.p.	N.p.
46	93	62	67	4.36	6.18	5.89	5.48	SO ₂	O ₁	NO ₁	N.	N.p.	N.p.
81	80	51	71	6.75	4.83	4.18	5.25	NO ₂	NO ₂	SO ₂	N.	N.p.	N.p.
60	90	76	75	5.77	5.41	6.93	6.04	S ₁	O ₁	CO ₁	N.	N.p.	N.p.
70	73	77	73	5.68	4.43	6.14	5.42	NE ₂	NE ₂	SO ₂	N.	N.p.	N.p.
61	97	61	73	6.09	6.88	5.60	6.19	SO ₁	S ₁	O ₁	N.	N.p.	N.p.
83	70	89	81	5.41	5.22	5.02	5.22	O ₁	SO ₁	NE ₂	N.	N.p.	N.p.

91	50	78	73	7.33	4.18	6.63	6.05	SO ₂	SO ₁	SE ₁	N.	N.	N.
84	88	72	81	7.17	6.42	7.60	7.07	SE ₁	S ₁	SE ₁	N.	N.	N.
59	84	56	66	8.89	9.75	6.51	8.38	O ₂	O ₁	SO ₂	N.p.	N.p.	N.p.
41	52	38	60	4.45	4.48	6.42	5.12	N.	N ₂	C	N.p.	N.p.	N.p.
89	80	76	82	7.1	4.75	6.61	6.16	SSO ₂	S ₂	SO ₂	N.p.	N.p.	N.p.
61	82	63	69	6.76	5.92	5.22	5.97	NO ₂	O ₁	CO ₁	N.	N.p.	N.p.
46	91	52	63	5.25	7.03	5.61	5.96	O ₂	CO ₁	SO ₂	N.	N.p.	N.p.
51	80	80	70	4.99	6.06	8.08	6.33	SO ₂	O ₁	NO ₂	N.	N.p.	N.p.
56	87	72	72	5.43	5.70	6.81	5.98	SO ₂	O ₁	NO ₂	N.	N.p.	N.p.
55	93	75	74	6.16	5.94	6.12	6.07	O ₂	O ₂	O ₂	N.	N.p.	N.p.
56	78	45	60	5.97	5.34	5.13	5.48	N.	O ₁	O ₂	N.	N.p.	N.p.
70	81	86	79	6.47	6.65	8.80	7.51	SO ₂	S ₁	NE ₁	N.	N.p.	N.p.
83	97	92	91	8.56	8.69	7.56	8.27	SO ₁	SO ₂	NE ₁	N.	N.p.	N.p.
83	91	84	86	6.57	6.64	7.61	6.94	S ₂	S ₂	S ₁	N.	N.p.	N.p.
97	97	61	85	8.00	6.73	6.52	7.10	SE ₂	S ₁	C	N.	N.p.	N.p.
81	78	84	81	7.41	5.42	7.09	6.64	NE ₂	C	CO ₁	N.	N.p.	N.p.
65	94	65	75	6.23	6.21	5.34	5.93	E ₁	O ₁	N.	N.	N.p.	N.p.
83	97	72	84	6.48	6.51	6.49	6.49	S ₂	SO ₁	NE ₁	N.	N.p.	N.p.
72	97	55	75	6.49	6.41	6.51	6.47	NO ₂	O ₁	NO ₂	N.	N.p.	N.p.
73	86	63	74	7.13	6.79	6.33	6.75	NO ₂	C	O ₂	N.	N.p.	N.p.
76	80	83	80	6.93	6.36	6.87	6.72	O ₁	NO ₂	O ₂	N.	N.p.	N.p.
84	85	54	74	7.41	5.36	5.73	6.33	N.	SO ₁	SO ₂	N.	N.p.	N.p.
74	91	74	80	7.05	6.74	8.86	7.55	S ₂	O ₁	O ₁	N.p.	N.p.	N.p.
52	85	46	61	5.39	6.04	6.14	5.86	NO ₂	NO ₂	NO ₁	N.p.	N.p.	N.p.
73	83	73	78	9.11	6.08	7.01	7.40	NO ₂	SO ₁	O ₁	N.p.	N.p.	N.p.
92	97	75	88	8.01	5.90	6.12	6.68	S ₂	SO ₁	NE ₁	N.p.	N.p.	N.p.
70	91	77	79	5.63	6.37	6.04	6.03	E ₁	O ₁	E ₁	N.	N.p.	N.p.
65	87	46	66	5.34	5.70	4.33	5.29	SO ₂	C	SO ₂	N.	N.p.	N.p.
75	84	50	70	7.25	5.50	5.49	6.98	S ₂	S ₁	S ₁	N.	N.p.	N.p.
48	73	53	59	5.80	6.12	7.15	6.36	O ₂	N.	SE ₂	N.	N.p.	N.p.
47	70	52	56	6.53	5.38	5.92	6.11	SO ₂	SO ₁	O ₂	N.	N.p.	N.p.